

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 SDS Ref: 1912 Date of issue: 10-10-16 Revision date: 08-01-18 Supersedes: 04-01-17 Version: 3.0

	entification of the substa	ance/mixture and o	f the c	company/undertaking	
1.1. Product ider	ntifier	• • · ·			
Product form		: Mixture			
Product name		: BCS 400			
Product code		: 1912 # 732191R7			
Type of product		: Aerosol			
Vaporizer		: Aerosol			
1.2. Relevant ide	entified uses of the substan	ce or mixture and us	ses adv	vised against	
1.2.1. Relevant ide	ntified uses				
Main use category		: Professional use			
1.2.2. Uses advise No additional inform	nation available				
	e supplier of the safety dat				
Distributor			Supplie		
SADAPS BARDAH			SADAPS BARDAHL		
BP 50050 MOUVAU			BP 50050 MOUVAUX		
59589 BONDUES Cedex - France T 03.10 38 38 38 - F 03.51 08 90 51				BONDUES Cedex - France	
		-		38 38 38 - F 03.51 08 90 51	ada la lina de catalia, a casa
	ance.com - www.bardahlindustri		ndustne	e@bardahlfrance.com - www.bai	damindustrie.com
	telephone number	122 (0)1 45 42 50 50			
Emergency number		+33 (0)1.45.42.59.59			
Country	Organisation/Company	Address		Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin		+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida		+356 2545 6504	
Saudi Arabia	Poison Control Center-Riyadh	General Directorate of H Affairs Medial Province	Health	+966 112324180 +966 112324189	
United Arab Emirates	Health Authority – Abu Dhabi (HAAD)	P.O. Box 5674 Abu Dhabi		+ 800-424	

			Medial Province	+900 112324189	
United Emirat		Health Authority – Abu Dhabi (HAAD) Poison & Drug Information Center (PDIC)	P.O. Box 5674 Abu Dhabi	+ 800-424	
United	l Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

SECTION 2: Hazards identification 2.1. Classification of the substance or mixture

2.1. Oldssification of the substance of mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Aerosol, Category 1	H222;H229
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.2. Label elements

Z.Z. Laber cicilicitis	
Labelling according to Regulation (EC) N Hazard pictograms (CLP)	No. 1272/2008 [CLP]
	GHS02 GHS07 GHS09
Signal word (CLP)	: Danger
Hazardous ingredients	 Reaction product of 1.3.4-thiadiazolidine-2.5,dithione, formaldehyde and phenol, heptyl derivs.; Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
Hazard statements (CLP)	 H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P102 - Keep out of reach of children. P260 - Do not breathe gas, spray. P262 - Do not get in eyes, on skin, or on clothing. P271 - Use only outdoors or in a well-ventilated area. P273 - Avoid release to the environment. P280 - Wear eye protection, face protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P363 - Wash contaminated clothing before reuse. P391 - Collect spillage. P501 - Dispose of contents/container in accordance with local regulations. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C, 122 °F.
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking.
Extra phrases	: Use as per instructions and specifically for this purpose. For professional users only.
2.3 Other hazards	

2.3. Other hazards No additional information available

SECTION 3: Composition/information on ingredients				
3.1. Substances				
Not applicable				
3.2. Mixtures				
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Petroleum gases, liquefied, sweetened; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting liquefied petroleum gas mix to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately–40 °C to 80 °C (– 40 °F to176 °F).]	(CAS-No.) 68476-86-8 (EC-No.) 270-705-8 (EC Index-No.) 649-203-00-1	40	Flam. Gas 1, H220 Press. Gas Muta. 1B, H340 Carc. 1A, H350	

approximately–40 °C to 80 °C (– 40 °F to176 °F).] (Note K)(Note S)(Note U)			
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	(EC-No.) 918-481-9 (REACH-no) 01-2119457273-39	>= 36,78	Asp. Tox. 1, H304
Reaction products of bis(4-methylpentan-2- yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)	(EC-No.) 931-384-6 (REACH-no) 01-2119493620-38	1-3	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

oleic acid, compound with (Z)-N-octadec-9- enylpropane-1,3-diamine (2:1)	(CAS-No.) 34140-91-5 (EC-No.) 251-846-4 (REACH-no) 01-2119974119-29	1-3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 2, H411	
OLEAMINE	(CAS-No.) 112-90-3 (EC-No.) 204-015-5 (EC Index-No.) 612-283-00-3	<1	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 STOT SE 3, H335 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)	
Reaction product of 1.3.4-thiadiazolidine-2.5, dithione, formaldehyde and phenol, heptyl derivs.	(EC-No.) 939-460-0 (REACH-no) 01-2119971727-23	<0.5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412	
2-ethylhexan-1-ol substance with a Community workplace exposure limit	(CAS-No.) 104-76-7 (EC-No.) 203-234-3 (REACH-no) 01-2119487289-20	<0.1	Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	
Specific concentration limits:				
Name	Product identifier	Specific concentration limits		
Reaction products of bis(4-methylpentan-2- yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)	(EC-No.) 931-384-6 (REACH-no) 01-2119493620-38	(C >= 1) Eye Irrit. 2, H319 (C >= 9,39) Skin Sens. 1, H317 (50 = <c 1,="" 100)="" <="" dam.="" eye="" h318<="" td=""></c>		

Note K : The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w 1,3butadiene (EINECS No 203-450-8). If the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P210-P403 (Table 3.1) or the S-phrases (2-)9-16 (Table 3.2) should apply. This note applies only to certain complex oil-derived substances in Part 3.

Note S : This substance may not require a label according to Article 17 (see section 1.3 of Annex I) (Table 3.1). This substance may not require a label according to Article 23 of Directive 67/548/EEC (see section 8 of Annex VI to that Directive) (Table 3.2).

Note U (Table 3): When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Remove contaminated clothes. Wash skin with plenty of water. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects after skin contact	: Repeated exposure may cause skin dryness or cracking. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye irritation.
4.3. Indication of any immediate medical atte Treat symptomatically.	ention and special treatment needed

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Water spray. Dry powder. Sand. Foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the substa	ance or mixture
Fire hazard	: Extremely flammable aerosol. Pressurised container: May burst if heated.
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. Pressurised container: May burst if heated.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.
: Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers.
: Do not enter fire area without proper protective equipment, including respiratory protection.
: Prevent liquid from entering sewers, watercourses, underground or low areas.

SECTION 6: Accidental release measure	
6.1. Personal precautions, protective equipn General measures	 Evacuate area. Eliminate every possible source of ignition. Ensure adequate ventilation, especially in confined areas. Keep public away from danger area. Equip cleanup crew with proper protection.
6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	- Equip cleanup crow with proper protection
Protective equipment Emergency procedures	: Equip cleanup crew with proper protection. : Ventilate area.
6.2. Environmental precautions Dike for recovery or absorb with appropriate material. waters.	Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public
6.3. Methods and material for containment a	nd cleaning up
For containment	: Recover the product with absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
Methods for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it.
6.4. Reference to other sections	
For further information refer to section 8: "Exposure c "Disposal considerations".	ontrols/personal protection". For disposal of solid materials or residues refer to section 13 :
SECTION 7: Handling and storage	

7.1. Precautions for safe handling	
Additional hazards when processed	: Extremely flammable aerosol. Pressurised container: May burst if heated.
Precautions for safe handling	: Do not eat, drink or smoke when using this product. Provide good ventilation in process area to prevent formation of vapour. For further information refer to section 8: "Exposure controls/personal protection". Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Hygiene measures	: Wash contaminated clothing before reuse. Always wash hands after handling the product.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Store in a dry place. Store in a closed container. Store in a well-ventilated place. Keep out of frost. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Incompatible products	: Strong acids. Strong bases.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
Maximum storage period	: 36 months
7.3. Specific end use(s)	
No additional information available	

No additional information available

SECTION 8: Exposure c 8.1. Control parameters 2-ethylhexan-1-ol (104-76-	ontrols/personal protection 7)			
EU	Local name	2-ethylhexan-1-ol		
EU	IOELV TWA (mg/m³)	5,4 mg/m³		
EU	IOELV TWA (ppm)	1 ppm		
EU	EU Regulatory reference COMMISSION DIRECTIVE (EU) 2017/164			
8.2. Exposure controls				
Hand protection:				
Protective gloves	Protective gloves			

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Туре	Material		Permeation	Thickness (mm)	Penetration		Standard
Disposable gloves, Reusable gloves	Nitrile rubber (NBR)		6 (> 480 minutes)	3 (> 0.65			EN 374
Eye protection:							
Safety glasses							
Туре	Use			Characteristics		Standard	
Safety glasses				With side shields		EN 166	
Skin and body protect	ion:						
Wear suitable protective	e clothing						
Respiratory protection	ו:						
Good ventilation of the	workplace rec	quired. Wher	e excessive vapour, mist	t, or dust may result, use	approved r	espiratory pro	tection equipment

Personal protective equipment symbol(s):



9.1. Information on basic physical and c		
Physical state	: Liquid	
Colour	: dark yellow.	
Odour	: No data available	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Density	: 0,84 - 0,85 g/cm³ 20°C	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	
9.2. Other information		

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other
sources of ignition. Stable under normal conditions.
10.3 Descibility of bazardous reactions

10.3. Possibility of hazardous reactions Not established.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.4. Conditions to avoid

Heat. Open flame. Sparks. Water, humidity. Freezing.

10.5. Incompatible materials Strong acids. Strong bases.

10.6. Hazardous decomposition products

Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

SECTION 11: Toxicological information 11.1. Information on toxicological effects		
	Not classified	
Acute toxicity (dermal) :	Not classified	
Acute toxicity (inhalation) :	Not classified	
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics		
LD50 oral rat	> 500 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
LC50 inhalation rat (mg/l)	> 11 mg/l 4 hours	

oleic acid, compound with (Z)-N-octadec-9-enylpropane-1,3-diamine (2:1) (34140-91-5)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg

2-ethylhexan-1-ol (104-76-7)		
LD50 oral rat	> 10000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Skin corrosion/irritation :	Not classified	
Serious eye damage/irritation :	Causes serious eye irritation.	
Respiratory or skin sensitisation :	May cause an allergic skin reaction.	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
STOT-repeated exposure :	Not classified	
oleic acid, compound with (Z)-N-octadec-9-enylpropane-1,3-diamine (2:1) (34140-91-5)		
NOAEL (subchronic, oral, animal/male, 90 days)	1 mg/kg bodyweight	
Aspiration hazard :	May be fatal if swallowed and enters airways.	
BCS 400		
Vaporizer	Aerosol	

SECTION 12: Ecological infor	nation	
12.1. Toxicity		
Ecology - general	: Toxic to aquatic life with long lasting effects.	
Acute aquatic toxicity	: Not classified	
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.	
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics		
LC50 fish 1	> 1000 mg/l	
EC50 Daphnia 1	> 1000 mg/l	
EC50 72h algae (1)	> 1000 mg/l	
oleic acid, compound with (Z)-N-octadec-9-enylpropane-1,3-diamine (2:1) (34140-91-5)		

LC50 fish 1

1,34 mg/l LC50 96 h - fish [mg/l]

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC50 Daphnia 1	1,4 mg/l
NOEC (acute)	993,2 mg/kg

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)		
LC50 fish 1	24 mg/l	
LC50 fish 2	8,5 mg/l	
NOEC chronic fish	3,2 mg/l	

Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)		
LC50 fish 1	4,4 mg/l LC50/96h/trout	
EC50 other aquatic organisms 1	75 mg/l 48 hours	
EC50 72h algae (1)	410 mg/l	

triphenyl phosphite (101-02-0)	
EC50 other aquatic organisms 1	0,94 mg/l 48 hours

2-ethylhexan-1-ol (104-76-7)	
LC50 fish 1	28,2 mg/l (Pimephales promelas, 4DY)
LC50 fish 2	17,1 mg/l (lde mélanote (Leuciscus idus), 4DY)
EC50 other aquatic organisms 1	39 mg/l (Cladocère, 2DY)
EC50 72h algae (1)	16,6 mg/l
NOEC chronic fish	14 mg/l (Ide mélanote (Leuciscus idus), 4DY)
12.2. Persistence and degradability	
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	
Biodegradation	80 % 28 days

oleic acid, compound with (Z)-N-octadec-9-enylpropane-1,3-diamine (2:1) (34140-91-5)	
Biodegradation	61 % 28 days

OLEAMINE (112-90-3)	
Biodegradation	≥0%

triphenyl phosphite (101-02-0)	
Biodegradation	5 - 9,9 %
12.3. Bioaccumulative potential	
oleic acid, compound with (Z)-N-octadec-9-enylpropane-1,3-diamine (2:1) (34140-91-5)	
Bioconcentration factor (BCF REACH)	70,8
Log Kow	32,91

Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)		
Log Kow 3,6		
triphenyl phosphite (101-02-0)		
Log Kow	6,62	
2-ethylhexan-1-ol (104-76-7)		
Log Kow	2,9	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.4. Mobility in soil		
2-ethylhexan-1-ol (104-76-7)		
Mobility in soil	-1,42	
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Other adverse effects		
No additional information available		
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Sewage disposal recommendations	: Do not discharge into drains or the environment	

Sewage disposal recommendations	: Do not discharge into drains or the environment.
Product/Packaging disposal recommendations	: Collect all waste in suitable and labelled containers and dispose according to local legislation. Dispose used or damaged aerosol cans at permitted disposal sites.
Ecology - waste materials	: Do not discharge the product into the environment.
European List of Waste (LoW) code	: 14 06 00 - waste organic solvents, refrigerants and foam/aerosol propellants

SECTION 14: Transport information

accordance with ADR / RID / IMDG / IATA / ADN			
ADR	IMDG	ΙΑΤΑ	RID
14.1. UN number			
1950	1950	1950	1950
14.2. UN proper shippin	g name		
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS
Transport document descr	iption		
UN 1950 AEROSOLS (CONTAINS ; Petroleum gases, liquefied, sweetened, Petroleum gas, [A complex combination of hydrocarbons obtained by subjecting liquefied petroleum gas mix to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately -40 °C to 80 °C (-40 °F to 176 °F).]), 2.1, (D), ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard o	class(es)		
2.1	2.1	2.1	2.1
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards		
Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes

Marine pollutant : Yes

Safety Data Sheet

1007/2006 (PEACH) with ite 4.... nt D nulation (ELI) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH) with	its amendment Regulation (EU) 2015/830
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69
Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23
14.7. Transport in bulk according to Annex	II OF WATPOL AND THE IBC CODE

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance on the REACH candidate list ≥ 0,1 % / SCL Contains no REACH Annex XIV substances

15.1.2. National regulations

France

FIGILLE	
Occupational diseases	: RG 49 - Affections cutanées provoquées par les amines aliphatiques, alicycliques ou les éthanolamines RG 65 - Lésions eczématiformes de mécanisme allergique RG 84 - Affections engendrées par les solvants organiques liquides à usage professionnel
Germany	
Reference to AwSV	: Water hazard class (WGK) 3, severe hazard to water (Classification according to AwSV, Annex 1)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: Petroleum gases, liquefied, sweetened; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting liquefied petroleum gas mix to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately–40 °C to 80 °C (– 40 °F to176 °F).] is listed
SZW-lijst van mutagene stoffen	: Petroleum gases, liquefied, sweetened; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting liquefied petroleum gas mix to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately–40 °C to 80 °C (– 40 °F to176 °F).] is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
	Pregnant/breastfeeding women working with the product must not be in direct contact with the product
	The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal
15.2. Chemical safety assessment	
No additional information available	

No additional information available

SECTION 16: Other information			
Full text of H- and EUH-staten	Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3		
Asp. Tox. 1	Aspiration hazard, Category 1		
Carc. 1A	Carcinogenicity, Category 1A		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Gas 1	Flammable gases, Category 1		
Muta. 1B	Germ cell mutagenicity, Category 1B		
Press. Gas	Gases under pressure		
Skin Corr. 1C	Skin corrosion/irritation, Category 1C		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product