

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Shanghai JA Solar Technology Co., Ltd.	Manufacturer:	Shanghai JA Solar Technology Co., Ltd.
Address:	No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai	Address:	No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai
Country:	P. R. China	Country:	P. R. China
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai Limited		
Control Number:	<u>4001505</u>	Authorized by:	 for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]

Product:	Crystalline Silicon Photovoltaic modules
Brand Name:	JA SOLAR 晶澳
Models:	<p>JAM72D00-365/BP, JAM72D00-370/BP, JAM72D00-375/BP, JAM72D00-380/BP, JAM60D00-305/BP, JAM60D00-310/BP, JAM60D00-315/BP, JAM72D09-380/BP, JAM72D09-385/BP, JAM72D09-390/BP, JAM72D09-395/BP, JAM72D09-400/BP, JAM60D09-320/BP, JAM60D09-325/BP, JAM60D09-330/BP, JAM60D09-335/BP, JAM60D09-340/BP, JAM72D10-385/MB, JAM72D10-390/MB, JAM72D10-395/MB, JAM72D10-400/MB, JAM72D10-405/MB, JAM72D10-410/MB, JAM72D10-415/MB, JAM72D10-420/MB, JAM60D10-320/MB, JAM60D10-325/MB, JAM60D10-330/MB, JAM60D10-335/MB, JAM60D10-340/MB, JAP72D09-345/SC, JAP60D09-285/SC.</p> <p>JAM78D10-435/MB, JAM78D10-440/MB, JAM78D10-445/MB.</p> <p>JAM72D20-430/MB, JAM72D20-435/MB, JAM72D20-440/MB, JAM72D20-445/MB, JAM72D20-450/MB, JAM72D20-455/MB, JAM72D20-460/MB, JAM72D20-465/MB.</p> <p>JAM60D20-360/MB, JAM60D20-365/MB, JAM60D20-370/MB, JAM60D20-375/MB, JAM60D20-380/MB, JAM60D20-385/MB.</p> <p>JAM72D30-530/MB, JAM72D30-535/MB, JAM72D30-540/MB, JAM72D30-545/MB, JAM72D30-550/MB, JAM72D30-555/MB.</p> <p>JAM66D30-490/MB, JAM66D30-495/MB, JAM66D30-500/MB, JAM66D30-505/MB.</p> <p>JAM78D30-585/GB, JAM78D30-590/GB, JAM78D30-595/GB, JAM78D30-600/GB, JAM78D30-605/GB, JAM78D30-610/GB.</p> <p>JAM72D30-540/GB, JAM72D30-545/GB, JAM72D30-550/GB, JAM72D30-555/GB, JAM72D30-560/GB.</p> <p>JAM66D30-495/GB, JAM66D30-500/GB.</p> <p>JAM60D30-450/GB, JAM60D30-455/GB.</p> <p>JAM54D30-405/GB, JAM54D30-410/GB.</p> <p>JAM78D30-580/MB, JAM78D30-585/MB, JAM78D30-590/MB, JAM78D30-595/MB, JAM78D30-600/MB, JAM78D30-605/MB.</p> <p>JAM54D30-390/MB, JAM54D30-395/MB, JAM54D30-400/MB, JAM54D30-405/MB, JAM54D30-410/MB, JAM54D30-415/MB.</p> <p>JAM78D40-600/MB, JAM78D40-605/MB, JAM78D40-610/MB, JAM78D40-615/MB, JAM78D40-620/MB, JAM78D40-625/MB, JAM78D40-630/MB, JAM78D40-635/MB, JAM78D40-640/MB.</p> <p>JAM72D40-550/MB, JAM72D40-555/MB, JAM72D40-560/MB, JAM72D40-565/MB, JAM72D40-570/MB, JAM72D40-575/MB, JAM72D40-580/MB, JAM72D40-585/MB, JAM72D40-590/MB.</p> <p>JAM72D40-555/GB, JAM72D40-560/GB, JAM72D40-565/GB, JAM72D40-570/GB, JAM72D40-575/GB, JAM72D40-580/GB, JAM72D40-585/GB, JAM72D40-590/GB. JAM54D31-395/MB, JAM54D31-400/MB.</p> <p>JAM54D41-415/GB, JAM54D41-420/GB, JAM54D41-425/GB, JAM54D41-430/GB, JAM54D41-435/GB.</p> <p>JAM72D30-555/LB, JAM72D30-560/LB, JAM72D30-565/LB, JAM72D30-570/LB, JAM72D30-575/LB.</p> <p>JAM54D30-420/LB, JAM54D30-425/LB, JAM54D30-430/LB.</p> <p>JAM72D40-575/LB, JAM72D40-580/LB, JAM72D40-585/LB, JAM72D40-590/LB, JAM72D40-595/LB, JAM72D40-600/LB.</p> <p>JAM54D40-420/LB, JAM54D40-425/LB, JAM54D40-430/LB, JAM54D40-435/LB, JAM54D40-440/LB, JAM54D40-445/LB, JAM54D40-450/LB.</p> <p>JAM54D41-420/LB, JAM54D41-425/LB, JAM54D41-430/LB, JAM54D41-435/LB, JAM54D41-440/LB.</p> <p>JAM72D42-605/LB, JAM72D42-610/LB, JAM72D42-615/LB, JAM72D42-620/LB, JAM72D42-625/LB, JAM72D42-630/LB, JAM72D42-635/LB, JAM72D42-640/LB.</p> <p>JAM66D42-555/MB, JAM66D42-560/MB, JAM66D42-565/MB, JAM66D42-570/MB, JAM66D42-575/MB, JAM66D42-580/MB, JAM66D42-585/MB, JAM66D42-590/MB, JAM66D42-595/MB.</p> <p>JAM66D45-585/LB, JAM66D45-590/LB, JAM66D45-595/LB, JAM66D45-600/LB, JAM66D45-605/LB, JAM66D45-610/LB, JAM66D45-615/LB, JAM66D45-620/LB.</p> <p>JAM54D40-405/MB, JAM54D40-410/MB, JAM54D40-415/MB, JAM54D40-420/MB, JAM54D40-425/MB, JAM54D40-430/MB, JAM54D40-435/MB, JAM54D40-440/MB.</p>

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Shanghai JA Solar Technology Co., Ltd.	Manufacturer:	Hefei JA Solar Technology Co., Ltd.
Address:	No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai	Address:	No. 999, Changning Road, Hi-tech Zone, Hefei City, 230088, Anhui Province
Country:	P. R. China	Country:	P. R. China
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai Limited		
Control Number:	<u>4005519</u>	Authorized by:	<u>L. Matthew Snyder</u> for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1] Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2] Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]

Product:	Crystalline Silicon Photovoltaic modules
Brand Name:	JA SOLAR 晶澳
Models:	<p>JAM72D00-365/BP, JAM72D00-370/BP, JAM72D00-375/BP, JAM72D00-380/BP, JAM60D00-305/BP, JAM60D00-310/BP, JAM60D00-315/BP, JAM72D09-380/BP, JAM72D09-385/BP, JAM72D09-390/BP, JAM72D09-395/BP, JAM72D09-400/BP, JAM60D09-320/BP, JAM60D09-325/BP, JAM60D09-330/BP, JAM60D09-335/BP, JAM60D09-340/BP, JAM72D10-385/MB, JAM72D10-390/MB, JAM72D10-395/MB, JAM72D10-400/MB, JAM72D10-405/MB, JAM72D10-410/MB, JAM72D10-415/MB, JAM72D10-420/MB, JAM60D10-320/MB, JAM60D10-325/MB, JAM60D10-330/MB, JAM60D10-335/MB, JAM60D10-340/MB, JAP72D09-345/SC, JAP60D09-285/SC.</p> <p>JAM78D10-435/MB, JAM78D10-440/MB, JAM78D10-445/MB.</p> <p>JAM72D20-430/MB, JAM72D20-435/MB, JAM72D20-440/MB, JAM72D20-445/MB, JAM72D20-450/MB, JAM72D20-455/MB, JAM72D20-460/MB, JAM72D20-465/MB.</p> <p>JAM60D20-360/MB, JAM60D20-365/MB, JAM60D20-370/MB, JAM60D20-375/MB, JAM60D20-380/MB, JAM60D20-385/MB.</p> <p>JAM72D30-530/MB, JAM72D30-535/MB, JAM72D30-540/MB, JAM72D30-545/MB, JAM72D30-550/MB, JAM72D30-555/MB.</p> <p>JAM66D30-490/MB, JAM66D30-495/MB, JAM66D30-500/MB, JAM66D30-505/MB.</p> <p>JAM78D30-585/GB, JAM78D30-590/GB, JAM78D30-595/GB, JAM78D30-600/GB, JAM78D30-605/GB, JAM78D30-610/GB.</p> <p>JAM72D30-540/GB, JAM72D30-545/GB, JAM72D30-550/GB, JAM72D30-555/GB, JAM72D30-560/GB.</p> <p>JAM66D30-495/GB, JAM66D30-500/GB.</p> <p>JAM60D30-450/GB, JAM60D30-455/GB.</p> <p>JAM54D30-405/GB, JAM54D30-410/GB.</p> <p>JAM78D30-580/MB, JAM78D30-585/MB, JAM78D30-590/MB, JAM78D30-595/MB, JAM78D30-600/MB, JAM78D30-605/MB.</p> <p>JAM54D30-390/MB, JAM54D30-395/MB, JAM54D30-400/MB, JAM54D30-405/MB, JAM54D30-410/MB, JAM54D30-415/MB.</p> <p>JAM78D40-600/MB, JAM78D40-605/MB, JAM78D40-610/MB, JAM78D40-615/MB, JAM78D40-620/MB, JAM78D40-625/MB, JAM78D40-630/MB, JAM78D40-635/MB, JAM78D40-640/MB.</p> <p>JAM72D40-550/MB, JAM72D40-555/MB, JAM72D40-560/MB, JAM72D40-565/MB, JAM72D40-570/MB, JAM72D40-575/MB, JAM72D40-580/MB, JAM72D40-585/MB, JAM72D40-590/MB.</p> <p>JAM72D40-555/GB, JAM72D40-560/GB, JAM72D40-565/GB, JAM72D40-570/GB, JAM72D40-575/GB, JAM72D40-580/GB, JAM72D40-585/GB, JAM72D40-590/GB. JAM54D31-395/MB, JAM54D31-400/MB.</p> <p>JAM54D41-415/GB, JAM54D41-420/GB, JAM54D41-425/GB, JAM54D41-430/GB, JAM54D41-435/GB.</p> <p>JAM72D30-555/LB, JAM72D30-560/LB, JAM72D30-565/LB, JAM72D30-570/LB, JAM72D30-575/LB.</p> <p>JAM54D30-420/LB, JAM54D30-425/LB, JAM54D30-430/LB.</p> <p>JAM72D40-575/LB, JAM72D40-580/LB, JAM72D40-585/LB, JAM72D40-590/LB, JAM72D40-595/LB, JAM72D40-600/LB.</p> <p>JAM54D40-420/LB, JAM54D40-425/LB, JAM54D40-430/LB, JAM54D40-435/LB, JAM54D40-440/LB, JAM54D40-445/LB, JAM54D40-450/LB.</p> <p>JAM54D41-420/LB, JAM54D41-425/LB, JAM54D41-430/LB, JAM54D41-435/LB, JAM54D41-440/LB.</p> <p>JAM72D42-605/LB, JAM72D42-610/LB, JAM72D42-615/LB, JAM72D42-620/LB, JAM72D42-625/LB, JAM72D42-630/LB, JAM72D42-635/LB, JAM72D42-640/LB.</p> <p>JAM66D42-555/MB, JAM66D42-560/MB, JAM66D42-565/MB, JAM66D42-570/MB, JAM66D42-575/MB, JAM66D42-580/MB, JAM66D42-585/MB, JAM66D42-590/MB, JAM66D42-595/MB.</p> <p>JAM66D45-585/LB, JAM66D45-590/LB, JAM66D45-595/LB, JAM66D45-600/LB, JAM66D45-605/LB, JAM66D45-610/LB, JAM66D45-615/LB, JAM66D45-620/LB.</p> <p>JAM54D40-405/MB, JAM54D40-410/MB, JAM54D40-415/MB, JAM54D40-420/MB, JAM54D40-425/MB, JAM54D40-430/MB, JAM54D40-435/MB, JAM54D40-440/MB.</p>

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Shanghai JA Solar Technology Co., Ltd.

Manufacturer: JA Solar (Xingtai) Co., Ltd.

Address: No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai

Address: No. 1688, Chang An Road, Xingtai Economic Development Area, Xingtai City, Hebei Province 054000

Country: P. R. China

Country: P. R. China

Party Authorized To Apply Mark: Same as Manufacturer

Report Issuing Office: Intertek Testing Services Shanghai Limited

Control Number: 5016163

Authorized by: _____

for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]

Product:	Crystalline Silicon Photovoltaic modules
Brand Name:	JA SOLAR 晶澳
Models:	<p>JAM72D00-365/BP, JAM72D00-370/BP, JAM72D00-375/BP, JAM72D00-380/BP, JAM60D00-305/BP, JAM60D00-310/BP, JAM60D00-315/BP, JAM72D09-380/BP, JAM72D09-385/BP, JAM72D09-390/BP, JAM72D09-395/BP, JAM72D09-400/BP, JAM60D09-320/BP, JAM60D09-325/BP, JAM60D09-330/BP, JAM60D09-335/BP, JAM60D09-340/BP, JAM72D10-385/MB, JAM72D10-390/MB, JAM72D10-395/MB, JAM72D10-400/MB, JAM72D10-405/MB, JAM72D10-410/MB, JAM72D10-415/MB, JAM72D10-420/MB, JAM60D10-320/MB, JAM60D10-325/MB, JAM60D10-330/MB, JAM60D10-335/MB, JAM60D10-340/MB, JAP72D09-345/SC, JAP60D09-285/SC.</p> <p>JAM78D10-435/MB, JAM78D10-440/MB, JAM78D10-445/MB.</p> <p>JAM72D20-430/MB, JAM72D20-435/MB, JAM72D20-440/MB, JAM72D20-445/MB, JAM72D20-450/MB, JAM72D20-455/MB, JAM72D20-460/MB, JAM72D20-465/MB.</p> <p>JAM60D20-360/MB, JAM60D20-365/MB, JAM60D20-370/MB, JAM60D20-375/MB, JAM60D20-380/MB, JAM60D20-385/MB.</p> <p>JAM72D30-530/MB, JAM72D30-535/MB, JAM72D30-540/MB, JAM72D30-545/MB, JAM72D30-550/MB, JAM72D30-555/MB.</p> <p>JAM66D30-490/MB, JAM66D30-495/MB, JAM66D30-500/MB, JAM66D30-505/MB.</p> <p>JAM78D30-585/GB, JAM78D30-590/GB, JAM78D30-595/GB, JAM78D30-600/GB, JAM78D30-605/GB, JAM78D30-610/GB.</p> <p>JAM72D30-540/GB, JAM72D30-545/GB, JAM72D30-550/GB, JAM72D30-555/GB, JAM72D30-560/GB.</p> <p>JAM66D30-495/GB, JAM66D30-500/GB.</p> <p>JAM60D30-450/GB, JAM60D30-455/GB.</p> <p>JAM54D30-405/GB, JAM54D30-410/GB.</p> <p>JAM78D30-580/MB, JAM78D30-585/MB, JAM78D30-590/MB, JAM78D30-595/MB, JAM78D30-600/MB, JAM78D30-605/MB.</p> <p>JAM54D30-390/MB, JAM54D30-395/MB, JAM54D30-400/MB, JAM54D30-405/MB, JAM54D30-410/MB, JAM54D30-415/MB.</p> <p>JAM78D40-600/MB, JAM78D40-605/MB, JAM78D40-610/MB, JAM78D40-615/MB, JAM78D40-620/MB, JAM78D40-625/MB, JAM78D40-630/MB, JAM78D40-635/MB, JAM78D40-640/MB.</p> <p>JAM72D40-550/MB, JAM72D40-555/MB, JAM72D40-560/MB, JAM72D40-565/MB, JAM72D40-570/MB, JAM72D40-575/MB, JAM72D40-580/MB, JAM72D40-585/MB, JAM72D40-590/MB.</p> <p>JAM72D40-555/GB, JAM72D40-560/GB, JAM72D40-565/GB, JAM72D40-570/GB, JAM72D40-575/GB, JAM72D40-580/GB, JAM72D40-585/GB, JAM72D40-590/GB. JAM54D31-395/MB, JAM54D31-400/MB.</p> <p>JAM54D41-415/GB, JAM54D41-420/GB, JAM54D41-425/GB, JAM54D41-430/GB, JAM54D41-435/GB.</p> <p>JAM72D30-555/LB, JAM72D30-560/LB, JAM72D30-565/LB, JAM72D30-570/LB, JAM72D30-575/LB.</p> <p>JAM54D30-420/LB, JAM54D30-425/LB, JAM54D30-430/LB.</p> <p>JAM72D40-575/LB, JAM72D40-580/LB, JAM72D40-585/LB, JAM72D40-590/LB, JAM72D40-595/LB, JAM72D40-600/LB.</p> <p>JAM54D40-420/LB, JAM54D40-425/LB, JAM54D40-430/LB, JAM54D40-435/LB, JAM54D40-440/LB, JAM54D40-445/LB, JAM54D40-450/LB.</p> <p>JAM54D41-420/LB, JAM54D41-425/LB, JAM54D41-430/LB, JAM54D41-435/LB, JAM54D41-440/LB.</p> <p>JAM72D42-605/LB, JAM72D42-610/LB, JAM72D42-615/LB, JAM72D42-620/LB, JAM72D42-625/LB, JAM72D42-630/LB, JAM72D42-635/LB, JAM72D42-640/LB.</p> <p>JAM66D42-555/MB, JAM66D42-560/MB, JAM66D42-565/MB, JAM66D42-570/MB, JAM66D42-575/MB, JAM66D42-580/MB, JAM66D42-585/MB, JAM66D42-590/MB, JAM66D42-595/MB.</p> <p>JAM66D45-585/LB, JAM66D45-590/LB, JAM66D45-595/LB, JAM66D45-600/LB, JAM66D45-605/LB, JAM66D45-610/LB, JAM66D45-615/LB, JAM66D45-620/LB.</p> <p>JAM54D40-405/MB, JAM54D40-410/MB, JAM54D40-415/MB, JAM54D40-420/MB, JAM54D40-425/MB, JAM54D40-430/MB, JAM54D40-435/MB, JAM54D40-440/MB.</p>

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Shanghai JA Solar Technology Co., Ltd.	Manufacturer:	JA Solar New Energy Yangzhou Co., Ltd.
Address:	No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai	Address:	No.1, Jianhua Road, Economic Development Zone, 225000 Yangzhou City, Jiangsu Province
Country:	P. R. China	Country:	P. R. China
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai Limited		
Control Number:	<u>5019625</u>	Authorized by:	 for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1] Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2] Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]

Product:	Crystalline Silicon Photovoltaic modules
Brand Name:	JA SOLAR 晶澳
Models:	<p>JAM72D00-365/BP, JAM72D00-370/BP, JAM72D00-375/BP, JAM72D00-380/BP, JAM60D00-305/BP, JAM60D00-310/BP, JAM60D00-315/BP, JAM72D09-380/BP, JAM72D09-385/BP, JAM72D09-390/BP, JAM72D09-395/BP, JAM72D09-400/BP, JAM60D09-320/BP, JAM60D09-325/BP, JAM60D09-330/BP, JAM60D09-335/BP, JAM60D09-340/BP, JAM72D10-385/MB, JAM72D10-390/MB, JAM72D10-395/MB, JAM72D10-400/MB, JAM72D10-405/MB, JAM72D10-410/MB, JAM72D10-415/MB, JAM72D10-420/MB, JAM60D10-320/MB, JAM60D10-325/MB, JAM60D10-330/MB, JAM60D10-335/MB, JAM60D10-340/MB, JAP72D09-345/SC, JAP60D09-285/SC.</p> <p>JAM78D10-435/MB, JAM78D10-440/MB, JAM78D10-445/MB.</p> <p>JAM72D20-430/MB, JAM72D20-435/MB, JAM72D20-440/MB, JAM72D20-445/MB, JAM72D20-450/MB, JAM72D20-455/MB, JAM72D20-460/MB, JAM72D20-465/MB.</p> <p>JAM60D20-360/MB, JAM60D20-365/MB, JAM60D20-370/MB, JAM60D20-375/MB, JAM60D20-380/MB, JAM60D20-385/MB.</p> <p>JAM72D30-530/MB, JAM72D30-535/MB, JAM72D30-540/MB, JAM72D30-545/MB, JAM72D30-550/MB, JAM72D30-555/MB.</p> <p>JAM66D30-490/MB, JAM66D30-495/MB, JAM66D30-500/MB, JAM66D30-505/MB.</p> <p>JAM78D30-585/GB, JAM78D30-590/GB, JAM78D30-595/GB, JAM78D30-600/GB, JAM78D30-605/GB, JAM78D30-610/GB.</p> <p>JAM72D30-540/GB, JAM72D30-545/GB, JAM72D30-550/GB, JAM72D30-555/GB, JAM72D30-560/GB.</p> <p>JAM66D30-495/GB, JAM66D30-500/GB.</p> <p>JAM60D30-450/GB, JAM60D30-455/GB.</p> <p>JAM54D30-405/GB, JAM54D30-410/GB.</p> <p>JAM78D30-580/MB, JAM78D30-585/MB, JAM78D30-590/MB, JAM78D30-595/MB, JAM78D30-600/MB, JAM78D30-605/MB.</p> <p>JAM54D30-390/MB, JAM54D30-395/MB, JAM54D30-400/MB, JAM54D30-405/MB, JAM54D30-410/MB, JAM54D30-415/MB.</p> <p>JAM78D40-600/MB, JAM78D40-605/MB, JAM78D40-610/MB, JAM78D40-615/MB, JAM78D40-620/MB, JAM78D40-625/MB, JAM78D40-630/MB, JAM78D40-635/MB, JAM78D40-640/MB.</p> <p>JAM72D40-550/MB, JAM72D40-555/MB, JAM72D40-560/MB, JAM72D40-565/MB, JAM72D40-570/MB, JAM72D40-575/MB, JAM72D40-580/MB, JAM72D40-585/MB, JAM72D40-590/MB.</p> <p>JAM72D40-555/GB, JAM72D40-560/GB, JAM72D40-565/GB, JAM72D40-570/GB, JAM72D40-575/GB, JAM72D40-580/GB, JAM72D40-585/GB, JAM72D40-590/GB. JAM54D31-395/MB, JAM54D31-400/MB.</p> <p>JAM54D41-415/GB, JAM54D41-420/GB, JAM54D41-425/GB, JAM54D41-430/GB, JAM54D41-435/GB.</p> <p>JAM72D30-555/LB, JAM72D30-560/LB, JAM72D30-565/LB, JAM72D30-570/LB, JAM72D30-575/LB.</p> <p>JAM54D30-420/LB, JAM54D30-425/LB, JAM54D30-430/LB.</p> <p>JAM72D40-575/LB, JAM72D40-580/LB, JAM72D40-585/LB, JAM72D40-590/LB, JAM72D40-595/LB, JAM72D40-600/LB.</p> <p>JAM54D40-420/LB, JAM54D40-425/LB, JAM54D40-430/LB, JAM54D40-435/LB, JAM54D40-440/LB, JAM54D40-445/LB, JAM54D40-450/LB.</p> <p>JAM54D41-420/LB, JAM54D41-425/LB, JAM54D41-430/LB, JAM54D41-435/LB, JAM54D41-440/LB.</p> <p>JAM72D42-605/LB, JAM72D42-610/LB, JAM72D42-615/LB, JAM72D42-620/LB, JAM72D42-625/LB, JAM72D42-630/LB, JAM72D42-635/LB, JAM72D42-640/LB.</p> <p>JAM66D42-555/MB, JAM66D42-560/MB, JAM66D42-565/MB, JAM66D42-570/MB, JAM66D42-575/MB, JAM66D42-580/MB, JAM66D42-585/MB, JAM66D42-590/MB, JAM66D42-595/MB.</p> <p>JAM66D45-585/LB, JAM66D45-590/LB, JAM66D45-595/LB, JAM66D45-600/LB, JAM66D45-605/LB, JAM66D45-610/LB, JAM66D45-615/LB, JAM66D45-620/LB.</p> <p>JAM54D40-405/MB, JAM54D40-410/MB, JAM54D40-415/MB, JAM54D40-420/MB, JAM54D40-425/MB, JAM54D40-430/MB, JAM54D40-435/MB, JAM54D40-440/MB.</p>

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Shanghai JA Solar Technology Co., Ltd.

Manufacturer: Yiwu JA Solar Technology Co., Ltd.

Address: No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai

Address: No.165, Tongze Road, Yiting Town, 322000 Yiwu City, Zhejiang Province

Country: P. R. China

Country: P. R. China

Party Authorized To Apply Mark: Same as Manufacturer

Report Issuing Office: Intertek Testing Services Shanghai Limited

Control Number: 5020726

Authorized by: _____

for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]

Product:	Crystalline Silicon Photovoltaic modules
Brand Name:	JA SOLAR 晶澳
Models:	<p>JAM72D00-365/BP, JAM72D00-370/BP, JAM72D00-375/BP, JAM72D00-380/BP, JAM60D00-305/BP, JAM60D00-310/BP, JAM60D00-315/BP, JAM72D09-380/BP, JAM72D09-385/BP, JAM72D09-390/BP, JAM72D09-395/BP, JAM72D09-400/BP, JAM60D09-320/BP, JAM60D09-325/BP, JAM60D09-330/BP, JAM60D09-335/BP, JAM60D09-340/BP, JAM72D10-385/MB, JAM72D10-390/MB, JAM72D10-395/MB, JAM72D10-400/MB, JAM72D10-405/MB, JAM72D10-410/MB, JAM72D10-415/MB, JAM72D10-420/MB, JAM60D10-320/MB, JAM60D10-325/MB, JAM60D10-330/MB, JAM60D10-335/MB, JAM60D10-340/MB, JAP72D09-345/SC, JAP60D09-285/SC.</p> <p>JAM78D10-435/MB, JAM78D10-440/MB, JAM78D10-445/MB.</p> <p>JAM72D20-430/MB, JAM72D20-435/MB, JAM72D20-440/MB, JAM72D20-445/MB, JAM72D20-450/MB, JAM72D20-455/MB, JAM72D20-460/MB, JAM72D20-465/MB.</p> <p>JAM60D20-360/MB, JAM60D20-365/MB, JAM60D20-370/MB, JAM60D20-375/MB, JAM60D20-380/MB, JAM60D20-385/MB.</p> <p>JAM72D30-530/MB, JAM72D30-535/MB, JAM72D30-540/MB, JAM72D30-545/MB, JAM72D30-550/MB, JAM72D30-555/MB.</p> <p>JAM66D30-490/MB, JAM66D30-495/MB, JAM66D30-500/MB, JAM66D30-505/MB.</p> <p>JAM78D30-585/GB, JAM78D30-590/GB, JAM78D30-595/GB, JAM78D30-600/GB, JAM78D30-605/GB, JAM78D30-610/GB.</p> <p>JAM72D30-540/GB, JAM72D30-545/GB, JAM72D30-550/GB, JAM72D30-555/GB, JAM72D30-560/GB.</p> <p>JAM66D30-495/GB, JAM66D30-500/GB.</p> <p>JAM60D30-450/GB, JAM60D30-455/GB.</p> <p>JAM54D30-405/GB, JAM54D30-410/GB.</p> <p>JAM78D30-580/MB, JAM78D30-585/MB, JAM78D30-590/MB, JAM78D30-595/MB, JAM78D30-600/MB, JAM78D30-605/MB.</p> <p>JAM54D30-390/MB, JAM54D30-395/MB, JAM54D30-400/MB, JAM54D30-405/MB, JAM54D30-410/MB, JAM54D30-415/MB.</p> <p>JAM78D40-600/MB, JAM78D40-605/MB, JAM78D40-610/MB, JAM78D40-615/MB, JAM78D40-620/MB, JAM78D40-625/MB, JAM78D40-630/MB, JAM78D40-635/MB, JAM78D40-640/MB.</p> <p>JAM72D40-550/MB, JAM72D40-555/MB, JAM72D40-560/MB, JAM72D40-565/MB, JAM72D40-570/MB, JAM72D40-575/MB, JAM72D40-580/MB, JAM72D40-585/MB, JAM72D40-590/MB.</p> <p>JAM72D40-555/GB, JAM72D40-560/GB, JAM72D40-565/GB, JAM72D40-570/GB, JAM72D40-575/GB, JAM72D40-580/GB, JAM72D40-585/GB, JAM72D40-590/GB. JAM54D31-395/MB, JAM54D31-400/MB.</p> <p>JAM54D41-415/GB, JAM54D41-420/GB, JAM54D41-425/GB, JAM54D41-430/GB, JAM54D41-435/GB.</p> <p>JAM72D30-555/LB, JAM72D30-560/LB, JAM72D30-565/LB, JAM72D30-570/LB, JAM72D30-575/LB.</p> <p>JAM54D30-420/LB, JAM54D30-425/LB, JAM54D30-430/LB.</p> <p>JAM72D40-575/LB, JAM72D40-580/LB, JAM72D40-585/LB, JAM72D40-590/LB, JAM72D40-595/LB, JAM72D40-600/LB.</p> <p>JAM54D40-420/LB, JAM54D40-425/LB, JAM54D40-430/LB, JAM54D40-435/LB, JAM54D40-440/LB, JAM54D40-445/LB, JAM54D40-450/LB.</p> <p>JAM54D41-420/LB, JAM54D41-425/LB, JAM54D41-430/LB, JAM54D41-435/LB, JAM54D41-440/LB.</p> <p>JAM72D42-605/LB, JAM72D42-610/LB, JAM72D42-615/LB, JAM72D42-620/LB, JAM72D42-625/LB, JAM72D42-630/LB, JAM72D42-635/LB, JAM72D42-640/LB.</p> <p>JAM66D42-555/MB, JAM66D42-560/MB, JAM66D42-565/MB, JAM66D42-570/MB, JAM66D42-575/MB, JAM66D42-580/MB, JAM66D42-585/MB, JAM66D42-590/MB, JAM66D42-595/MB.</p> <p>JAM66D45-585/LB, JAM66D45-590/LB, JAM66D45-595/LB, JAM66D45-600/LB, JAM66D45-605/LB, JAM66D45-610/LB, JAM66D45-615/LB, JAM66D45-620/LB.</p> <p>JAM54D40-405/MB, JAM54D40-410/MB, JAM54D40-415/MB, JAM54D40-420/MB, JAM54D40-425/MB, JAM54D40-430/MB, JAM54D40-435/MB, JAM54D40-440/MB.</p>

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Shanghai JA Solar Technology Co., Ltd.	Manufacturer:	JA SOLAR VIET NAM COMPANY LIMITED.
Address:	No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai	Address:	Lot G, Quang Chau industrial park, Quang Chau Ward, Viet Yen Town, Bac Giang Province, 236110
Country:	P. R. China	Country:	Vietnam
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai Limited		
Control Number:	<u>5020189</u>	Authorized by:	 for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]

Product:	Crystalline Silicon Photovoltaic modules
Brand Name:	JA SOLAR 晶澳
Models:	<p>JAM72D00-365/BP, JAM72D00-370/BP, JAM72D00-375/BP, JAM72D00-380/BP, JAM60D00-305/BP, JAM60D00-310/BP, JAM60D00-315/BP, JAM72D09-380/BP, JAM72D09-385/BP, JAM72D09-390/BP, JAM72D09-395/BP, JAM72D09-400/BP, JAM60D09-320/BP, JAM60D09-325/BP, JAM60D09-330/BP, JAM60D09-335/BP, JAM60D09-340/BP, JAM72D10-385/MB, JAM72D10-390/MB, JAM72D10-395/MB, JAM72D10-400/MB, JAM72D10-405/MB, JAM72D10-410/MB, JAM72D10-415/MB, JAM72D10-420/MB, JAM60D10-320/MB, JAM60D10-325/MB, JAM60D10-330/MB, JAM60D10-335/MB, JAM60D10-340/MB, JAP72D09-345/SC, JAP60D09-285/SC.</p> <p>JAM78D10-435/MB, JAM78D10-440/MB, JAM78D10-445/MB.</p> <p>JAM72D20-430/MB, JAM72D20-435/MB, JAM72D20-440/MB, JAM72D20-445/MB, JAM72D20-450/MB, JAM72D20-455/MB, JAM72D20-460/MB, JAM72D20-465/MB.</p> <p>JAM60D20-360/MB, JAM60D20-365/MB, JAM60D20-370/MB, JAM60D20-375/MB, JAM60D20-380/MB, JAM60D20-385/MB.</p> <p>JAM72D30-530/MB, JAM72D30-535/MB, JAM72D30-540/MB, JAM72D30-545/MB, JAM72D30-550/MB, JAM72D30-555/MB.</p> <p>JAM66D30-490/MB, JAM66D30-495/MB, JAM66D30-500/MB, JAM66D30-505/MB.</p> <p>JAM78D30-585/GB, JAM78D30-590/GB, JAM78D30-595/GB, JAM78D30-600/GB, JAM78D30-605/GB, JAM78D30-610/GB.</p> <p>JAM72D30-540/GB, JAM72D30-545/GB, JAM72D30-550/GB, JAM72D30-555/GB, JAM72D30-560/GB.</p> <p>JAM66D30-495/GB, JAM66D30-500/GB.</p> <p>JAM60D30-450/GB, JAM60D30-455/GB.</p> <p>JAM54D30-405/GB, JAM54D30-410/GB.</p> <p>JAM78D30-580/MB, JAM78D30-585/MB, JAM78D30-590/MB, JAM78D30-595/MB, JAM78D30-600/MB, JAM78D30-605/MB.</p> <p>JAM54D30-390/MB, JAM54D30-395/MB, JAM54D30-400/MB, JAM54D30-405/MB, JAM54D30-410/MB, JAM54D30-415/MB.</p> <p>JAM78D40-600/MB, JAM78D40-605/MB, JAM78D40-610/MB, JAM78D40-615/MB, JAM78D40-620/MB, JAM78D40-625/MB, JAM78D40-630/MB, JAM78D40-635/MB, JAM78D40-640/MB.</p> <p>JAM72D40-550/MB, JAM72D40-555/MB, JAM72D40-560/MB, JAM72D40-565/MB, JAM72D40-570/MB, JAM72D40-575/MB, JAM72D40-580/MB, JAM72D40-585/MB, JAM72D40-590/MB.</p> <p>JAM72D40-555/GB, JAM72D40-560/GB, JAM72D40-565/GB, JAM72D40-570/GB, JAM72D40-575/GB, JAM72D40-580/GB, JAM72D40-585/GB, JAM72D40-590/GB. JAM54D31-395/MB, JAM54D31-400/MB.</p> <p>JAM54D41-415/GB, JAM54D41-420/GB, JAM54D41-425/GB, JAM54D41-430/GB, JAM54D41-435/GB.</p> <p>JAM72D30-555/LB, JAM72D30-560/LB, JAM72D30-565/LB, JAM72D30-570/LB, JAM72D30-575/LB.</p> <p>JAM54D30-420/LB, JAM54D30-425/LB, JAM54D30-430/LB.</p> <p>JAM72D40-575/LB, JAM72D40-580/LB, JAM72D40-585/LB, JAM72D40-590/LB, JAM72D40-595/LB, JAM72D40-600/LB.</p> <p>JAM54D40-420/LB, JAM54D40-425/LB, JAM54D40-430/LB, JAM54D40-435/LB, JAM54D40-440/LB, JAM54D40-445/LB, JAM54D40-450/LB.</p> <p>JAM54D41-420/LB, JAM54D41-425/LB, JAM54D41-430/LB, JAM54D41-435/LB, JAM54D41-440/LB.</p> <p>JAM72D42-605/LB, JAM72D42-610/LB, JAM72D42-615/LB, JAM72D42-620/LB, JAM72D42-625/LB, JAM72D42-630/LB, JAM72D42-635/LB, JAM72D42-640/LB.</p> <p>JAM66D42-555/MB, JAM66D42-560/MB, JAM66D42-565/MB, JAM66D42-570/MB, JAM66D42-575/MB, JAM66D42-580/MB, JAM66D42-585/MB, JAM66D42-590/MB, JAM66D42-595/MB.</p> <p>JAM66D45-585/LB, JAM66D45-590/LB, JAM66D45-595/LB, JAM66D45-600/LB, JAM66D45-605/LB, JAM66D45-610/LB, JAM66D45-615/LB, JAM66D45-620/LB.</p> <p>JAM54D40-405/MB, JAM54D40-410/MB, JAM54D40-415/MB, JAM54D40-420/MB, JAM54D40-425/MB, JAM54D40-430/MB, JAM54D40-435/MB, JAM54D40-440/MB.</p>

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Shanghai JA Solar Technology Co., Ltd.

Manufacturer: GEP NEW ENERGY VIETNAM COMPANY LIMITED

Address: No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai

Address: Lot NO.18A-1, Que Vo III Industrial Park, Phu Luong Commune, Que Vo District, Bac Ninh Province

Country: P. R. China

Country: Viet Nam

Party Authorized To Apply Mark: Same as Manufacturer

Report Issuing Office: Intertek Testing Services Shanghai Limited

Control Number: 5029629

Authorized by: _____

for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]

Product:	Crystalline Silicon Photovoltaic modules
Brand Name:	JA SOLAR 晶澳
Models:	<p>JAM72D00-365/BP, JAM72D00-370/BP, JAM72D00-375/BP, JAM72D00-380/BP, JAM60D00-305/BP, JAM60D00-310/BP, JAM60D00-315/BP, JAM72D09-380/BP, JAM72D09-385/BP, JAM72D09-390/BP, JAM72D09-395/BP, JAM72D09-400/BP, JAM60D09-320/BP, JAM60D09-325/BP, JAM60D09-330/BP, JAM60D09-335/BP, JAM60D09-340/BP, JAM72D10-385/MB, JAM72D10-390/MB, JAM72D10-395/MB, JAM72D10-400/MB, JAM72D10-405/MB, JAM72D10-410/MB, JAM72D10-415/MB, JAM72D10-420/MB, JAM60D10-320/MB, JAM60D10-325/MB, JAM60D10-330/MB, JAM60D10-335/MB, JAM60D10-340/MB, JAP72D09-345/SC, JAP60D09-285/SC.</p> <p>JAM78D10-435/MB, JAM78D10-440/MB, JAM78D10-445/MB.</p> <p>JAM72D20-430/MB, JAM72D20-435/MB, JAM72D20-440/MB, JAM72D20-445/MB, JAM72D20-450/MB, JAM72D20-455/MB, JAM72D20-460/MB, JAM72D20-465/MB.</p> <p>JAM60D20-360/MB, JAM60D20-365/MB, JAM60D20-370/MB, JAM60D20-375/MB, JAM60D20-380/MB, JAM60D20-385/MB.</p> <p>JAM72D30-530/MB, JAM72D30-535/MB, JAM72D30-540/MB, JAM72D30-545/MB, JAM72D30-550/MB, JAM72D30-555/MB.</p> <p>JAM66D30-490/MB, JAM66D30-495/MB, JAM66D30-500/MB, JAM66D30-505/MB.</p> <p>JAM78D30-585/GB, JAM78D30-590/GB, JAM78D30-595/GB, JAM78D30-600/GB, JAM78D30-605/GB, JAM78D30-610/GB.</p> <p>JAM72D30-540/GB, JAM72D30-545/GB, JAM72D30-550/GB, JAM72D30-555/GB, JAM72D30-560/GB.</p> <p>JAM66D30-495/GB, JAM66D30-500/GB.</p> <p>JAM60D30-450/GB, JAM60D30-455/GB.</p> <p>JAM54D30-405/GB, JAM54D30-410/GB.</p> <p>JAM78D30-580/MB, JAM78D30-585/MB, JAM78D30-590/MB, JAM78D30-595/MB, JAM78D30-600/MB, JAM78D30-605/MB.</p> <p>JAM54D30-390/MB, JAM54D30-395/MB, JAM54D30-400/MB, JAM54D30-405/MB, JAM54D30-410/MB, JAM54D30-415/MB.</p> <p>JAM78D40-600/MB, JAM78D40-605/MB, JAM78D40-610/MB, JAM78D40-615/MB, JAM78D40-620/MB, JAM78D40-625/MB, JAM78D40-630/MB, JAM78D40-635/MB, JAM78D40-640/MB.</p> <p>JAM72D40-550/MB, JAM72D40-555/MB, JAM72D40-560/MB, JAM72D40-565/MB, JAM72D40-570/MB, JAM72D40-575/MB, JAM72D40-580/MB, JAM72D40-585/MB, JAM72D40-590/MB.</p> <p>JAM72D40-555/GB, JAM72D40-560/GB, JAM72D40-565/GB, JAM72D40-570/GB, JAM72D40-575/GB, JAM72D40-580/GB, JAM72D40-585/GB, JAM72D40-590/GB. JAM54D31-395/MB, JAM54D31-400/MB.</p> <p>JAM54D41-415/GB, JAM54D41-420/GB, JAM54D41-425/GB, JAM54D41-430/GB, JAM54D41-435/GB.</p> <p>JAM72D30-555/LB, JAM72D30-560/LB, JAM72D30-565/LB, JAM72D30-570/LB, JAM72D30-575/LB.</p> <p>JAM54D30-420/LB, JAM54D30-425/LB, JAM54D30-430/LB.</p> <p>JAM72D40-575/LB, JAM72D40-580/LB, JAM72D40-585/LB, JAM72D40-590/LB, JAM72D40-595/LB, JAM72D40-600/LB.</p> <p>JAM54D40-420/LB, JAM54D40-425/LB, JAM54D40-430/LB, JAM54D40-435/LB, JAM54D40-440/LB, JAM54D40-445/LB, JAM54D40-450/LB.</p> <p>JAM54D41-420/LB, JAM54D41-425/LB, JAM54D41-430/LB, JAM54D41-435/LB, JAM54D41-440/LB.</p> <p>JAM72D42-605/LB, JAM72D42-610/LB, JAM72D42-615/LB, JAM72D42-620/LB, JAM72D42-625/LB, JAM72D42-630/LB, JAM72D42-635/LB, JAM72D42-640/LB.</p> <p>JAM66D42-555/MB, JAM66D42-560/MB, JAM66D42-565/MB, JAM66D42-570/MB, JAM66D42-575/MB, JAM66D42-580/MB, JAM66D42-585/MB, JAM66D42-590/MB, JAM66D42-595/MB.</p> <p>JAM66D45-585/LB, JAM66D45-590/LB, JAM66D45-595/LB, JAM66D45-600/LB, JAM66D45-605/LB, JAM66D45-610/LB, JAM66D45-615/LB, JAM66D45-620/LB.</p> <p>JAM54D40-405/MB, JAM54D40-410/MB, JAM54D40-415/MB, JAM54D40-420/MB, JAM54D40-425/MB, JAM54D40-430/MB, JAM54D40-435/MB, JAM54D40-440/MB.</p>

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Shanghai JA Solar Technology Co., Ltd.	Manufacturer:	THORNOVA SOLAR VIET NAM COMPANY LIMITED
Address:	No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai	Address:	Factory No.1 and No.2 Lot (VI)-1.2, Road N1 intersects with Road D2, Que Vo II Industrial Park, Ngoc Xa Commune, Que Vo Town, Bac Ninh · Viet Nam
Country:	P. R. China	Country:	
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai Limited		
Control Number:	<u>5029633</u>	Authorized by:	 for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1] Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2] Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]

Product:	Crystalline Silicon Photovoltaic modules
Brand Name:	JA SOLAR 晶澳
Models:	<p>JAM72D00-365/BP, JAM72D00-370/BP, JAM72D00-375/BP, JAM72D00-380/BP, JAM60D00-305/BP, JAM60D00-310/BP, JAM60D00-315/BP, JAM72D09-380/BP, JAM72D09-385/BP, JAM72D09-390/BP, JAM72D09-395/BP, JAM72D09-400/BP, JAM60D09-320/BP, JAM60D09-325/BP, JAM60D09-330/BP, JAM60D09-335/BP, JAM60D09-340/BP, JAM72D10-385/MB, JAM72D10-390/MB, JAM72D10-395/MB, JAM72D10-400/MB, JAM72D10-405/MB, JAM72D10-410/MB, JAM72D10-415/MB, JAM72D10-420/MB, JAM60D10-320/MB, JAM60D10-325/MB, JAM60D10-330/MB, JAM60D10-335/MB, JAM60D10-340/MB, JAP72D09-345/SC, JAP60D09-285/SC.</p> <p>JAM78D10-435/MB, JAM78D10-440/MB, JAM78D10-445/MB.</p> <p>JAM72D20-430/MB, JAM72D20-435/MB, JAM72D20-440/MB, JAM72D20-445/MB, JAM72D20-450/MB, JAM72D20-455/MB, JAM72D20-460/MB, JAM72D20-465/MB.</p> <p>JAM60D20-360/MB, JAM60D20-365/MB, JAM60D20-370/MB, JAM60D20-375/MB, JAM60D20-380/MB, JAM60D20-385/MB.</p> <p>JAM72D30-530/MB, JAM72D30-535/MB, JAM72D30-540/MB, JAM72D30-545/MB, JAM72D30-550/MB, JAM72D30-555/MB.</p> <p>JAM66D30-490/MB, JAM66D30-495/MB, JAM66D30-500/MB, JAM66D30-505/MB.</p> <p>JAM78D30-585/GB, JAM78D30-590/GB, JAM78D30-595/GB, JAM78D30-600/GB, JAM78D30-605/GB, JAM78D30-610/GB.</p> <p>JAM72D30-540/GB, JAM72D30-545/GB, JAM72D30-550/GB, JAM72D30-555/GB, JAM72D30-560/GB.</p> <p>JAM66D30-495/GB, JAM66D30-500/GB.</p> <p>JAM60D30-450/GB, JAM60D30-455/GB.</p> <p>JAM54D30-405/GB, JAM54D30-410/GB.</p> <p>JAM78D30-580/MB, JAM78D30-585/MB, JAM78D30-590/MB, JAM78D30-595/MB, JAM78D30-600/MB, JAM78D30-605/MB.</p> <p>JAM54D30-390/MB, JAM54D30-395/MB, JAM54D30-400/MB, JAM54D30-405/MB, JAM54D30-410/MB, JAM54D30-415/MB.</p> <p>JAM78D40-600/MB, JAM78D40-605/MB, JAM78D40-610/MB, JAM78D40-615/MB, JAM78D40-620/MB, JAM78D40-625/MB, JAM78D40-630/MB, JAM78D40-635/MB, JAM78D40-640/MB.</p> <p>JAM72D40-550/MB, JAM72D40-555/MB, JAM72D40-560/MB, JAM72D40-565/MB, JAM72D40-570/MB, JAM72D40-575/MB, JAM72D40-580/MB, JAM72D40-585/MB, JAM72D40-590/MB.</p> <p>JAM72D40-555/GB, JAM72D40-560/GB, JAM72D40-565/GB, JAM72D40-570/GB, JAM72D40-575/GB, JAM72D40-580/GB, JAM72D40-585/GB, JAM72D40-590/GB. JAM54D31-395/MB, JAM54D31-400/MB.</p> <p>JAM54D41-415/GB, JAM54D41-420/GB, JAM54D41-425/GB, JAM54D41-430/GB, JAM54D41-435/GB.</p> <p>JAM72D30-555/LB, JAM72D30-560/LB, JAM72D30-565/LB, JAM72D30-570/LB, JAM72D30-575/LB.</p> <p>JAM54D30-420/LB, JAM54D30-425/LB, JAM54D30-430/LB.</p> <p>JAM72D40-575/LB, JAM72D40-580/LB, JAM72D40-585/LB, JAM72D40-590/LB, JAM72D40-595/LB, JAM72D40-600/LB.</p> <p>JAM54D40-420/LB, JAM54D40-425/LB, JAM54D40-430/LB, JAM54D40-435/LB, JAM54D40-440/LB, JAM54D40-445/LB, JAM54D40-450/LB.</p> <p>JAM54D41-420/LB, JAM54D41-425/LB, JAM54D41-430/LB, JAM54D41-435/LB, JAM54D41-440/LB.</p> <p>JAM72D42-605/LB, JAM72D42-610/LB, JAM72D42-615/LB, JAM72D42-620/LB, JAM72D42-625/LB, JAM72D42-630/LB, JAM72D42-635/LB, JAM72D42-640/LB.</p> <p>JAM66D42-555/MB, JAM66D42-560/MB, JAM66D42-565/MB, JAM66D42-570/MB, JAM66D42-575/MB, JAM66D42-580/MB, JAM66D42-585/MB, JAM66D42-590/MB, JAM66D42-595/MB.</p> <p>JAM66D45-585/LB, JAM66D45-590/LB, JAM66D45-595/LB, JAM66D45-600/LB, JAM66D45-605/LB, JAM66D45-610/LB, JAM66D45-615/LB, JAM66D45-620/LB.</p> <p>JAM54D40-405/MB, JAM54D40-410/MB, JAM54D40-415/MB, JAM54D40-420/MB, JAM54D40-425/MB, JAM54D40-430/MB, JAM54D40-435/MB, JAM54D40-440/MB.</p>