



Safety Data Sheet

according to Regulation (EC) No 1907/2006

CLEANEXTREME Sprüh-VERSIEGELUNG

Print date: 04.02.2019

Product code: BLU20001

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

CLEANEXTREME Sprüh-VERSIEGELUNG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

surface sealing

1.3. Details of the supplier of the safety data sheet

Company name:	Clean Company Systemzentrale GmbH	
Street:	Schulstrasse 2	
Place:	D-74251 Lehensteinsfeld	
Telephone:	+49 (0) 7134-13825-0	Telefax: +49 (0) 7134-13825-55
e-mail:	info@cleancompany.de	
Contact person:	Rolf Schöntag	
e-mail:	sds@cleancompany.de	
Internet:	www.cleancompany.de	
Responsible Department:	Abteilung Produktsicherheit	

1.4. Emergency telephone number: Vergiftungs-Informations-Zentrale Freiburg
Tel.: +49 (0) 761 / 19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 3

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Flammable liquid and vapour.

Causes serious eye irritation.

Causes skin irritation.

May cause drowsiness or dizziness.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Warning**Pictograms:**

Hazard statements

H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

CLEANEXTREME Sprüh-VERSIEGELUNG

Print date: 04.02.2019

Product code: BLU20001

Page 2 of 10

P321	present and easy to do. Continue rinsing.
P337+P313	Specific treatment (see Hinweistext on this label).
P370+P378	If eye irritation persists: Get medical advice/attention.
P403+P235	In case of fire: Use alkoholbeständigen Schaum to extinguish.
	Store in a well-ventilated place. Keep cool.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			10 %
	200-661-7	603-117-00-0		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			
Polymer	Siloxane und Silikone, {3-[(2-Amino-ethyl)amino]propyl}methyl-, Dimethyl-			1 %
	Skin Corr. 1B, Eye Dam. 1; H314 H318			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Remove contaminated, saturated clothing immediately.

After inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get medical advice/attention if you feel unwell.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

This information is not available.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**Carbon dioxide (CO₂).

Extinguishing powder



Safety Data Sheet

according to Regulation (EC) No 1907/2006

CLEANEXTREME Sprüh-VERSIEGELUNG

Print date: 04.02.2019

Product code: BLU20001

Page 3 of 10

alcohol resistant foam

Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In use, may form flammable/explosive vapour-air mixture.

Hazardous combustion products: Carbon monoxide. silicon dioxide.

Reignition possible over considerable distance.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from: For non-emergency personnel

Provide adequate ventilation.

Special danger of slipping by leaking/spilling product.

6.2. Environmental precautions

Dilute with plenty of water.

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe the usual precautions when handling chemicals.

Provide adequate ventilation as well as local exhaustion at critical locations.

Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking.

Take precautionary measures against static discharges.

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Protect against direct sunlight.

Advice on storage compatibility

This information is not available.

Further information on storage conditions

storage temperature: 5 °C - 25 °C

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

CLEANEXTREME Sprüh-VERSIEGELUNG

Print date: 04.02.2019

Product code: BLU20001

Page 4 of 10

8.1. Control parameters**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

8.2. Exposure controls**Protective and hygiene measures**

- When using do not eat, drink or smoke.
- Wash hands before breaks and after work.
- Remove contaminated, saturated clothing immediately.
- Avoid contact with skin and eyes.

Eye/face protection

- Wear eye/face protection.

Hand protection

- Tested protective gloves must be worn:
- The required protective gloves have to be specified by the glove material and the penetration time of the glove material depending on strength and duration of dermal exposition.

Skin protection

- Protective clothing

Respiratory protection

- [In case of inadequate ventilation] wear respiratory protection.
- Combination filtering device (EN 14387): A-P1

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	light yellow
Odour:	Alcohol

Test method

pH-Value (at 20 °C):	4,50 - 5,00
----------------------	-------------

Changes in the physical state

Melting point:	Not available.
Initial boiling point and boiling range:	Not available.
Flash point:	41 °C
Sustaining combustion:	No data available

Explosive properties

- The product is not explosive, but it is possible, that explosive vapor / air mixtures occur.

Lower explosion limits:	2
Upper explosion limits:	12,7
Ignition temperature:	Not available.
Vapour pressure:	Not available.
Vapour pressure:	Not available.
Density:	0,97 g/cm ³

9.2. Other information

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

CLEANEXTREME Sprüh-VERSIEGELUNG

Print date: 04.02.2019

Product code: BLU20001

Page 5 of 10

Solid content:

Not available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

Violent reaction with: Oxidising agent, strong

10.2. Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Violent reaction with: Oxidising agent, strong

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

10.5. Incompatible materials

Oxidising agent, Etchant and acids

10.6. Hazardous decomposition products

Hazardous combustion products / SECTION 5: Firefighting measures

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

Mixture not tested.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name			
	Exposure route	Dose	Species	Source
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			
	oral	LD50 4570 mg/kg	Rat	
	dermal	LD50 >5000 mg/kg	Rabbit	
	inhalative (4 h) vapour	LC50 30 mg/l	Rat	

Irritation and corrosivity

Causes serious eye irritation.

Causes skin irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information**12.1. Toxicity**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

CLEANEXTREME Sprüh-VERSIEGELUNG

Print date: 04.02.2019

Product code: BLU20001

Page 6 of 10

Mixture not tested.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d]	Species	Source
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	Acute fish toxicity	LC50 >100 mg/l	96 h	Leuciscus idus (golden orfe)	
	Acute algae toxicity	ErC50 >100 mg/l	72 h	Scenedesmus subspicatus	
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Daphnia magna (Big water flea)	

12.2. Persistence and degradability

This information is not available.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

This information is not available.

12.6. Other adverse effects

This information is not available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

Do not allow to enter into surface water or drains.

This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number:	UN 1987
14.2. UN proper shipping name:	ALKOHOLE; N.A.G. (Isopropylalcohol)
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Excepted quantity:	5 L / 30 kg*

Other applicable information (land transport)

Bei wasserhaltigen homogenen Gemischen der Klasse 3 bezieht sich die Menge auf die absolute Menge an Alkohol, d.h. 10 Liter Kanister sind bei einer Kartonschließung auch "Begrenzte Mengen nach LQ 7". [ADR 2009 Unterabschnitt 3.4.6 Bemerkung c), Übergangsfrist bis 30.06.2015]

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2010/75/EU (VOC): 10,00 %

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

CLEANEXTREME Sprüh-VERSIEGELUNG

Print date: 04.02.2019

Product code: BLU20001

Page 7 of 10

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 16.

Abbreviations and acronyms

AC Article Categories (= Erzeugniskategorien)
ACGIH American Conference of Governmental Industrial Hygienists
ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= Europäisches Übereinkommen über die internationale Beförderung gefährlicher Güter auf der Straße)
AGW, Spb.-Üf. AGW=Arbeitsplatzgrenzwert, Spb.-Üf.=Spitzenbegrenzung-Überschreitungs faktor (1 bis 8) und Kategorie (I, II) für Kurzzeitwerte (TRGS 900, Deutschland).
alkoholbest. alkoholbeständig
allg. Allgemein
Anm. Anmerkung
AOEL Acceptable Operator Exposure Level
AOX Adsorbierbare organische Halogenverbindungen
Art., Art.-Nr. Artikelnummer
ATE Acute Toxicity Estimate (= Schätzwert Akuter Toxizität) gemäß der Verordnung (EG) Nr. 1272/2008 (CLP)
BAFU Bundesamt für Umwelt (Schweiz)
BAM Bundesanstalt für Materialforschung und -prüfung
BAT Biologische Arbeitsstofftoleranzwerte (Schweiz)
BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin
BCF Bioconcentration factor (= Biokonzentrationsfaktor)
Bem. Bemerkung
BG Berufsgenossenschaft
BGV Berufsgenossenschaftliche Vorschrift
BGW Biologischer Grenzwert (TRGS 903, Deutschland)
BGW / VLB BGW / VLB = Biologische grenswaarde / Valeur limite biologique (Belgien)
BGW, VGÜ BGW = Biologischer Grenzwert. VGÜ = Verordnung des Bundesministers für Arbeit und Soziales über die Gesundheitsüberwachung am Arbeitsplatz (Österreich)
BHT Butylhydroxytoluol (= 2,6-Di-tert-butyl-4-methyl-phenol)
BOD Biochemical oxygen demand (= biochemischer Sauerstoffbedarf - BSB)
BSEF Bromine Science and Environmental Forum
bw body weight (= Körpergewicht)
bzw. beziehungsweise
ca. zirka / circa
CAS Chemical Abstracts Service
CEC Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids
CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques (= Europäischer Verband für oberflächenaktive Substanzen und deren organische Zwischenprodukte)
ChemRRV Chemikalien-Risikoreduktions-Verordnung (Schweiz)
CIPAC Collaborative International Pesticides Analytical Council
CLP Classification, Labelling and Packaging (VERORDNUNG (EG) Nr. 1272/2008 über die Einstufung, Kennzeichnung und Verpackung von Stoffen und Gemischen)
CMR carcinogen, mutagen, reproduktionstoxisch (krebserzeugend, erbgutverändernd, fortpflanzungsgefährdend)
COD Chemical oxygen demand (= chemischer Sauerstoffbedarf - CSB)
CTFA Cosmetic, Toiletry, and Fragrance Association
DIN Deutsches Institut für Normung
DMEL Derived Minimum Effect Level (= abgeleiteter Minimaler-Effekt-Grenzwert)
DNEL Derived No Effect Level (= abgeleiteter Nicht-Effekt-Grenzwert)
DOC Dissolved organic carbon (= gelöster organischer Kohlenstoff)
DT50 Dwell Time - 50% reduction of start concentration (Verweilzeit 50% Konzentration - Als DT50-Wert wird der Zeitraum bezeichnet, in dem die Anfangskonzentration einer Substanz auf die Hälfte abnimmt.)



Safety Data Sheet

according to Regulation (EC) No 1907/2006

CLEANEXTREME Sprüh-VERSIEGELUNG

Print date: 04.02.2019

Product code: BLU20001

Page 8 of 10

DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V.
dw dry weight (= Trockengewicht)
EAK Europäischer Abfallkatalog
ECHA European Chemicals Agency (= Europäische Chemikalienagentur)
EG Europäische Gemeinschaft
EINECS European Inventory of Existing Commercial Chemical Substances
ELINCS European List of Notified Chemical Substances
EN Europäischen Normen
EPA United States Environmental Protection Agency (United States of America)
ERC Environmental Release Categories (= Umweltfreisetzungskategorien)
ES Expositionsszenario
etc., usw. et cetera, und so weiter
EU Europäische Union
EWG Europäische Wirtschaftsgemeinschaft
EWR Europäischer Wirtschaftsraum
Fax. Faxnummer
gem. gemäß
ggf. gegebenenfalls
GGVSE Gefahrgutverordnung Straße und Eisenbahn (Deutschland) - Diese Verordnung wurde durch die GGVSEB abgelöst bzw. ging in dieser auf.
GGVSEB Gefahrgutverordnung Straße, Eisenbahn und Binnenschifffahrt (Deutschland)
GGVSee Gefahrgutverordnung See (Verordnung über die Beförderung gefährlicher Güter mit Seeschiffen, Deutschland)
GHS Globally Harmonized System of Classification and Labelling of Chemicals (= Global Harmonisiertes System zur Einstufung und Kennzeichnung von Chemikalien)
GTN Glycerintrinitrat
GW / VL GW / VL = Grenswaarde voor beroepsmatige blootstelling / Valeur limite d'exposition professionnelle (Belgien)
GW-kw / VL-cd GW-kw / VL-cd = Grenswaarde voor beroepsmatige blootstelling - Kortetijdswaarde / Valeur limite d'exposition professionnelle - Valeur courte durée (Belgien)
GW-M / VL-M "GW-M / VL-M = Grenswaarde voor beroepsmatige blootstelling - ""Ceiling"" / Valeur limite d'exposition professionnelle - ""Ceiling"" (Belgien)"
GWP Global warming potential (= Treibhauspotenzial)
HET-CAM Hen's Egg Test - Chorionallantoic Membrane
HGWP Halocarbon Global Warming Potential
IARC International Agency for Research on Cancer (= Internationale Agentur für Krebsforschung)
IATA International Air Transport Association (= Internationale Flug-Transport-Vereinigung)
IBC Intermediate Bulk Container
IBC (Code) International Bulk Chemical (Code)
IC Inhibitorische Konzentration
IMDG-Code International Maritime Code for Dangerous Goods (= Gefährliche Güter im internationalen Seeschiffsverkehr)
inkl. inklusive, einschließlich
IUCLID International Uniform Chemical Information Database
k.D.v. keine Daten vorhanden
KFZ, Kfz Kraftfahrzeug
Konz. Konzentration
LC Letalkonzentration
LD letale (tödliche) Dosis einer Chemikalie
LD50 Lethal Dose, 50% (= mittlere letale Dosis)
LFBG Lebensmittel-, Bedarfsgegenstände- und Futtermittelgesetzbuch (Deutschland).
LOEC Lowest Observed Effect Concentration (= Niedrigste Konzentration, bei der eine Wirkung beobachtet wird)
LOEL Lowest Observed Effect Level (= Niedrigste Dosis, bei der eine Wirkung beobachtet wird)
LQ Limited Quantities (= begrenzte Mengen)
LRV Luftreinhalte-Verordnung (Schweiz)
LVA Listen über den Verkehr mit Abfällen (Schweiz)



Safety Data Sheet

according to Regulation (EC) No 1907/2006

CLEANEXTREME Sprüh-VERSIEGELUNG

Print date: 04.02.2019

Product code: BLU20001

Page 9 of 10

MAK Maximale Arbeitsplatzkonzentrationswerte gesundheitsgefährdender Stoffe (MAK-Werte) (Schweiz)
MAK-Kzw, TRK-Kzw MAK-Kzw = Maximale Arbeitsplatzkonzentration - Kurzzeitwert / TRK-Kzw = Technische Richtkonzentration - Kurzzeitwert (Österreich)
MAK-Mow MAK-Mow = Maximale Arbeitsplatzkonzentration - Momentanwert (Österreich)
MAK-Tmw, TRK-Tmw MAK-Tmw = Maximale Arbeitsplatzkonzentration - Tagesmittelwert / TRK-Tmw = Technische Richtkonzentration - Tagesmittelwert (Österreich)
MARPOL Internationale Übereinkommen zur Verhütung der Meeresverschmutzung durch Schiffe
Min., min. Minute(n) oder mindestens oder Minimum
n.a. nicht anwendbar
n.g. nicht geprüft
n.v. nicht verfügbar
NIOSH National Institute of Occupational Safety and Health (United States of America)
NOAEL No Observed Adverse Effect Level (= Dosis ohne beobachtete schädigende Wirkung)
NOEC No Observed Effect Concentration (= Tierexperimentell festgelegte höchste Konzentration, bei der keine Wirkung (schädigender Effekt) mehr nachweisbar ist)
NOEL No Observed Effect Level (= Tierexperimentell festgelegte höchste Dosis, bei der keine Wirkung (schädigender Effekt) mehr nachweisbar ist)
ODP Ozone Depletion Potential (= Ozonabbaupotenzial)
OECD Organisation for Economic Co-operation and Development (= Organisation für wirtschaftliche Zusammenarbeit und Entwicklung)
org. organisch
PAK polyzyklischer aromatischer Kohlenwasserstoff
PBT persistent, bioaccumulative and toxic (= persistent, bioakkumulierbar und toxisch)
PC Chemical product category (= Produktkategorie)
PE Polyethylen
PNEC Predicted No Effect Concentration (= abgeschätzte Nicht-Effekt-Konzentration)
POCP Photochemical ozone creation potential (= Photochemisches Ozonbildungspotenzial)
PP Polypropylen
PROC Process category (= Verfahrenskategorie)
Pt. Punkt
PTFE Polytetrafluorethylen
PUR Polyurethane
PVC Polyvinylchlorid
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (VERORDNUNG (EG) Nr. 1907/2006 zur Registrierung, Bewertung, Zulassung und Beschränkung chemischer Stoffe)
REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT .
resp. respektive
RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regelung zur internationalen Beförderung gefährlicher Güter im Schienenverkehr)
SADT Self-Accelerating Decomposition Temperature (= Selbstbeschleunigende Zersetzungstemperatur)
SU Sector of use (= Verwendungssektor)
SVHC Substances of Very High Concern (= besonders besorgniserregende Substanzen)
Tel. Telefon
TOD Theoretical oxygen demand (= Theoretischer Sauerstoffbedarf - ThSB)
TOC Total organic carbon (= Gesamter organischer Kohlenstoff)
TRG Technische Regeln Druckgase
TRGS Technische Regeln für Gefahrstoffe
TVA Technische Verordnung über Abfälle (Schweiz)
UEVK Eidgenössisches Department für Umwelt, Verkehr, Energie und Kommunikation (Schweiz)
UN RTDG United Nations Recommendations on the Transport of Dangerous Goods (die Empfehlungen der Vereinten Nationen für die Beförderung gefährlicher Güter)
UV Ultraviolett

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

CLEANEXTREME Sprüh-VERSIEGELUNG

Print date: 04.02.2019

Product code: BLU20001

Page 10 of 10

VbF Verordnung über brennbare Flüssigkeiten (Österreichische Verordnung)
VCI Verband der Chemischen Industrie e.V.
VeVA Verordnung über den Verkehr mit Abfällen (Schweiz)
VOC Volatile organic compounds (= flüchtige organische Verbindungen)
vPvB very persistent and very bioaccumulative (= sehr persistent und sehr bioakkumulierbar) VwVwS
Verwaltungsvorschrift wassergefährdende Stoffe
WBF Eidgenössisches Department für Wirtschaft, Bildung und Forschung (Schweiz)
WGK Wassergefährdungsklasse gemäß Verwaltungsvorschrift wassergefährdender Stoffe
WGK1 WGK2 WGK3 schwach wassergefährdend wassergefährdend stark wassergefährdend
WHO World Health Organization (= Weltgesundheitsorganisation)
Wwt wet weight (= Feuchtmasse)
z.B. zum Beispiel
z. Zt. zur Zeit

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Identified uses

No	Short title	SU main	SU	PC	PROC	ERC	AC	Specification
1	Cleaning / polishing / sealing of surfaces	3, 21, 22	-	31	11	0	0	Poliermittel

SU main: Main user groups

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)