

NEXTTORCH



Tel: +86-20-8904 7029 (7070)
Fax: +86-20-8904 7039



Email: info@nexttorch.com



Suite 1203, North Tower, No.1068 XinGangDong Road,
Haizhu District, Guangzhou, Guangdong, China 510335



Learn More
Please visit: www.nexttorch.com;
Or contact our salespersons.

www.nexttorch.com



PRODUCT CATALOG

CONTENTS

01 NEXTORCH 01-42

SAINT TORCH SERIES	02-04
W SERIES	05-08
T & P SERIES	09-16
HUNTING SET	17-22
E SERIES	23-24
C SERIES	27-28
S SERIES	29-34
U SERIES	35-38
H SERIES	39-44
B SERIES	45-46

02 GLO-TOOB 47-48

MARKER LIGHT

03 NEX 52-58

DEFENSE TOOL

04 NexTool 59-68

INNOVATIVE EDC TOOL

05 Tekut 69-70

EXQUISITE KNIFE MAKER

NEXTORCH

The Professional's Edge



NEXTORCH, a world's influential portable light and military & police equipment brand.

Based on our powerful optical, electric, acoustic, video-graphics, and mechanic technology platforms, we NEXTORCH focuses on the innovation, development & manufacture of portable lights and police & military equipment. We are committed to providing professional equipment for professionals from areas like public safety, law enforcement, outdoor activities, and maintenance work. Our products include portable lights, police equipment, and multi-function tools.

With more than 142 patents and numerous awards, NEXTORCH has gained lots of recognition and built up a good reputation.

Nowadays, NEXTORCH products have been sold to over 106 countries around the world.

MEMBER OF

PLATO

AWARDED BY



red dot award
winner



ICONS



USB Type-C compatible

The device could be recharged with new & easy-to-plug-in USB Type-C cable.



Power Bank Capable

The battery pack can be used as a power bank to charge your devices.



STT (Smart Torch Technology)

You could connect the torch to a PC, and use HX TUNING to configure the its brightness, flicker frequency, mode, etc.



USB Micro-B compatible

The device could be charged with a classic USB Micro-B cable.



Power Status Indication

The torch's power status could be checked with LED indicator(s).



S.O.S.

The torch could send the international standard distress signal.



OSS (ONE-STEP STROBE)

The torch has a pressure backup switch. Press a fully stroke mode will be activated (OSS), press it slightly, will turn on the torch.



Ceramic Window Breaking Tip(s)

The product has super hard ceramic window breaking tip(s), to help you break glasses easily.



Flexible Battery Solutions

The product has various battery solutions.



DUO SWITCH

Tap for Momentary On, double tap for Tactical Strobe. Click for Constant On, then tap to cycle through modes.



Tactical Strobe Available

The torch can strobe at 10-12 Hz, to warn or decide your target and gain tactical advantage for you.



360° Focus Adjustable

The torch has a 360° rotatable focus ring for you to adjust its focus.



Multi-Light Source Technology

The torch allows you to rotate its head or dial switch to change its light source.



Aiming Laser

Laser (visible / invisible) for aiming.



RSL Technology Inside

The (dike) light is equipped with our patented Rectangular Spot Lens (RSL), which can emit 180 degree wide beam with a rectangular light spot.

SAINT TORCH SERIES



Saint Torch series is our flagship searchlight series. It's designed for rescue, exploration, patrol and maintenance. With its ultra brightness and reliable HF&E (Human Factors & Ergonomics) design, Saint Torch series is your pro's choice.

SAINT TORCH 31

20000 Lumen Ultra-Bright Search Torch



* HM30 Saint Torch Handle



* Waterproof Container



* Shoulder Strap



* Charger



* Carry Bag



20000
LUMENS

- * High performance LED, max 20,000 lumen output, 790 m beam distance
- * Smart auto downgrade feature with light sensor that can detect obstacles 5 - 100 cm up front
- * Powered by 28800 mAh rechargeable battery pack, which can be used as a waterproof power bank
- * Comes with HM30 multi-purpose handle mount, for more carry options
- * Accessories includes a shoulder strap, a waterproof case and a sturdy nylon bag for convenient storage and carry



The 28800 mAh battery pack can also be used as a power bank - water & dust proofing

LED	CREE® XHP50B LED
Mode	20000 lm / 6100 lm / 1500 lm / 150 lm / strobe / S.O.S.
Runtime	2h / 3h 30 min / 7h 15 min / 90 h / - / -
Beam distance	790 m / 299 ft
Waterproof	IPX7 (1 m)
Impact resistance	1 m / 3.28'
Battery	28800 mAh rechargeable li-ion battery pack (included)
Dimensions	285 mm x 105 mm x 50 mm
Weight	1480 g / 52.21 oz (with battery)



* Waterproof Container



* Shoulder Strap



* Charger



* Carry Bag

SAINT TORCH 30 V2.0

8000 Lumen Ultra-Bright Direct-Charging Search Torch

8000
LUMENS

- * Controlled by body switch to easily realize mode switching
- * Powered by 10400 mAh rechargeable battery pack, also can be used as power bank
- * USB Type-C quick charging design, full charged for only 3 hours
- * 4-LED battery indicators for clearly knowing the battery level
- * Accessories including: a shoulder strap, a waterproof case and a sturdy nylon bag for convenient storage and carry

Optional Accessories



LED	CREE® XHP50 2-4-LED
Mode	8000 lm / 2400 lm / 720 lm / 90 lm / Strobe / S.O.S.
Runtime	2 h 15 min / 4 h / 7 h 30 min / 60 h / - / -
Beam distance	530 m / 290 m / 150 m / 50 m / - / -
Waterproof	IPX7 (1 m)
Impact resistance	1 m / 3.28'
Battery	4 x 2600 mAh (14.8 V) Rechargeable Li-ion
Battery Pack (included)	
Dimensions	200 mm x 50 mm x 82 mm
Weight	728 g / 25.68 oz (with battery)

SAINT TORCH 11

3500 Lumen Ultra-long-throw Rechargeable Search Torch

3500
LUMENS

- * Applying an optimized orange-peel reflector for a uniform light spot and long-distance illumination
- * Powered by 10400 mAh rechargeable battery pack, also can be used as power bank
- * USB Type-C quick charging design, full charged for only 3 hours
- * 4-LED battery indicator for clearly knowing the battery level
- * Accessories including: a shoulder strap, a waterproof case and a sturdy nylon bag for convenient storage and carry

Optional Accessories



LED	CREE® XHP108 LED
Mode	3500 lm / 1050 lm / 500 lm / 65 lm / Strobe / S.O.S.
Runtime	3 h / 3 h 30 min / 16 h / 110 h / - / -
Beam distance	600 m / 1968'
Waterproof	IPX7 (1 m)
Impact resistance	1 m / 3.28'
Battery	4 x 2600 mAh (14.8 V) Rechargeable Li-ion
Battery Pack (included)	
Dimensions	213 mm x 50 mm x 60 mm
Weight	790 g / 27.87 oz (with battery)

W SERIES

Modern-day combat situations require cognitive readiness as well as the ability to make dynamic decisions against hostile adversaries in a short time. Gun light is a vitally important tool for your decision making. NEXTORCH T&P series flashlights offer reliable & practical solutions for low-light & no-light situations. They are your 24/7 partners that you can count on.

WL60 NEW

Green Laser Dual-Light Weapon Light



700
LUMENS

FEATURES

- * 5 mW Green laser for aiming with max light output of 700 lm for lighting
- * Independent switch design for green laser and white light
- * Compatible with all standard Picatinny rails. Quick to install & remove. No additional tools needed
- * Tactical remote switch with independent buttons for momentary on, constant on and strobe modes
- * Compatible with 1x18650 and 2xCR123A batteries



Tactical Remote Switch



White Light & Green Laser



Easy to Mount on Weapon Rails

Mode	High (White)	Low (White)	Green Laser
Beam Distance	700 m	100 m	<5 mW
Runtime	1 h 15 min	12 h	10 h
Beam Distance	320 m	122 m	—
Impact Resistance	2 m / 6.5'		

Waterproof	IPX7 (1 m)
Battery	1 x 18650 or 2 x CR123A Batteries
Weight	219 g / 7.73 oz (without battery)
Dimensions	115 mm x 73.2 mm x 34.2 mm

WL50 IR

Universal-rail-mounted Dual-Light Weapon Light



860
LUMENS

FEATURES

- * High-medium low three-level brightness setting, max output up to 860 lumens
- * Patented Dual-light structure, rotating the head to switch between the white light and infrared light
- * Tactical remote switch with Constant On and Momentary On/Off button
- * Compatible with one 18650 rechargeable Li-ion battery and 2 x CR123A batteries
- * Made of aerospace-grade aluminum alloy, Type III hard anodized, IPX7 waterproof, stable and reliable
- * Quickly assembly and disassembly on all standard picatinny rails, without extra tools needed



Rotate to Switch Light Source



White light and IR Light Source



Easy to Mount on Weapon Rails

LED	CREE® XP-L LED and IR LED 850 nm			
	Battery	High	Medium	Low
Mode	2 x CR123A	860 lm	330 lm	140 lm
	1 x 18650	High	Medium	Low
		750 lm	360 lm	150 lm
Runtime	2 x CR123A	1 h 30 min	2 h 30 min	5 h 30 min
	1 x 18650	3 h 15 min	5 h 15 min	9 h 45 min

Beam Distance	2 x CR123A	290 m / 951'
	1 x 18650	260 m / 853'
Waterproof	IPX7 (1 m)	
Impact Resistance	1 m / 3.28'	
Shock Resistance	500 G	
Battery	2 x CR123A (included) / 1 x 18650	
Dimension	159 mm x 40 mm x 42 mm	
Weight	195 g / 6.89 oz (without battery)	

WL21R/21G NEW

2-in-1 Aiming Laser (Red / Green) Weapon Light



650 LUMENS

Ambidextrous rotary switch & 2 x press buttons at each side for laser



Quick install rail. Can be installed single-handedly



- FEATURES**
- * 650 lm white light + aiming laser (Red / Green Depending on its mode)
 - * Patent-pending independent switches for white light (ambidextrous rotary switch) & aiming laser (2 x press buttons at each side). Turn the white light switch clockwise for constant on mode; turn it counter-clockwise for momentary on mode
 - * Patent-pending quick-install rail design. Can be installed single-handedly. Compatible with Picatinny rails and GLOCK rails
 - * Laser calibration feature for more accurate aiming
 - * Compatible with 16340 and CR123A batteries

Model	WL21R	WL21G
Light Source	White Light	Red Laser
Mode	450 lm	450 lm
Runtime	1 h 15 min	1 h 15 min
Beam distance	125 m	125 m
Impact resistance	1 m / 3.28'	1 m / 3.28'
Battery	1x16340 (included) / 1xCR123A battery	1x16340 (included) / 1xCR123A battery
Dimensions	76 mm x 33 mm x 45 mm	76 mm x 33 mm x 45 mm
Weight	168 g / 3.80 oz (without battery)	168 g / 3.80 oz (without battery)

WL11 NEW

Rail-mounted High-output Weapon Light

650 LUMENS



Ambidextrous rotary switch for white light



Quick install rail. Can be installed single-handedly



- FEATURES**
- * 650 lm white light with OSRAM® P9 LED
 - * Patent-pending ambidextrous rotary switch. Turn it clockwise for constant on mode; turn it counter-clockwise for momentary on mode
 - * Patent-pending quick-install rail design. Can be installed single-handedly. Compatible with Picatinny rails and GLOCK rails
 - * Compatible with 16340 and CR123A batteries

LED	OSRAM® P9 LED
Mode	650 lm / Momentary-on
Runtime	1 h 15 min
Beam distance	125 m
Impact resistance	1 m / 3.28'
Battery	1x16340 (included) / 1xCR123A battery
Dimensions	76 mm x 33 mm x 52.8 mm
Weight	76 g / 2.68 oz (without battery)

WL30

3-in-1 Multi-Trigger Handgun Light

400 LUMENS



FEATURES

- * Integrated with visible white light (400 lumens), green laser (< 5 mW, 520 nm) and IR laser (< 5 mW, 850 nm)
- * Ambidextrous Bi-paddle white light triggers and side laser switches for quick response and easy operation
- * Wedge and elevation adjustment screw on the laser for accurate aiming
- * The quick-detach rail clamp can securely attach to the universal picatinny rails

Bi-paddle white light triggers and side laser switches



Three Light Sources



Light Source	White Light	Green Laser	IR Laser
Mode	400 lm	< 5 mW	< 5 mW
Runtime	1 h 30 min	10 h	100 h
Beam distance	110 m	—	—
Impact resistance	1 m	—	—
Water Resistant	IPX4	—	—
Battery	1 x CR123A battery (included)	—	—
Dimensions	80 mm x 45 mm x 40 mm	—	—
Weight	115 g / 4.05 oz (without battery)	—	—

WL10X EXECUTOR

Rail-mounted High-output Handgun Light

230 LUMENS



FEATURES

- * Adjustable rail block fits most rail models
- * Powered by 1xCR123A battery, max output 230 lumens
- * Ambidextrous Bi-paddle switch designed for both right and left hander, tap for Momentary On and click for Constant On
- * Quickly assembly and disassembly on picatinny rails, without extra tools needed
- * Safe lock to prevent accidental activation

LED	CREE® XP-G2 LED
Mode	230 lm
Runtime	1 h 15 min
Beam distance	130 m / 426.5'
Waterproof	IPX7 (1 m)
Impact resistance	1 m / 3.28'
Battery	1 x CR123A (included)
Dimensions	85.7 mm x 37.8 mm x 24 mm
Weight	97 g / 3.42 oz (without battery)

WL10X is compatible with the following models but not limited to:

Glock	SIG	Smith & Wesson	Fabrique Nationale	Springfield
Glock 17	P226	M&P9	FNP	XDM
Glock 19	P229	M&P40	FNX	

T&P SERIES

The people who risk themselves to protect and safeguard others should also be protected. NEXTORCH Tactical & Police Series are specially designed for military and law-enforcement personnel to fulfill their duty and mission.

NEXTORCH T&P series flashlights offer reliable & practical solutions for low-light & no-light situations. They are your 24/7 partners that you can count on.



TA30 MAX

Ultra-bright One-step Strobe 21700 Tactical Flashlight

2100
LUMENS



Patented One-step Strobe Switch



Optional Accessories



Stainless steel bezel with Nano-ceramic beads

Type-C Direct-charge 21700 Li-ion Battery with charging indicator

FEATURES

LED	CREE® XHP50.2 LED
Mode	70 lm / 380 lm / 2100 lm / momentary on / strobe
Runtime	23 h / 6 h / 2 h 30 min / - / -
Beam distance	45 m / 100 m / 230 m / - / -
Submersible	IPX3 (2 m)
Impact resistance	2 m / 6.56'
Battery	1 x 21700 Li-ion battery (5000 mAh)
Dimensions	151 mm x 28 mm x 38 mm
Weight	148 g / 5.22 oz (without battery)

- * CREE® XHP50.2 LED, max output up to 2100 lumens
- * Patented one-step-strobe technology: tap for momentary on and heavy press for tactical strobe
- * Rotational magnetic switch around the tail cap for easy one-handed mode switch
- * Specially hardened Nano-ceramic breach bezel, effectively breaks glass in emergency
- * Able to be tail-stand to meet various lighting needs
- * Powered by one 21700 battery (5000 mAh)



TA30 V2.0

High Output One-step Strobe Tactical Flashlight

1300
LUMENS



Patented One-step Strobe Switch



Nano-ceramic Strike Bezel



USB Rechargeable 18650 Battery



FB-1 Tactical Flashlight Ring

FEATURES

LED	OSRAM P9 LED
Mode	20 lm / 200 lm / 1300 lm / momentary on / strobe
Runtime	40 h / 6 h / 2 h 30 min / - / -
Beam distance	240 m / 787.6'
Submersible	IPX3 (2 m)
Impact resistance	2 m / 6.56'
Battery	1 x 18650 / 2 x CR123A
Dimensions	137 mm x 23 mm x 30 mm
Weight	99 g / 3.49oz (without battery)

- * Patented one-step-strobe technology: tap for momentary on and heavy press for tactical strobe
- * Rotational magnetic switch around the tail cap for easy one-handed mode switch
- * Compatible with 1x18650 Li-ion battery and 2 x CR123A batteries
- * Stainless-steel bezel with specially hardened Nano-ceramic balls, functioning as the most efficient glass breaker
- * Specially-designed accessory, FB-1 tactical flashlight ring (not included), provides more versatile usage

500
LUMENS

T10L NEW

1000-meter Long-shot 21700
White-light Flashlight



Magnetic Tail Switch &
5000mAh
High-Capacity Battery

Optional Accessories




V51 Tactical Quick-Draw
Flashlight Holster

5000mAh Type-C 21700 Li-ion
Rechargeable Battery

- FEATURES**
- * Long-shot laser for more effective locating, searching & aiming
 - * 1,100 m max beam distance with focused lighting
 - * 5,000 mAh high-capacity Li-ion battery
 - * One-step strobe independent tail switch, to ensure the easy operation and quick response
 - * With a strike bezel embedded with three super hard nano-ceramic beads for efficiently breaking windows in emergency
 - * Compatible with optional accessories for more flexible applications, such as FR-1 tactical ring, V5 tactical quick-draw holster, etc

LED	White Light Emitter
Mode	500 lm / 140 lm / 55 lm / Momentary On / Strobe
Runtime	3 h 30 min / 5 h / 8 h 30 min / - / -
Beam distance	1100 m / 350 m / 350 m / - / -
Waterproof	IPX7 (1 m)
Impact resistance	1 m / 3.28'
Battery	1x21700 Battery
Dimensions	162 mm x 27.5 mm x 38.4 mm
Weight	196 g / 6.7 oz (without battery)



T7L

1100-meter Long-shot USB-direct-charge
White-light Flashlight



1100-meter focused long shot,
easy to light up the target

Optional Accessories



RM55
Universal Mount

TS41-L
Remote Switch

- FEATURES**
- * Innovatively applying the white-light emitter technology, to realize the ultra-long throw of the white-light handheld lighting
 - * 1100 meter focused long shot, to target the goal far in the distance easily
 - * USB-direct charge system and remote control switch shares the same port, available for quick charge and more convenient connect to a remote switch without another cap
 - * Compact size and light weight for comfortable grip, flexible use and easy carry
 - * Optional professional accessories provide wider tactical applications, such as RM55 flashlight mount, TS41-L remote switch, etc.

LED	White Light Emitter
Mode	400 lm / 40 lm / 15 lm / momentary on
Runtime	2 h 15 min / 4 h 15 min / - / -
Beam distance	1100 m / 350 m / - / -
Waterproof	IPX7 (1 m)
Impact resistance	1 m / 3.28'
Battery	1 x 18650
Dimensions	151 mm x 25.4 mm x 34 mm
Weight	148 g / 5.22 oz (without battery)

400
LUMENS

TA15 V2.0

High-output Tactical Flashlight
with Multi-battery Compatibility



Compact Size
for Hand Use

Optional USB
Rechargeable 14500 Battery



Nano-ceramic Battery Compatibility Technology



Auto Outdoor
Industry / Armed
Silver Anodized

700
LUMENS

TA01

Single-mode High-performance
Tactical Flashlight



Tactical Tail Cap Switch, tap for momentary on and screw up for constant light



Simple and Reliable, suitable for
high-intensity tactical environment



USB Direct Charge
18650 Battery

FR-1 Tactical
Flashlight Ring

500
LUMENS

- FEATURES**
- * Max output up to 700 lumens
 - * Vari-source design, compatible with AA, CR123A, 14500 and 16340 battery
 - * Dual-function tactical switch with momentary-on or tactical strobe
 - * Rotational magnetic tailcap for one-handed operation
 - * Nano-Ceramic strike bezel, powerful glass breaker
 - * Compact size with a sturdy clip for secure carry

LED	OSRAM P9 LED
Mode	700 lm / 205 lm / 35 lm / momentary on / strobe
Runtime	30 min / 1 h 30 min / 2 h 15 min / - / -
Beam distance	195 m / 100 m / 55 m / - / -
Submersible	IPX3 (2 m)
Impact resistance	2 m / 6.56'
Battery	1x14500 / 16340 / CR123A / AA Battery
Dimensions	127 mm x 32 mm x 30 mm
Weight	95 g / 3.35 oz (without battery)

- FEATURES**
- * 500 lumen single mode, bright enough for visual interference, to meet tactical needs
 - * Quiet tail-cap switch operation: tap for momentary on and screw up for constant light
 - * Emitting a beam of neutral white light with high-light center spot and big uniform edge spot for clearer and overall observation
 - * Made of high-intensity aerospace aluminum and processed by Type II hard anodizing for durable use and comfortable grip
 - * Matches with the optional FR-1 tactical ring to realize multiple applications and more flexible carry ways

LED	CREE® XP-G3 Neutral White LED
Mode	500 lm / momentary on
Runtime	4 h / -
Beam distance	185 m / 607'
Submersible	IPX3 (2 m)
Impact resistance	2 m / 6.56'
Battery	1 x 18650 Li-ion (included) / 2 x CR123A
Dimensions	135 mm x 23 mm x 30 mm
Weight	89 g / 3.1 oz (without battery)



P56 NEW

6-Light-Sources Flashlight for Criminal Investigation and Forensic Examinations



300
LUMENS

FEATURES

- * 6 light sources, 6-in-1, for various law enforcement needs
- * IPX8 submersible, 1 m impact resistance
- * 360° light source dial, for one hand operation
- * Works with common phone chargers, convenient to charge
- * Uniform & bright light spot

Mode	WHITE	UV	BLUE
Wavelength	—	365nm	450nm
Output	300 lm / 11 lm / 7 mW	13 lm / 3 lm	—
Beam distance	110 m / 21 m / —	16 m / 6 m	—
Runtime	3 h 45 min / 36 h	5 h / 40 h	7 h 30 min / 35 h

Mode	GREEN	RED	IR
Wavelength	525nm	630nm	850nm
Output	40 lm / 8 lm / 35 mW	130 mW / 32 mW	—
Beam distance	41 m / 17 m / 40 m	17 m / —	—
Runtime	8 h 30 min / 39 h	4 h 30 min / 22 h	7 h 45 min / 19 h

Impact resistance	1 m
Submersible	IPX8 (2m)
Battery	1 × 18650 or 2 × CR123A batteries
Weight	190 g / 6.7 oz (without battery)
Dimensions	166 mm × 27.3 mm × 36.6 mm
Material	Aluminum Alloy

Applications	White	UV	Blue	Green	Red	IR
Fingerprints	✓	✓	✓	✓	✓	✓
Drug Marks	✓	✓	✓	✓	✓	✓
Subconscious Injuries	✓	✓	✓	✓	✓	✓
Bruising	✓	✓	✓	✓	✓	✓
Skin	✓	✓	✓	✓	✓	✓
Swat	✓	✓	✓	✓	✓	✓
Box Marks	✓	✓	✓	✓	✓	✓
Unite	✓	✓	✓	✓	✓	✓
Blind	✓	✓	✓	✓	✓	✓
Hair	✓	✓	✓	✓	✓	✓
Fingerprint	✓	✓	✓	✓	✓	✓
Bone	✓	✓	✓	✓	✓	✓
ink	✓	✓	✓	✓	✓	✓
Foot Print	✓	✓	✓	✓	✓	✓
Cleaning Solvents	✓	✓	✓	✓	✓	✓
Paints	✓	✓	✓	✓	✓	✓
Gunsight Residue	✓	✓	✓	✓	✓	✓
Hydrocarbons	✓	✓	✓	✓	✓	✓



2500
LUMENS

P81 NEW

One-step Strobe Rechargeable Duty Flashlight



Type-C Direct Charging

Optional Accessories



Traffic Wand



V51 Quick-Draw Flashlight Holder



1300
LUMENS

P80

One-step Strobe Rechargeable Duty Flashlight



Type-C Direct Charging

Optional Accessories



Traffic Wand



V51 Tactical Quick-Draw Polymer Holder

FEATURES

- * Super-hard ceramic strike tips help you break windows fast
- * 2 × side switches for handy mode switch and one-step strobe
- * Hidden Type-C charging port
- * 4 LED Battery indicators
- * Optional accessories: V10 / V6 / V5 / V61 / V51 flashlight holder, nylon flashlight holder, traffic wand, etc.
- * 4800 mAh high-capacity 21700 battery

LED	LUMINUS SST-70
Mode	S70 lm / 40 lm / 2600 lm / strobe / momentary on
Runtime	4 h 30 min / 38 h / 2 h / —
Beam distance	140 m / 35 m / 310 m / —
Waterproof	IPX7 (1 m)
Impact resistance	2 m / 6.56
Battery	1 × 21700
Dimensions	161 mm × 28.5 mm × 35 mm
Weight	174 g / 6.13 oz (without Battery)

FEATURES

- * Super-hard ceramic strike tips help you break windows fast
- * 2 × side switches switch for one-step strobe and mode switching
- * Presents 350-lumen medium mode as the first light pattern, more suitable for daily use
- * Type-C direct charge design
- * Optional accessories: V10 / V6 / V5 / V61 / V51 flashlight holder, nylon flashlight holder, traffic wand, etc.

LED	OSRAM P9 LED
Mode	350 lm / 25 lm / 1300 lm / strobe
Runtime	4 h 30 min / 40 h / 2 h / —
Beam distance	140 m / 35 m / 280 m / —
Waterproof	IPX7 (1 m)
Impact resistance	2 m / 6.56
Battery	1 × 18650
Dimensions	150 mm × 28.5 mm × 35 mm
Weight	177 g / 6.24 oz (without battery)



PA5

360° Focusing Adjustable USB Rechargeable Flashlight



Patented USB Direct Charging, spin up the tail cap to enter



NEXTORCH Patented Fresnel Lens

660 LUMENS

FEATURES

- * Patented Fresnel Lens Focusing Technology, delivering a smooth transition from broad flood beams to focused beams just by one-handed twist of the 360° swivel head
- * Neutral white LED, delivering a soft light beam without dazzling eyes
- * Innovative well-hidden USB direct charging design providing better durability
- * One multi-function DUO Switch for easy momentary on and multi-mode toggle
- * Compatible with one 18650 Li-ion battery or two CR123A batteries
- * Flat tail cap, standing up available for more applications

LED	CREE® XP-L LED
Mode	660 lm / 30 lm / momentary on / strobe / S.O.S.
Runtime	4 h / 32 h / - / - / -
Beam distance	220 m / 721 ft
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	2 × CR123A / 1 × 18650 (included)
Dimensions	146 mm × 26 mm × 34 mm
Weight	147 g / 5.19 oz (without battery)

ND20

8000 lm flashlight distractor

8000 LUMENS



FEATURES

- * Time-delay ultra-bright (8000 lm) strobe with warning sounds
- * Built-in rechargeable battery for high-power strobe
- * Type-C charging port
- * Cylindrical LED array design to eliminate blind spots
- * Anti-bulge bulges for better throw accuracy

Mode	Strobe
Light Output	8000 lm
Sound	100 dB (at 1 m)
Cumulative time	± 10 min
Water resistant	IPX4
Impact Resistance	2 m / 6.56'
Dimensions	146 × 72 × 72 mm
Weight	386 g / 13.6 oz (with battery)



Anti-rolling Tab

Speaker




USB Charging Port

Charging Indicator

Strobe Mode

P5 DUAL-LIGHT



	P50 / P5R / P5B
LED	CREE® XP-L LED / XP-E2 Green / Red / Blue LED
Mode	800 lm / 45 lm / strobe / S.O.S. / 200 lm (green) / 131 lm (red) / 80 lm (blue)
Runtime	3 h 45 min / 27 h / - / - / 5 h (green) / 5 h 45 min (red) / 5 h 15 min (blue)
Beam distance	246 m / 807.7' (white)
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	1 × 18650 (included) / 2 × CR123A
Dimensions	168 mm × 26 mm × 40 mm
Weight	165 g / 6.53 oz (without battery)



Dual-Light Technology



reddot award winner



	P5W / P5IR / P5UV
LED	CREE® XP-L LED / XP-E2 Warm White / Infrared Ray / Ultraviolet Ray LED
Mode	800 lm / 45 lm / strobe / S.O.S. / 365 lm (warm white) / 500 mW (IR) / 1000 mW (UV)
Runtime	3 h 45 min / 27 h / - / - / 4 h 45 min (warm white) / 5 h (IR) / 5 h 30 min (UV)
Beam distance	246 m / 807.7' (white)
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	1 × 18650 (included) / 2 × CR123A
Dimensions	168 mm × 26 mm × 40 mm
Weight	165 g / 6.53 oz (without battery)

FEATURES

- * Proprietary Dual-Light technology, 360° rotational shift for different light colors
- * Innovative well-hidden USB direct charging design providing better durability
- * One multi-function DUO Switch for easy momentary on and multi-mode toggle
- * Micro USB direct charge, to satisfy long-time hunting needs
- * Compatible with one 18650 Li-ion battery or two CR123A batteries
- * Dual anti-shock structure, shock resistance up to 1 meter



HUNTING SET



760
LUMENS

T53 SET

3-in-1 Multi-light Hunting Flashlight



ACCESSORIES INCLUDED

RMB55 scope mount
TS41-L remote switch
UCA USB charge cable
1 x 2600 mAh 18650 Li-ion battery



One reflector to realize the white, green and red light



Rotating the side dial to switch light sources



USB direct charging system



FEATURES

- Proprietary multi-light technology, one reflector to realize the white, green and red light, delivering a full and round light spot
- 360° rotate the side dial to switch light sources, easy to operate
- Patented multi-function DVO Switch, single switch for momentary on, constant on and mode switching
- USB direct charge design for long-playing outdoor use
- Able to fit with a scope mount and a quick-insert remote control switch for more convenient hunting

	White	Green	Red
LED	CREE® XP LED	CREE® XP GREEN LED	CREE® XP RED LED
Mode	stroke / 760 lm / 45 m / momentary on / S.O.S.	stroke / 120 lm / 30 m / momentary on / S.O.S.	stroke / 109 lm / 23 m / momentary on / S.O.S.
Runtime	- / 4 h 30 min / 31 h / - / -	- / 7 h / 34 h / - / -	- / 4 h 45 min / 25 h / - / -
Beam distance	220 m / 722'	160 m / 525'	122 m / 400'
Waterproof	IPX7 (1 m)		
Impact resistance	1 m / 3.28'		
Battery	1 x 18650 / 2 x CR123A		
Dimensions	147 mm x 25.4 mm x 37 mm		
Weight	155 g / 5.46 oz (without battery)		



T7 SET

900-lumen 510-meter Long-range Hunting Flashlight Set



ACCESSORIES INCLUDED
 RM855 scope mount
 TS41-L remote switch
 UC4 USB charge cable
 1 x 2600 mAh 18650 Li-ion battery

**900
LUMENS**

FEATURES

- * More outstanding beam distance among similar flashlights to help you discover the prey or risks rapidly
- * 2-in-1 single-port socket for easy access; the remote switch plug shares the same waterproof port with USB charging port
- * Patented multi-function DUO Switch, single switch for easy momentary activation and 7 mode switch
- * IPX8, 2m submersible, 1m impact resistant, durable and reliable

LED	High-performance LED
Mode	900 lm / 490 lm / 120 lm / 33 lm / momentary on / SOS / strobe
Runtime	2 h 15 min / 2 h 45 min / 6 h / 28 h - / - / -
Beam distance	510 m / 330 m / 165 m / 75 m - / - / -
Submersible	IPX8 (2 m)
Impact resistance	1 m / 3.28
Battery	1 x 18650 rechargeable Li-ion (included) / 2 x CR123A
Dimensions	154 mm (length) x 25.4 mm (body dia.) x 43.8 mm (head dia.)
Weight	142 g / 5 oz (without battery)

T5 SET

760-lumen 400-meter Hunting Flashlight Set



ACCESSORIES INCLUDED
 RM855 scope mount
 TS31-L remote switch
 2 x CR123A batteries

**760
LUMENS**

FEATURES

- * More outstanding beam distance among similar flashlights to help you discover the prey or risks rapidly
- * Patented multi-function DUO Switch, single switch for easy momentary activation and 6 mode toggle
- * IPX8, 2m submersible and impact resistant, durable and reliable
- * Adapt to RM85 / RM87 scope mount / TS31-L remote switch / FT32 filter, etc.

LED	High-performance LED
Mode	760 lm / 220 lm / 45 lm / momentary on / S.O.S. / strobe
Runtime	3 h / 6 h / 27 h - / - / -
Beam distance	400 m / 205 m / 95 m - / - / -
Submersible	IPX8 (2 m)
Impact resistance	2 m / 6.56
Battery	2 x CR123A (included) / 1 x 18650 Li-ion
Dimensions	143 mm (length) x 25.4 mm (body dia.) x 34 mm (head dia.)
Weight	119 g / 4.2 oz (without battery)

T5G SET V2.0 NEW

Dual-light Rechargeable Hunting Flashlight Set



ACCESSORIES INCLUDED

RM855 scope mount
T5G-L1 remote switch
1 x 2600 mAh 18650 Li-ion battery

* T5G is not compatible with the RM87 universal mount due to the magnet effect on the switch

- FEATURES**
- * Dual light source design: White & Green, max output up to 1200 and 170 lumens
 - * Powered dual-light structure, 360° rotate to switch into different light sources easily
 - * Micro-USB direct charge, to satisfy long-time hunting needs
 - * Single multi-function DUO Switch for easy momentary activation, constant light and mode switching



White
1200
LUMENS

Green
170
LUMENS

LED	CREE® P9 LED	CREE® XP42 GREEN LED
Mode	1200 lm / 35 m / momentary on / S.O.S. (90 m) / strobe	170 lm / 27 m / momentary on / S.O.S. (90 m) / strobe
Runtime	3 h 15 min / 35 h / - / - / -	5 h 30 min / 37 h / - / - / -
Beam distance	365 m / 48 m / - / - / -	230 m / 63 m / - / - / -
Waterproof	IPX7 (1 m)	IPX7 (1 m)
Impact resistance	1 m / 3.28'	1 m / 3.28'
Battery	1 x 18650 (included) / 1 x CR123A	1 x 18650 (included) / 1 x CR123A
Dimensions	145 mm x 25.4 mm x 48 mm	145 mm x 25.4 mm x 48 mm
Weight	165 g / 5.28 oz (without battery)	165 g / 5.28 oz (without battery)



2-in-1 Charging Port for Easy Access



360° Rotation to Change Light Color Freely

TA40 HUNTING SET

1040 Lumen Flashlight Set with Magnetic Mount



ACCESSORIES INCLUDED

RM87 magnetic mount
T5G-L1 remote pressure switch
UC4 USB charge cable
1 x 2600 mAh 18650 Li-ion battery

- FEATURES**
- * Max output up to 1040 lumens
 - * 7 modes for the most common tactical flashlight applications
 - * Powered by two CR123A lithium batteries or one high-capacity 18650 Li-ion battery, including a tail-cap direct charging system
 - * DUO SWITCH with "Click and tap" function for easy momentary activation or mode switching



1040
LUMENS

TA40 RECHARGEABLE SET

1040 Lumen Ultra Bright Tactical Flashlight



ACCESSORIES INCLUDED

RM85 scope mount
T5G-L1 remote pressure switch
1 x 2600 mAh 18650 Li-ion battery / 2 x CR123A lithium batteries

- FEATURES**
- * Max output up to 1040 lumens
 - * 7 modes for the most common tactical flashlight applications
 - * Powered by two CR123A lithium batteries or one high-capacity 18650 Li-ion battery, including a tail-cap direct charging system
 - * DUO SWITCH with "Click and tap" function for easy momentary activation or mode switching



1040
LUMENS

	TA40 RECHARGEABLE SET	TA40 HUNTING SET
LED	CREE® XM-L2 LED	CREE® XM-L2 LED
Mode	1040 lm / 530 m / 250 m / 80 m / strobe / S.O.S.	1040 lm / 530 m / 250 m / 80 m / strobe / S.O.S.
Runtime	1 h 30 min / 2 h 15 min / 3 h 30 min / 10 h / - / -	1 h 30 min / 2 h 15 min / 3 h 30 min / 10 h / - / -
Beam distance	265 m / 505.04'	265 m / 505.04'
Submersible	IPX8 (2 m)	IPX8 (2 m)
Impact resistance	3 m / 9.84'	3 m / 9.84'
Battery	2 x CR123A (included) / 1 x 18650	2 x CR123A (included) / 1 x 18650
Dimensions	147 mm x 25.4 mm x 34 mm	147 mm x 25.4 mm x 34 mm
Weight	124 g / 4.37 oz (without battery)	124 g / 4.37 oz (without battery)

E SERIES

Compact pocket size, incredible performance, easy-to-use interface, and hard-anodized aluminum body, all make NEXTORCH E series the ultimate EDC lighting solution for personal and professional use.



E51 V2.0

High-output Rechargeable EDC Pocket Flashlight

1400
LUMENS

E51 V2.0 is an upgraded version of high-performance EDC pocket flashlight, with a max output up to 1400 lumens, as bright as day in darkness. It features the hidden Type-C quick charging design for time-saving energy storage and the coated tempered glass lens for better heat resistance and light transmittance. Five modes are set up to meet different lighting needs, including momentary-on, high, medium, low, and hidden-strobe. This straight compact E51 V2.0 is only palm-sized, portable enough by matching with an exquisite stainless steel clip and a detachable hand string.



Fit in Your Palm



USB Direct Charge
with an Indicator

FEATURES

- * Max output up to 1400 lumens
- * 5 Modes: momentary-on, high, medium, low, and hidden-strobe
- * Small, straight, compact and portable
- * Hidden Type-C quick-charging design for time-saving energy storage, economical and convenient
- * Tail switch is easy for one-handed operation
- * Including a detachable stainless steel clip and a lanyard for easy carry

LED	OSRAM P9 LED
Mode	momentary on / 1400 lm / 260 lm / 20 lm / strobe
Runtime	~ / 2 h 30 min / 5 h 45 min / 58 h / ~
Beam distance	~ / 201 m / 85 m / 25 m / ~
Submersible	IPX8 (2 m)
Impact resistance	1 m / 5.5 ft
Battery	1x18650 battery (included)
Dimensions	133 mm × 25 mm × 27.5 mm
Weight	84 g / 2.96 oz (without battery)



myTorch S SERIES

NEXTUNER 



NEXTUNER is the specialized software driving the Smart Torch Technology (STT), programmed and released by Nextorch. Downloading the NEXTUNER Application to your computer and then connecting the flashlight to computer by data cable, you can freely program your own modes. Easy to operate and customizing personalized brightness modes.

USB Rechargeable Smart Torch



USB Rechargeable



Smart Torch Technology



myTorch Counter Stand

130
LUMENS



AA

300
LUMENS



3AAA

860
LUMENS



XL

myTorch S AA



FEATURES

- * Including 4 default modes, high - mid - low - strobe
- * Able to download the NEXTUNER Application on computer and then use the specialized Smart Torch technology (STT) to reset your own modes
- * Smart memory mode function for fitting use habits: press and hold the preferred mode over 5 seconds, and then turn off, press to light up again and enter the previous mode setting
- * Compatible with the non-rechargeable alkaline batteries (included) and the rechargeable Ni-MH battery
- * Smart direct charging system, to identify the battery type automatically and choose whether to charge, embedded with a LED indicator/red light for charging and green light for full charging
- * Surface knurling anti-roll design, preventing the flashlight from easy dropping

LED	CREE® XP-G2 LED	CREE® XM-L2 LED
Mode	130 lm / 65 lm / 2 lm / strobe	300 lm / 150 lm / 2 lm / strobe
Runtime	1 h / 2 h / 36 h / --	2 h 30 min / 5 h / 55 h / --
Beam distance	81 m / 245.7 ft	140 m / 459.32 ft
Waterproof	IPX7 (1 m)	IPX7 (1 m)
Impact resistance	1 m / 3.28'	1 m / 3.28'
Battery	1 * Alkaline AA (included) or 1 * Ni-MH AA	3 * Alkaline AAA (included) or 3 * Ni-MH AAA
Dimensions	120 mm * 19.2 mm * 25.4 mm	148 mm * 27.6 mm * 36 mm
Weight	56 g / 1.97 oz (without battery)	136 g / 4.80 oz (without battery)

myTorch S XL



FEATURES

- * Preset multi modes to satisfy different lighting needs
- * Able to download the NEXTUNER Application on computer and then use the specialized Smart Torch technology (STT) to reset your own modes
- * Smart memory mode function for fitting use habits: press and hold the preferred mode over 5 seconds, and then turn off, press to light up again and enter the previous mode setting
- * Powered by a high capacity 1x4400 mAh battery, supporting hundreds of charging, economical and environmentally friendly
- * USB direct charging system with a LED indicator, red light for charging and green light for full charging
- * Surface knurling anti-roll design, preventing the flashlight from easy dropping

LED	CREE® XM-L2 LED
Mode	860 lm / 430 lm / 30 lm / 2 lm / strobe
Runtime	2 h / 4 h / 35 h / 200 h / --
Beam distance	203 m / 666'
Waterproof	IPX7 (1 m)
Impact resistance	1 m / 3.28'
Battery	1 * 4400 mAh battery (included)
Dimensions	229 mm * 26 mm * 38.3 mm
Weight	212 g / 7.48 oz (without battery)

C SERIES

We may face lots of situations in darkness, say sudden car breakdown at night, maintenance work, outdoor camping, tripping blackout. Our easy-to-operate & reliable C series can lighten the darkness in your daily life.

C2 UV NEW

Compact Ultraviolet Flashlight

FEATURES

- * Find invisible stains with 405 nm UV light, like food stains and pet urine stains on rugs, carpets etc.
- * Authenticate currencies and official documents like drivers licenses or identity unwanted whitening agent in cosmetics
- * Weighted only 72 g / 4.23 oz (without battery) with a lanyard, compact & easy to carry
- * Rated IPX4 with a durable aluminum body



Detect Invisible Stains

Detect Counterfeits

IPX7 Waterproof

LED	UV LED
Wavelength	405 nm
Power Output	500 mW
Impact Resistance	1 m / 3.28'
Waterproof	IPX7 (1 m)
Battery	2 x AA batteries
Dimensions	151 mm x 19.2 mm x 26.4 mm
Weight	72 g / 4.23 oz

High-performance Easy-to-operate Compact Flashlight

- * One tail-cap switch for multi-mode toggle
- * Made of aerospace-grade aluminum and processed by Type III hard anodizing, durable and comfortable for use
- * Equipped with a lanyard for easy everyday carry



	140 LUMENS	250 LUMENS	380 LUMENS	700 LUMENS
C1	C2	C3	C4	
LED	CREE® XP-G3 LED	CREE® XP-G3 LED	CREE® XP-G3 LED	LUMINUS SST-20 LED
Mode	140 lm / 20 lm	250 lm / 70 lm	380 lm / 200 lm / 40 lm	700 lm / 300 lm / 50 lm
Runtime	1 h / 13 h	1 h / 40 h	1 h 30 min / 3 h / 30 h	2 h / 4 h / 35 h
Beam distance	85 m / 30 m	125 m / 60 m	190 m / 130 m / 50 m	340 m / 200 m / 85 m
Waterproof	IPX7 (1 m)	IPX7 (1 m)	IPX7 (1 m)	IPX7 (1 m)
Impact resistance	1 m / 3.28'	1 m / 3.28'	1 m / 3.28'	1 m / 3.28'
Battery	1 x AA (included)	2 x AA (included)	3 x AAA (included)	1 x 18650 (included)
Dimensions	102 mm x 19.2 mm x 26.4 mm	152 mm x 19.2 mm x 26.4 mm	127 mm x 27.5 mm x 36 mm	135 mm x 26 mm x 36 mm
Weight	50 g / 1.76 oz (without battery)	70 g / 2.47 oz (without battery)	110 g / 3.88 oz (without battery)	120 g / 4.23 oz (without battery)

S SERIES

Exquisitely small, NEXTORCH S series is your perfect EDC (Every Day Carry) flashlight choice. It can meet your practical lighting needs in a wide range of scenarios from your everyday life.



K11

Ultra Bright Mini Keychain Light

- CREE® XP-G3 LED, max output up to 100 lumens
- Powered by 1x AAA battery, max run time up to nearly 6 hours
- Twist the head easily for mode switch by one-handed operation
- Anti-roll, compact and stylish design make it a perfect EDC tool or an ideal gift

100
LUMENS

Powered by One Easy-to-Find AAA Battery



Compact and Lightweight



Rotatable Head Switch



K21/K21R

Multi-purpose Rotatable Magnetic EDC Flashlight

- Twist the head easily for mode switch by one-handed operation
- Magnetic tail cap for easy attach to on ironwork, to free your hands
- Equipped with a stainless steel clip, able to be used as a clip lamp
- Only 35 grams, compact and portable enough for daily carry

K21
160
LUMENSK21R
300
LUMENSK21
Equipped with 1x AAA BatteryK21R
Equipped with one 14500 Rechargeable Battery

Match with GTK as Tactical Helmet Light



Attached to Ironwork by Magnetic Tail Cap



Used as a Clip Lamp with a sturdy clip



Rotate for ON/OFF and mode switch, keep one-handed operation

	K11	K21	K21R
LED	CREE® XP-G3 LED	CREE® XP-G3 LED	CREE® XP-G3 LED
Mode	100 lm / 22 hrs	160 lm / 55 hrs / 7 hrs	300 lm / 53 hrs / 8 hrs
Runtime	1 h / 5 h 30 min	1h / 7 h 45 min / 14 h	2h 15 min / 12 h / 18 h
Beam distance	40 m / 131.2'	70 m / 229.7'	100 m / 328'
Waterproof	IPX7 (1 m)	IPX7 (1 m)	IPX7 (1 m)
Impact resistance	1 m / 3.28'	1 m / 3.28'	1 m / 3.28'
Battery	1 x AAA (included)	1 x AA (included)	One rechargeable 14500 battery (included) / 1 x AA
Dimensions	65.5 mm × 13.4 mm × 14.7 mm	79 mm × 18 mm × 19 mm	79 mm × 18 mm × 19 mm
Weight	15.4 g / 0.54 oz (without battery)	35 g / 1.23 oz (without battery)	35 g / 1.23 oz (without battery)

MEDICAL PENLIGHT

Dr.K3 SERIES

DR.K3 UV NEW

Wood's Lamp UV penlight

FEATURES

- 365 nm UV light with Fine Woods glass for accurate detection
- Detect cat ringworm, skin abnormality, FWAs (Fluorescent Whitening Agents), counterfeitlets and more
- Small & useful
- Uses 2xAAA batteries for power
- Clicky anti-slip tail button

LED	365 nm UV LED
Output	600 mW
Run Time	1 h 15 min
Impact Resistant	1 m / 3.28'
Battery	2xAAA batteries
Weight	28 g (without batteries)
Dimensions	148 x 14.3 x 13.3 mm



Cat Ringworm Detection



Skin Abnormality Detection



FWAs Detection



Counterfeitlets Detection



Blue Light Hazard
Rated Exempted, RGO



Color Rendering Index, RA > 90
High degree of color rendering



Uniform light spot, no shadow
areas in medical inspection



Compact pen-size appearance
with a clip for easy carry

- Chrome-plated anti-skid tail switch, to ensure the normal use even when wearing gloves
- Pen-size appearance with a stainless clip, stylish, light-weight and portable
- High color rendering index, RA > 90, with true tissue color rendition
- Blue light hazard class RGO (Risk Exempted)
- Uniform light spot design for better observation



Dr.K3 Pro

Dual Light (Yellow & White)

≥ 95

Color Rendering Index(RA)

Blue-light hazard Rate

Color Temperature(CCT)

Modes

Runtime

Beam distance

Waterproof

Impact resistance

Battery

Dimensions

Weight

3000K(Yellow)

2 lm

19 h

5 m

IPX7(1 m)

1 m / 3.28'

Built-in 320 mAh lithium battery

129.6 mm x 14.3 mm x 12.9 mm

99.7 g / 1.4 oz (with battery)

5500K(White)

10 lm

5h 30min

10 m

28 m

7 m

1 m / 3.28'

2 x AAA(included)

149.8 mm x 14.3 mm x 13.3 mm

27.8 g / 0.98 oz (without battery)

Dr.K3L

Dual Light (Yellow & White)

≥ 95

Color Rendering Index(RA)

Blue-light hazard Rate

Color Temperature(CCT)

Modes

Runtime

Beam distance

Waterproof

Impact resistance

Battery

Dimensions

Weight

3000K(Yellow)

2 lm

19 h

5 m

IPX7(1 m)

1 m / 3.28'

2 x AAA(included)

149.8 mm x 14.3 mm x 13.3 mm

27.8 g / 0.98 oz (without battery)

5500K(White)

10 lm

5h 30min

15 h

15 m

7 m

1 m / 3.28'

2 x AAA(included)

149.8 mm x 14.3 mm x 13.3 mm

27.8 g / 0.98 oz (without battery)

Dr.K3S

LED (Yellow / Neutral White)

≥ 95

Color Rendering Index(RA)

Blue-light hazard Rate

Color Temperature(CCT)

Modes

Runtime

Beam distance

Waterproof

Impact resistance

Battery

Dimensions

Weight

3000 K(Yellow)

2 lm

19 h

5 m

IPX7(1 m)

1 m / 3.28'

2 x AAA(included)

149.8 mm x 14.3 mm x 13.3 mm

27.8 g / 0.98 oz (without battery)

5500 K(Neutral White)

10 lm

5h 30min

15 h

15 m

7 m

1 m / 3.28'

2 x AAA(included)

149.8 mm x 14.3 mm x 13.3 mm

27.8 g / 0.98 oz (without battery)

3000 K(Yellow)

2 lm

19 h

5 m

IPX7(1 m)

1 m / 3.28'

2 x AAA(included)

149.8 mm x 14.3 mm x 13.3 mm

27.8 g / 0.98 oz (without battery)

5500 K(Neutral White)

10 lm

5h 30min

15 h

15 m

7 m

1 m / 3.28'

2 x AAA(included)

149.8 mm x 14.3 mm x 13.3 mm

27.8 g / 0.98 oz (without battery)



K3 SERIES

K3T High-output Tactical Penlight

- CREE® XP-G3 LED, max output up to 215 lumens
- Tactical & Duty mode, versatile for various tasks
- Compact pen size with a sturdy clip, easy to carry
- Square knurling foot design for better grip

K3R / K3RT Rechargeable Pocket-sized / Safety Penlight

- Memory Mode: 2 seconds after turning off, turn on again to enter the previous used mode
- Charging via the hidden Type-C direct charging port
- Pen-like compact size, convenient for everyday carry
- Equipped with a stainless-steel clip for easily hanging on pockets, backpacks, toolkit, etc.
- Chrome-plated anti-skid press switch
- The strike bezel of K3RT is embedded with high-hardness ceramic beads for quick window breaking and close defense

K3 Pocket-sized EDC Penlight

- Memory Mode: 5 seconds after turning off, turn on again to enter the previous used mode
- Pen-like compact size, convenient for everyday carry and timely help
- Equipped with a stainless-steel clip for easily hanging on pockets, backpacks, toolkit, etc.
- Chrome-plated anti-skid press switch



	K3T	K3R	K3RT	K3
LED	CREE® XP-G3 LED	CREE®XP-G3 LED	CREE®XP-G3 LED	CREE®XP-G2 LED
Mode	8 lm / 90 min / 215 lm / momentary on / strobe	70 lm / 350 lm / 9 lm	330 lm / 65 lm / 9 lm / strobe	200 lm / 80 lm / 5 lm / strobe
Runtime	50 h / 4 h / 30 min / - / -	2 h / 45 min / 11 h	45 min / 2 h / 11 h / -	30 min / 2 h 45 min / 23 h / -
Beam distance	70 m / 229.7'	30 m / 71 m / 12 m	70 m / 30 m / 12 m / -	57 m / 187'
Waterproof	IPX4 (2 m)	IPX4 (1 m)	IPX4 (1 m)	IPX4
Impact resistance	1 m / 3.28'	1 m / 3.28'	1 m / 3.28'	1 m / 3.28'
Battery	2 × AAA (included)	Built-in 320 mAh Li-ion battery	Built-in 320 mAh Li-ion battery	2 × AAA (included)
Dimensions	130 mm × 14 mm × 16 mm	123 mm × 12.9 mm × 14.3 mm	125 mm × 12.9 mm × 14.3 mm	150 mm × 12.4 mm × 13.8 mm
Weight	32 g / 1.13 oz (without battery)	36 g / 1.27 oz (with battery)	37 g / 1.31 oz (with battery)	25 g / 0.88 oz (without battery)



GL20 UV

2-in-1 UV Keychain Light



- 365 nm UV light for fluorescence detection, anti-counterfeit detection, etc.
- Built-in rechargeable Li-ion battery for USB direct charge
- Low battery reminder for reliable use
- Only 17.5 g, compact, stylish and portable

60 LUMENS

GL20

2-in-1 Laser Keychain Light



- LED keychain light and laser pointer combo
- Compact and lightweight
- Powered by one built-in high volume rechargeable Li-ion battery
- Micro USB charge with a built-in low battery LED indicator

60 LUMENS



U SERIES

U series aims to provide professional & common folks hands-free lighting solutions with multifunction. Policemen can use it to check IDs, and document etc. Rich features of U series can assist you at night with ease.

UT22 NEW

Multi-Function Warning Light



360° Rotatable Base



3 Accessories



Security Warning Light

- FEATURES**
- * Can be mounted on helmet, MOLLE webbing and more with provided accessories
 - * 2 m impact-resistant, IPX4 water resistant
 - * Long-lasting 640 mAh built-in li-ion battery with Type-C charging port
 - * Gravity & touch sensor allow you to operate it easily & intuitively even with gloves on. You can double pad the light to turn it on or off
 - * 22 blue-red LEDs gives you a 360° all-rounded lighting, white light illumination, and over 1,000 m view distances in a clear night

LED	Red, Blue and White Light LEDs	
Mode	Red/blue Flash (horizontal) / Red/blue Flash (vertical) / White Light	
Runtime	20 h	22 h
Water Resistant	IPX4	11 m
Impact Resistance	2 m / 6.56'	
Battery	Built-in 640 mAh li-ion battery	
Dimensions	72.3 mm × 50 mm × 40 mm	
Weight	92.3 g / 3.25 oz (with battery)	

UT21 NEW

Emergency Warning Light



MOLLE Webbing



Backpack Strap



Shoulder Strap

- FEATURES**
- * Can be used as a shoulder light and emergency light with the provided clip
 - * 2 m impact-resistant, IPX4 water resistant
 - * Long-lasting 640 mAh built-in li-ion battery with Type-C charging port
 - * Gravity & touch sensor allow you to operate it easily & intuitively even with gloves on. You can double pad the light to turn it on or off
 - * 22 blue-red LEDs gives you a 360° all-rounded lighting, white light illumination, and over 1,000 m view distances in a clear night

LED	Red, Blue and White Light LEDs	
Mode	Red/blue Flash (horizontal) / Red/blue Flash (vertical) / White Light	
Runtime	20 h	22 h
Water Resistant	IPX4	11 m
Impact Resistance	2 m / 6.56'	
Battery	Built-in 640 mAh li-ion battery	
Dimensions	72.4 mm × 50 mm × 38.4 mm	
Weight	85 g / 2.99 oz (with battery)	

UT11

USB Rechargeable Warning Light



170
LUMENS



Backpack Webbing



MOLLE Webbing



Shoulder Light



Hat Light

- FEATURES**
- White light illumination, red & blue signal flashing design, can be switched with one button
 - COB floodlight technology to ease your eye fatigue
 - USB Micro-B charging port, long lasting built-in Li-ion battery
 - Removable clip, can be used on hat, MOLLE webbing, webbing on backpack, shoulder strap etc.
 - 180° rotatable light head
 - Lightweight & compact, only 46.8 g including battery, easy to carry

LED	COB
Mode	Red Blue Flash: ~ High (White): 170 lm Low (White): 20 lm
Runtime	85 h 2 h 11 h
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	Built-in 640mAh Rechargeable Li-ion Battery
Dimensions	60 mm x 46 mm x 17 mm
Weight	46.8 g / 1.65 oz (with battery)

UT10

Multi-function Rechargeable Innovative COB LED Light



Asia Outdoor Industry Award



170
LUMENS



Multi-purpose Clip



Headlamp Strip



Bike Mount



Tactical Kit

- FEATURES**
- Dual light source emitting a wide and soft flood light, comfortable and no glaring
 - Single button for 4 lighting mode switch, easy to control
 - Matched with multiple optional accessories, for flexible use as a headlamp, cap light, bicycle light or helmet light
 - Extremely lightweight design, only 37.8 grams for convenient carry

LED	COB
Mode	White: 170 lm / 20 lm Red: 5 lm / Flash
Runtime	2 h / 11 h 18 h / ~
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	Built-in 540mAh Rechargeable Li-ion Battery
Dimensions	60 mm x 46 mm x 17 mm
Weight	37.8 g / 1.33 oz (with battery)

UL10

Multi-purpose Clip Light



70
LUMENS

- FEATURES**
- 3 high performance LEDs, max output 70 lumens
 - Multi purpose clip mount, mounts onto caps, pocket edges, any straps and MOLLE webbing gears, etc.
 - 180 degree adjustable, easy flip-and-hold lighting
 - Ultra-lightweight, overall weight 49.5 grams only (battery included)
 - Able to exchange the clip with ECO STAR, TREX STAR, UT10 or other NEXTORCH clip lights

LED	White Light LEDs
Mode	70 lm / 7 lm / S.O.S.
Runtime	4 h 30 min / 44 h / ~
Beam distance	18 m / 59 ft
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	2 x AAA (included)
Dimensions	32 mm x 48 mm x 54 mm
Weight	49.5 g / 1.75 oz (with batteries)

UL12

Multi-function Flashing Clip Light for Police



17
LUMENS

- FEATURES**
- 3 modes for various needs: constant-on white, constant-on red, flashing (Red & Blue)
 - Detachable clip for mounting on MOLLE shoulder strap, backpack, cap, etc.
 - Max 62 hours runtime in red blue flash mode for long time runtime duty needs
 - 180° rotatable design to realize multi-angle lighting

LED	Red, Blue and White Light LEDs
Mode	17 lm (white) / 3 lm (red) / Red-Blue Flash
Runtime	7 h 30 min / 18 h / 62 h
Beam distance	13 m / 6 m / ~
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	2 x AAA batteries (included)
Dimensions	32 mm x 48 mm x 54 mm
Weight	49 g / 1.73 oz (with batteries)

UL360

360° Utility Pocket Lantern

70
LUMENS



ISPO AWARD



Attach to Ironwork by Magnetic Plate



S-Biner for Quick Attach



Elastic Strap for Tying Anywhere



Free Hands for Convenient Maintenance

- FEATURES**
- Neutral white light LED, emitting the gentle beam without hurting eyes in long use
 - Tiny and compact, thumb-sized only, easy to operate
 - 360° degree rotatable lamp body design, more practical all-round lighting
 - Comes with a magnetic bottom plate, elastic string and S-biner for multi-purpose quick mounting

LED	Neutral white light LED
Mode	70 lm / 10 lm
Runtime	3 h 15 min / 30 h
Beam distance	5 m / 16.4'
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	1 x AA (included)
Dimensions	78 mm x 34 mm x 21 mm
Weight	40 g / 1.41 oz (without battery)

H SERIES

NEXTORCH headlamps can provide a smooth and strong illumination without dazzling eyes, for lighting up the dark while freeing your hands. They are highly appreciated by professionals for their versatile functions, high performances, comfortable ergonomic and light-weight design.

Max Star NEW

High-output Magnet-controlled Headlamp

1200
LUMENS

- FEATURES**
- * 360° rotational magnetic dial switch for easy and quick mode switch
 - * Integrating the magnetic dial switch with the lamp head to ensure the lightweight of the headlight
 - * Three lighting modes to meet various outdoor needs
 - * Built-in 18650 battery provides 40-hour longest runtime for safe use
 - * Type-C quick-charge port enables charging by power bank



LED	OSRAM P9 LED
Mode	1200 lm / 140 lm / 20 lm
Runtime	4 h / 30 min / 8 h / 40 h
Beam distance	300 m / 72 m / 25 m
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	Built-in 2600 mAh 18650 battery
Dimensions	73.6 mm × 33.6 mm × 60.8 mm
Weight	147 g / 5.19 oz (with battery)

myStar R / RAA NEW

360° Focus-adjustable Headlamp with Battery Compatibility

760
LUMENS

600
LUMENS

- FEATURES**
- * 360° rotary focus adjustment ring provides a smooth transition from flood light to long-range beam
 - * Compatible with ion rechargeable battery or 3×AA alkaline batteries
 - * IPX4 water resistant design, able to cope with rainy weather
 - * Partial pressure headband design for comfort in use over long periods

Compatible with Two Batteries



360° Rotatable Focusing Design

Detachable Battery Compartment for Compatible 3×AA Batteries

Comfortable 'Y'-shaped Strap & Adjustable Multi-angle Lighting



Model	myStar R	myStar RAA
LED	OSRAM P9 LED	
Battery	3000 mAh Li-polymer Battery	3 × AA Batteries
Mode	760 lm / 240 lm / 20 lm / S.O.S.	600 lm / 240 lm / 20 lm / S.O.S.
Runtime	4 h 45 min / 1 h 15 min / 81 h / —	4 h 30 min / 7 h / 66 h / —
Beam distance	220 m / 124 m / 42 m / —	180 m / 118 m / 40 m / —
Water Resistant	IPX4	
Impact resistance	1 m / 3.28'	
Dimensions	Light body: 74 mm × 43 mm × 44 mm Battery pack: 76 mm × 58.5 mm × 62 mm	
Weight	128 g / 4.53 oz (without battery)	

myStar V2.0

360° Focus-adjustable Rechargeable Headlamp

760
LUMENS

reddot award
winner



FEATURES

- * Patented Fresnel Lens Focusing Technology, delivering a smooth transition from flood light to focused light by simply one-handed twisting the 360° swivel head
- * Built-in 3000 mAh lithium polymer battery as power supply, to ensure lighter weight, longer runtime and safer use
- * Partial pressure headband and ergonomic battery container for long-time comfortable wear
- * A slow flash-red light set on the battery container to enhance the visibility on the back and sides for safety
- * Available for Micro USB direct charge by computer, power bank, car charger, etc.



360° Battery
Focusing Technology

Red Safety Flash
Visible from Back and Sides

Y Shaped Strap Ensures
Maximum Comfortable Fit

LED	OSRAM P9 LED
Mode	760 lm / 245 lm / 28 lm / S.O.S.
Runtime	4 h 45 min / 8 h 15 min / 81 h / --
Beam distance	220 m / 124 m / 42 m / --
Water resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	Built-in 3000 mAh Li-polymer battery
Dimensions	light body: 74 mm x 40 mm x 44 mm battery pack: 76 mm x 28.5 mm x 82 mm
Weight	175 g / 6.17 oz (with battery)

C STAR NEW

Multi-function Innovative Neck Light

170
LUMENS



FEATURES

- * Innovative neckband design. Hands-free lighting experience
- * CDB floodlight technology. Wide & soft floodlight. Perfect for reading
- * 180° rotatable light head, with 10 locking positions
- * Long lasting built-in Li-ion battery with USB Micro-B charging port
- * Removable design. Can be used as headlamp, hat light, bike light, helmet light with optional accessories



Headlight mode

Necklight mode

180° rotational light

LED	CDB, Color Temperature 6500/6000 K
Mode	High (White) Low (White) Red Strobe (Red)
Light Output	170 lm 20 lm -- --
Runtime	2 h 11 h 18 h --
Beam Distance	19 m 7 m -- --
Impact Resistance	1 m / 3.28'
Water resistant	IPX4
Dimensions	60 mm x 46 mm x 17 mm
Weight	64 g / 2.25 oz

TREK STAR

Ultra Bright Multi-mode LED Headlamp

S&B



Red LED for Preserving Night Vision



Detachable Lamp

3 Colors Available

FEATURES

- * White LED providing max output while red LEDs for gentler light to reduce eye strain
- * Single anti-sid/side switch for 4-mode toggle and hidden one-touch S.O.S., easy to operate
- * 100° adjustable angles for multi-view lighting
- * Light-weight design with sweat-resistant headband for comfortable wear

220
LUMENS

LED	1 × White LED, 2 × Red LEDs
Mode	220 lm / 125 lm / 9 lm / Red (2 lm) / S.O.S.
Runtime	2 h 30 min / 9 h / 98 h / 92 h / -
Beam distance	73 m / 229.50'
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	3 × AAA (included)
Dimensions	55 mm × 38 mm × 32 mm
Weight	83 g / 2.92 oz (with batteries)

ECO STAR

Lightweight Headlamp and Clip Light Combo

S&B



Detachable clip for Easy Carry

2 × White LEDs, 1 × Red LED



Detachable clip included

3 Colors Available

FEATURES

- * White LEDs providing max output while a red LED for gentler light to reduce eye strain
- * 180° adjustable angles for multi-view lighting
- * With a detachable clip able to mount onto the cap, pack strap, belt, MOLLE, etc.
- * Light-weight design with sweat-resistant headband for comfortable wear

48
LUMENS

LED	2 × White LEDs, 1 × Red LED
Mode	48 lm / 6 lm / Red (5 lm) / S.O.S.
Runtime	8 h / 49 h / 110 h / -
Beam distance	16 m / 52.49'
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	2 × AAA (included)
Dimensions	54 mm × 42 mm × 21 mm
Weight	71 g / 2.50 oz (with batteries)

TREK STAR UV

Ultra Bright White & UV LED Headlamp


Note: Pre-Order Only

S&B



Find Scorpions

Detect Invisible Stains



Detect Counterfeits

Detect Skin Abnormality

FEATURES

- * Designed for finding scorpions, detecting fake currency, passports, IDs, crime scene analysis, etc.
- * Single anti-sid/side switch for 4-mode toggle and hidden one-touch S.O.S., easy to operate
- * 100° adjustable angles for multi-view lighting
- * Light-weight design with sweat-resistant headband for comfortable wear

220
LUMENS

UV Wavelength: 405nm

LED	1 × White LED, 2 × UV LEDs
Mode	220 lm / 125 lm / 9 lm / UV Light / S.O.S.
Runtime	2 h 30 min / 9 h / 98 h / - / -
Beam distance	73 m / 229.50'
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	3 × AAA (included)
Dimensions	55 mm × 38 mm × 32 mm
Weight	49 g / 1.72 oz (without battery)

ECO STAR UV

Lightweight White & UV LED Headlamp


Note: Pre-Order Only

S&B



Find Scorpions

Detect Invisible Stains



Detect Counterfeits

Detect Skin Abnormality

FEATURES

- * Designed for finding scorpions, detecting fake currency, passports, IDs, crime scene analysis, etc.
- * Single anti-sid/side switch for 3-mode toggle and hidden one-touch S.O.S., easy to operate
- * 180° adjustable angles for multi-view lighting
- * Light-weight design with sweat-resistant headband for comfortable wear
- * Detachable design also providing more hand held lighting ways

48
LUMENS

UV Wavelength: 405nm

LED	2 × White LEDs, 1 × UV LED
Mode	48 lm / 6 lm / UV Light / S.O.S.
Runtime	8 h / 49 h / - / -
Beam distance	16 m / 52.49'
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	2 × AAA (included)
Dimensions	54 mm × 42 mm × 21 mm
Weight	38 g / 1.34 oz (without battery)

BIKE LIGHT

NEXTORCH Bike Lights feature a patented RSL technology – providing a unique rectangular light Spot, delivering a 160-degree wide-angle flood light to realize whole-road lighting, which is bright and visible enough to guarantee rider's safety on the road at night.



B20

800 Lumen Bike Light with Remote Pressure Switch

Professional Bicycle Lighting Solution with: bike light, wire-controlled switch, bike saddle bag, signal light.



FEATURES

- * Ultra-bright 800 lumens, max runtime up to 40 hours
- * Rectangular Spot Lens technology provides a 160° beam for whole road illumination
- * Anti-glare design, prevents possible glare from blinding or disturbing pedestrians
- * Independent light and bracket for quick attachment / detachment
- * Weather-resistant design for use in harsh conditions

Optional Accessories



TS20-L

Wire-controlled Switch

V20

Bike Saddle Bag

SL20

Bicycle Signal Light

LED	CREE® XM-L2 LED
Mode	100 lm / 200 lm / 360 lm / 800 lm / flash
Runtime	40 h / 20 h / 12 h / 9 h / --
Beam distance	100 m / 328.08'
Water Resistance	IP64
Impact resistance	1 m / 3.28'
Battery	Power bank
Dimensions	70 mm × 35 mm × 52 mm
Weight	117 g / 4.12 oz (without battery)



Rectangular Spot Lens Technology



Anti-glare Design



Compatible with Most of Power Banks in the Market



Wire-controlled Switch for Operations at Your Fingertips

GLO-TOOB®

GLO-TOOB was conceived in 1996 by Dave Kessel and Lewton Levy after a night SCUBA dive in South Africa. Using the existing product of that time, they were unhappy with its reliability and it was also proving itself to be an environmental hazard. Dave Kessel decided to make a signal lamp specifically for SCUBA market. He found NEXTORCH and worked together to turn ideas into products. After a few years of improvement, in 2002, the finalized GLO-TOOB had been patented and released to the market.

GLO-TOOB is an essential piece of safety equipment that you should not miss. Available in various colors, GLO-TOOB allows you to be seen at a distance or provides you with ample light in a confined area.

All Rights Reserved
© Copyright 2010



GT-AAA Aurora Signal Light

- Red / Green / Blue multiple light sources, up to 7 modes
- 360° viewing angle, all-rounded signal alert provided
- Exquisite fashion appearance, thumb size
- 200-meter waterproof, available for deep diving
- Fits with Glo-Toob Tactical Kit, able to be mounted onto Ops-Core, webbing and velcro loop surface



LED	Red / Green / Blue LEDs
Mode	Constant on / Flash
	Red / Green / Blue / Red / Green / Blue / Red/Blue
Runtime	14h / 17h / 17h / 32h / 35h / 35h / 48h
Depth Rating	200 m (656 ft)
Battery	1 x AAA
Dimensions	77.4 mm x 19 mm
Weight	29 g / 1.02 oz (without battery)

GTK

- Designed to work with Ops-Core ARIC Rails
- The webbing base plate fits 1" webbing of any MOLLE / PALS
- Velcro attaching option provided
- Quickly and safely attaches to and detaches from helmets and webbing in seconds

Dimensions	68.4 mm x 50.3 mm x 27.9 mm
Ring Size	18.8 mm - 19.8 mm
Colors Available	Black / Olive / Tan
Weight	27 g / 0.95 oz
Material	PA + GP



Multiple Light Sources

Match with GTK For Various Uses

Perfectly Work on Ops-Core ARIC Rails

Compatible with 1" MOLLE / PALS Webbing

Velcro Attaching Option Provided



GT-AAA

Number of Modes	3 Modes
Battery Type	1 x AAA
Colors Available	4-15 h
Runtime	60 m (200 ft)
Depth Rating	75 mm x 19 mm
Dimensions	34 g / 1.2 oz (with battery)




GT-AAA PRO

Number of Modes	3 Modes
Battery Type	1 x AAA
Colors Available	5.5-27 h
Runtime	200 m (656 ft)
Depth Rating	76 mm x 19 mm
Dimensions	29.5 g / 1.04 oz (without battery)



GT-AAA IR

Number of Modes	3 Modes
Battery Type	1 x AAA
Colors Available	IR
Runtime	5.5-27 h
Depth Rating	200 m (656 ft)
Dimensions	77 mm x 19 mm
Weight	28.5 g / 0.93 oz (without battery)



Diving

Caving

Climbing

Daily Use

Tactical

ACCESSORIES

Batteries & Chargers



5000 mAh 21700 Type-C Rechargeable Li-ion Battery
5000 mAh 21700 Type-C rechargeable battery is a high-capacity Li-ion battery. Thanks to its Type-C charging port, you can recharge by connecting it to your computer, power bank in-car charger etc. It can be recharged for over 300 times.



750 mAh 14500 USB Rechargeable Li-ion Battery
3.6 V 750 mAh USB rechargeable Li-ion battery with a direct charging port, also compatible with 14500 charger, 500-time recycle charging



3400 mAh 18650 USB Rechargeable Li-ion Battery
3.6 V 3400 mAh USB rechargeable Li-ion battery with integrated battery overcharge / discharge protection circuits and 3 set of overheat protection, safe and durable; embedded with a charging indicator; 500-time recycle charging



DC10 UNIVERSAL BATTERY CHARGER
+ Battery not included
Compatible with 5 V USB power supply; stretchable battery compartment design; compatible with various cells like 10440 / 14500 / 16340 / 18650 battery; zero volt activation, to activate the unusable battery of low tension caused by over-discharge or long-time placement; efficient three-graduation charging design of effectively extend the battery life and avoid overcharge



2600 mAh 18650 Rechargeable Li-ion Battery
3.7V2600 mAh rechargeable Li-ion battery with over-charger / over-discharge protection circuit; compatible for 18650 flashlights



18650 CHARGER KIT
2600 mAh 18650 Rechargeable Li-ion battery with in-car & direct chargers; for TS, TA30, TA5, PA5, PS Dual Light, TA40, TA40 SET



V51 Quick-Draw Flashlight Holder
V51 Quick-Draw Flashlight Holder allows you to quickly draw your flashlight and carry it in a hands-free way. It's 360° rotatable and compatible with flashlights with a body diameter of 27 - 30 mm, belts less than 55 mm in width and MOLLE systems.



V6 Compatible Holster
360° rotatable and double-open design for using flashlights inside normally and freeing hands; changing the number of rubber bands to adjust the tightness of quick-plug; fits TA30, TA01, TA15, E6 and other flashlights of a 27 - 30 mm head diameter



V61 Compatible Flashlight Holder
V61 Quick-Draw Flashlight Holder allows you to quickly draw your flashlight and carry it in a hands-free way. It's 360° rotatable and compatible with flashlights with a head or tail diameter of 27 - 30 mm, belts less than 55 mm in width and MOLLE systems. Its bottom open design allows you to light up at both ends.



V5 Tactical Polymer Holster
Adaptive polymer holster, 360-degree rotatable; quick draw available; features a lever side lock mechanism; fits belts less than 2" width; for T7, T5, T53, T56, TA5, PA5, PS Dual Light, TA40, TSA or other flashlights of 25 mm - 32 mm (1" - 1.25") diameter



V31 Quick-Draw Flashlight Holder
Designed by NEXTORCH customer Rossi, V31 Quick-Draw Flashlight Holder is specially made for TA30 / TA01 tactical flashlight + FR-1 tactical flashlight ring. It make your flashlight easier to carry & use.



V1 Durable Nylon Holster
For TA01, TA15, TA5, PA5, PS DUAL LIGHT, TA40, TSA, my Torch S 18650, my Torch S XL

For Flashlights & Others



HM30 Multi-purpose Handle Mount
Specially designed for Saint Torch series for more uses; able to be used as a hand lamp with a HM30, combining with a tripod to make the flashlight a camp lamp or stationary light; with a standard rail hole on the handle, torches can be mounted on guns as a weapon light



BA30 Fast Charging Waterproof Li-ion Battery Pack and Power Bank Combo
Used as both a 10400mAh 18650 Li-ion battery pack for Saint Torch11 / 30 V2.0 and a three-proofing high-volume power bank; Type-C quick charge; fully charged for 3 hours; IPX7, 1 meter waterproof, impact resistant and dust proof; multiple circuit protection for secure usage; 500-time recycle charging



V30 Multi-function Carry Bag
With T-type Velcro inside, able to be divided into 3 spaces; apply high-quality Nylon as main fabric, wearproof, durable, water-fast; set up with MOLLE webbings for placing tactical equipments; adjustable & demountable shoulder straps providing multiple carry ways



TS41-L Tactical Remote Switch
Quickly access to momentary-on and constant on modes; waterproof construction; for T7, T50, T53, TA4, TA40 flashlight



FR-1 Tactical Flashlight Ring
An essential supplement to tactical flashlights; more secure with it when operating with guns; able to offer quick draw function, deep carrying and oriented lighting, and even work as a punching tool when necessary; fits flashlights with a tail cap switch of 23.2 mm - 25.5 mm diameter; designed for TA30, TA01, E6



TRAFFIC WAND
Filter kit with holder; replaceable lens; 3 color lens with high transmittance (red / green / blue); for TA40, TA3, TSA, T5, PA5, P80, P81



FR-2 Tactical Flashlight Ring
FR-2 Tactical Flashlight Ring is allows you to carry and use your flashlight in new ways. It is compatible with flashlights with a diameter ranging from 25 to 27 mm, such as NEXTORCH TA30 Max and TSA. Made of steel and nylon, FR-2 weights only 10g



FT32 3 Color Filter
Filter kit with holder; replaceable lens; 3 color lens with high transmittance (red / green / blue); for TA40, TA3, TSA, T5, PA5, P80



V40 Multi-Tool & Flashlight Leather Holder
Made of premium genuine leather, V40 is a holder for both a multi-tool and a flashlight. It has 2 ways to wear, and fits with belt up to 55 mm wide.



SL20 Light-weight Waterproof Bicycle Signal Light
Two flashing modes: fast and slow flash of red and blue light; bright and eye-catching enough as an effective warning powered by a replaceable button battery; easily installing the signal light on bike with the HOOK&LOOP included

ACCESSORIES

Flashlights Mounts



HM1
Helmet Flashlight Mount

360° rotatable easy mounting; fits flashlight body size: 18 mm-35 mm (0.71"-1.38"); for TS, T7, TS3, T5G, TA01, TA30, TA15, TA5, PA5, TA40, TA6, PS Dual Light



HM2
Light-weight Multi-angle Mount

360° rotatable easy mounting; fits flashlight body size: 22 mm-30 mm (0.87"-1.18"); for TS, C3, C4, TA6, myTorch S 3AAA, myTorch S 18650



HM3
Helmet Clips for Headlamp

HM3 Helmet Clips for Headlamp can help you wear your headlamp firmly on your helmet. Made of quality nylon, it's durable and lightweight.



RM2SS
Tactical Picatinny Gun Mount

Fits flashlight body size: 22 mm-26.5 mm (0.87"-1.04"); for TS, T7, TS3, T5G, TA10, TA30, TA15, TA5, TA40, PA5, PS Dual Light



RM85
Quick Tighten / Release Scape Mount

Fits flashlight body size: 20 mm-28 mm (0.79"-1.1"); fits scope body size: 25.6 mm-30 mm (1.0"-1.18"); for TA01, T5, T7, TS3, T5G, TA15, TA30, TA5, TA40, TA6, PA5, PS Dual Light



RM8SS
Universal Tactical Mount

Fits flashlight body size: 23 mm-28 mm (0.91"-1.10"); for TS, T7, TS3, T5G, TA01, TA30, TA40, TA5, PA5, P60, PS Dual Light



RM87
Magnetic Universal Mount


Fits flashlight body size: 23 mm-26.5 mm (0.91"-1.04"); for TS, T7, TA01, TA40, TA5, PA6



BM1
Bike Flashlight Mount

Fits flashlight body size: 23 mm-28 mm (0.9"-1.1"); fits steel pipe size: 22 mm-25.6 mm (0.87"-1.0"); for TS, T7, TA01, TA30, TA15, TA5, PA5, TA40

NEX

LIGHT-WEIGHT
MECHANICAL BATON

NEX, dedicates to provide the world with the reliable high-performance and high-quality mechanical batons. NEX Lock is the basis of all innovation in NEX mechanical batons. It innovatively integrates the locking structure into one component to strengthen the core performance of mechanical batons. Processed by precision CNC, every NEX mechanical baton is equally outstanding for good stability and consistency.

Smooth Extension
& RetractionSolid
Locking2 meter
Impact Resistance

TR Certificate

QUICKER

NEW

Extendable Mechanical Duty Baton Series

FEATURES

- High-tech locking mechanism NEXLOCK, stable enough to assure reliable and secure actions while striking, jabbing and blocking
- Easily released with a very simple push on the tail-cap button
- Superior materials, exceptional workmanship and flawless functions to provide a sturdier hold in the hand
- Able to break windows in emergency by optional hardened Nano-ceramic tip



NEX 17" NEX 21" NEX 21" NEX 23" NEX 26" NEX 28"

(Air / Steel) (Air / Steel) (Air / Steel) (Air / Steel) (Air / Steel) (Air / Steel)

Specifications	N17C Quik (Air)	N21C Quik (Air / Trainer / Steel)	N23C Quik (Air / Steel)	N26C Quik (Steel)	N28C Quik (Steel)
Length	17" (413 ± 2 mm)	21" (509 ± 2 mm)	23" (584 ± 2 mm)	26" (660 ± 2 mm)	28" (712 ± 2 mm)
Extension	7.56" (192 ± 1.5 mm)	8.82" (224 ± 1.5 mm)	9.80" (250 ± 1.5 mm)	10.82" (275 ± 1.5 mm)	11.5" (292 ± 1.5 mm)
Retraction	7.56" (192 ± 1.5 mm)	8.82" (224 ± 1.5 mm)	9.80" (250 ± 1.5 mm)	10.82" (275 ± 1.5 mm)	11.5" (292 ± 1.5 mm)
Weight	± 9.52 oz (270 g)	± 11.11 oz (315 g)	± 12.35 oz (350 g)	± 23.63 oz (670 g)	± 25.40 oz (720 g)
		± 11.11 oz (315 g)	± 21.16 oz (600 g)		
		± 18.76 oz (532 g)			
Material	Body: Alloy Steel + Aerospace Aluminum / Alloy Steel (Steel Version)	Scalability	≥ 3000 Times		
Handle	TPU Rubber	Tensile Strength	1000 N		
Finish	Black Electroless Nickel	Bending Strength	5000 N		
Handle Diameter	φ 28 ± 1 mm	Corrosion Resistance	Level 9		
Impact Resistance	2 m	Locking Structure	NEX Lock		
Anti-strike Ability	≥ 3000 Times				

N19L Quik

410
LUMENS

Flashlight Duty Baton



FEATURES

- Combination of NEXTORCH flashlight & NEX Lock baton
- Rotational Tail Switch for easy mode switch
- Max output up to 410 lm
- Super-hard ceramic strike tip



LED	CRIST® XP-G2 LED
Mode	410 lm / 40 lm / strobe
Runtime	9 h / 1 h 30 min / —
Beam distance	116 m
Submersible	IP68 (2 m)
Battery	Rechargeable
	14500 Battery (Provided)
Weight	390 g / 12.34 oz (without battery)
Finish	Black
Body Material	Alloy Steel & Aerospace Aluminum Alloy

Detonation	770 ± 1.5 mm
Extension	480 ± 2 mm
Handle Diameter	28 ± 1 mm
Impact Resistance	2 m
Anti-strike Ability	≥ 3000 Times
Scalability	≥ 3000 Times
Corrosion Resistance	Level 9
Tensile Strength	1000 N
Bending Strength	5000 N
Locking Structure	NEX Lock

ACCESSORIES

HG1

Detachable Baton Crossguard

FEATURES

- Freely Detachable, easy to install without additional tools
- 360° Rotatable, protection from all angles, split mode & cross mode available
- Made of Aerospace Aluminum Alloy, hard-wearing, rustproof, and anti-corrosion
- 2 m drop & effective dust resistance, reliable even under extreme conditions

Material	Aerospace Aluminum Alloy
Surface Treatment	Type III Hard Anodizing
Weight	45 g / 2.29 oz
Dimensions	130 mm × 54 mm × 64 mm
Compatible Batons	NEX Quicker Series Batons, or batons with a diameter ranging from 26-27 mm





WALKER

Extendable Portable Baton Series

FEATURES

- Innovative NEX Lock locking structure for quick and stable extension
- Press the tail button to unlock and retract the baton rapidly
- Equipped with a window-breaking tip for emergency and a portable clip for hands-free operation and concealed carry

MORE PORTABLE



SPECIFICATIONS

	NEX 12" (Air)	NEX 16" (Air/Steel)	NEX 20" (Air)
Finish	BLACK		
Retraction	6.22" (158 ± 1.5 mm)	7.52" (191 ± 1.5 mm)	8.82" (224 ± 1.5 mm)
Extension	12" (302 ± 2 mm)	16" (407 ± 2 mm)	20" (508 ± 2 mm)
Weight	± 6.35 oz (180 g)	± 7.41 oz (210 g) ± 13.23 oz (376 g)	± 8.82 oz (250 g)
Handle Diameter	22 mm ± 1 mm		
Body Material	Alloy Steel + Aerospace Aluminum / Alloy Steel (Steel Version)		
Impact Resistance	2 m / 6.56		
Anti-Strike Ability	≥ 3000 Times		
Scalability	≥ 3000 Times		
Corrosion Resistance	Level 9		
Tensile Strength	1000 N		
Bending Strength	3000 N		
Locking Structure	NEX Lock		

N18L Wal / N15L Wal NEW

Self-defense Portable Baton with flashlight



FEATURES

- Combination of NEXTORCH flashlight & NEX Lock baton
- Rotational Tail Switch for easy mode switch
- Max output up to 100 (15°) / 410 (18°) lm
- Super hard ceramic strike tip



410
LUMENS

100
LUMENS

	N18L Wal	N15L Wal
LED	CREE® XP-G3 LED	LED
Mode	410 lm / 40 lm / strobe	100 lm / strobe
Runtime	9 h / 1 h 30 min / —	1 h 15 min / —
Beam distance	116 m / 380 SF	60 m / 156 SF
Submersible	IPX8 (2m)	IPX8 (2m)
Battery	1xRechargeable 14500 Battery (provided)	1xAAA Battery (provided)
Weight	260 g / 9.17 oz (without battery)	202 g / 7.12 oz (without battery)
Finish	Black	Black
Body Material	Alloy Steel & Aerospace Aluminum	Aerospace Aluminum Alloy
Retraction	245 ± 1.5 mm	235 ± 2 mm
Extension	480 ± 2 mm	275 ± 2 mm
Handle Diameter	26.7 ± 1 mm	26.7 ± 1 mm
Impact Resistance	2 m / 6.56	2 m / 6.50
Anti-Strike Ability	≥ 3000 Times	≥ 3000 Times
Scalability	≥ 3000 Times	≥ 3000 Times
Corrosion Resistance	Level 9	Level 9
Tensile Strength	1000 N	1000 N
Bending Strength	3000 N	3000 N
Locking Structure	NEX Lock	NEX Lock



N14 Wal NEW

Concealable 2 Sections Baton



FEATURES

- From Walker concealable baton family
- Super hard ceramic strike tip
- NEX Lock design inside, smooth to open and close
- 2 m impact resistance
- Removable clip with 10 clipping positions

Expanded Length	14" / 365 ± 2 mm
Retracted Length	8.66" / 220 ± 1.5 mm
Handle Diameter	16 ± 0.5 mm
Weight	± 5.53 oz / 157 ± 10 g
Material	Steel + Aluminum Alloy
Impact Resistance	2 m



ACCESSORIES

V73 NEW

Baton & Flashlight Holder

FEATURES

- Works with NEX Quicker Series batons with HG1 crossguard
- 360° rotatable with 16 locking positions
- Compatible with flashlights or batons with a diameter of 25 – 32 mm, belts less than 55 mm in width and MOLLE system.

Compatible Flashlights	25 – 32 mm (Head Dia.)
Compatible Batons	NEX Quicker Series, or 25 – 32 mm (Dia.)
Compatible Belt Width	≤ 55 mm
Dimensions	156 mm × 54 mm × 65 mm



V70

Dual-purpose Holster

FEATURES

- Compatible with Batons & Flashlights
- Ideal carry choice for batons due to its quick expanding in emergency for gaining the initiative and stable locking for avoiding accidental drop down in fierce action
- Supporting 360-degree rotation and 16 angles of fixation
- Available for both quick & non-rapid extraction of batons
- Lightweight selected materials, hard-wearing, anticorrosive, and not easy for aging

Adaptive Baton Size	17" / 21" / 23" Duty Baton
Applicable Flashlight Head / Tail Dia.	25 – 32 mm
Fitting Belt Size	≤ 50 mm
Dimension	65.4 mm × 50 mm × 134.6 mm
Weight	88 g / 3.1 oz



V71

Nylon Baton Holster

FEATURES

- Made of high-quality 1000D nylon fabric, for high-wear resistance and tear resistance
- Designed for the close carry of baton by applying MOLLE mount, able to be mounted on the tactical waistcoat, backpack, waist belt or other equipments with MOLLE webbings, convenient and practical

Adaptive Baton Size	17" / 21" / 23"
Dimension	157 mm × 50 mm × 45 mm
Weight	50 g / 1.76 oz



V67 NEW

Multi-Functional Leather Baton Holder

FEATURES

- Made of genuine leather, lightweight and durable
- For NEX Quicker series batons
- Compatible with belt up to 50 mm wide
- Ideal for plainclothes carry

Material	Genuine Leather + Composite Leather (Baseplate)
Belt Width	63 g / 2.22 oz
Weight	180 × 110 × 35 mm
Compatible Batons	Width ≤ 50 mm, Thickness ≤ 6 mm
Dimensions	NEX Quicker Series Batons



V68 NEW

Portable Baton Genuine-Leather Holster

FEATURES

- Made of genuine leather, lightweight and durable
- For NEX Walker series batons
- Compatible with belt up to 50 mm wide
- Ideal for plainclothes carry

Material	Genuine Leather + Composite Leather (Baseplate)
Belt Width	55 g / 1.94 oz
Weight	155 × 84 × 29 mm
Compatible Batons	Width ≤ 50 mm, Thickness ≤ 6 mm
Dimensions	NEX Walker Series Batons



V69 NEW

Portable Baton Nylon Holster

FEATURES

- Made of nylon material
- Design for NEX Walker baton (16" / 20")
- Able to be mounted on the tactical waistcoat, backpack, waist belt or other equipments with MOLLE webbings, convenient and stable



Baton Window
-breaking Tip



• Baton Grip Ring

NexTool®

NexTool, sub brand of NEXTROCH, is dedicated to delighting your life with the most innovative and high-quality products. To express the passion for life, the meaning of life, this time we need no words, no characters and yet eyes or smile, but NexTool.

With its simplicity and versatility, it is a tool wherever you can bring with.

It is not just a tool but your intimate friend, who has no words but just right there whenever you need.

FLAGSHIP PRO

16-in-1 Multi-pliers




16
✂

Multi Functions

NEW

- ① Needle-nose Pliers
- ② Regular Pliers
- ③ Premium Replaceable Wire Cutter
- ④ Premium Replaceable Hard-wire Cutter
- ⑤ Thick-wire Cutter
- ⑥ Wood Saw
- ⑦ Knife
- ⑧ Phillips Screwdriver
- ⑨ Line Cutter
- ⑩ Can Opener
- ⑪ Wire Stripper
- ⑫ Bottle Opener
- ⑬ Flat Screwdriver
- ⑭ Glass Breaker
- ⑮ Scissors
- ⑯ Ruler



Main Features:

- A pair of big scissors with 30 mm long cutting blade, more practical
- A high-hardness Nano-ceramic bead as efficient tempered glass breaker
- Combining total 5 regular pliers, to satisfy various daily needs
- A wood saw with two-sided cross sawtooth for double cutting force
- A unique hook-design line cutter and box opener for opening boxes safely without damaging products inside

Body Material	30Cr13
Pliers Head Material	30Cr13
Blade Material	30Cr13SAhv
Pliers Head Cutting Edge Tool Material	K30 (YG8) hard alloy
Surface Finish	Wood Saw / Scissors: sanding Others: sand blasting
Dimension	Close: 110 mm × 40 mm × 21.5 mm
Weight	245 g ± 5 g




Tao SERIES

Key-shaped Box Opener and Folding Knife

Tao series is designed to open packages easily and safely without damaging the products inside. It can also be used as a rope cutter and folding knife when you are in need.

The key-size multi-tool can attach to your keychain and fit in the pocket greatly, convenient in carry and for use.



TaoBar / TaoTool / TaoToolS

Multi-function Box Opener

- Non-stick Teflon coating prevents the blade from getting smudged with the sticky glue, easy for maintenance
- The unique hook-shaped blade designed for safely opening packages without damaging the products inside
- Sweden Sandvik® steel cutting edge, enduringly sharp and sturdy enough
- Compact and portable key size for everyday carry, always there ready for you

TaoBar KT5016



TaoTool KT5509



TaoToolS KT5015



SHARK KT5021 Mini Box Opener



	TaoBar	TaoTool	TaoToolS	SHARK
Material (Blade / Handle)	Sandvik® 12C27 / 2Cr13	Sandvik® 12C27 / 2Cr13	Sandvik® 12C27 / PA+50% glass fiber	2Cr13
Coating (Blade / Handle)	Teflon / Titanium Plating	Teflon	Teflon	3D Spray Painting
Length (Open / Closed)	113 mm / 61 mm	110.6 mm / 68 mm	110.6 mm / 68 mm	2.7" (68 mm)
Weight	16.1 g / 0.57 oz	32 g / 1.13 oz	12.7 g / 0.45 oz	10 g / 0.35 oz

SAFETY PEN

*NexTool safety pen series is one of the top-class safety pens of its kind, as both a reliable defender and a good writing tool. Embedded with a special tungsten-steel tip or a Nano-ceramic strike tip, NexTool safety pen reaches above HRA90 in hardness, able to break tempered glass in emergency and attack for self-defense. Besides applying the NASA-developed Fisher Space Pen cartridge, it can write normally at freezing temperatures, boiling heat, and even in zero-gravity environment.

As a strength, utility and beauty companion, NexTool safety pen must be one of your essential tools.



Writing



Self-defense



Tactical Defense



Emergency Rescue

Pallas—KT5513A

Safety Pen with Nano-ceramic Pen Tip



KT5513A

Body Material	T7075 Aerospace Grade Aluminum
Body Finish	Mil-Spec Type III Hard Anodized
Strike Tip Material	Nano-ceramic



KT5513R

Cartridge	Fisher Space Pen SP84 (Black)
Length	143 mm / 5.6"
Weight	21 g / 0.74 oz



KT5513B

Dino Bone—KT5506

Safety Pen with Tungsten-steel Pen Tip



Body Material	6061-T6 Aerospace Grade Aluminum
Body Finish	Mil-Spec Type III Hard Anodized
Strike Tip Material	Tungsten-steel



Hollow-out Carven Design of Dragon Bone

Cartridge	Fisher Space Pen SP84 (Black)
Length	145 mm / 5.7"
Weight	28 g / 1.0 oz

NEXTORCH MULTI-TOOLS

NEXTORCH multi-tools series aims to provide you beautiful & practical multi-tools made of high-quality materials. NP10 Ti, made of titanium alloy, is the first product of this series. It writes well with German Schmidt pen refill, and its finger spinner is fun to play with. What's more, it can help you defend yourself and break windows fast. It's an EDC item that can do so much more for you.

NP10 Ti

Titanium-Alloy Multi-function Tactical Pen



Main Features:

- Fun to play tail spinner to help you release stress
- Super-hard ceramic strike tip, with a hardness only second to diamonds, perfect handy self-defense tool
- Fun & classic bolt switch
- Exquisite Clip for easy carry
- Smooth writing

Material	Titanium Alloy
Strike Tip	Super-Hard Ceramic Strike Tip
Finish	Sand Blasting
Length	126 mm
Diameter	11 mm
Weight	26 g (With Cartridge)



Tekut®

EXQUISITE KNIFE MAKER

Founded in 2004, Tekut, sub-brand of NEXTORCH, is committed to the design and manufacture of exquisite knives. The trademark Tekut originates from the similar pronunciation of words "to cut" to convey its product design concept, born for cutting.

Tekut has proceeded with the modification of knife shapes, the improvement of structures and the calculation of product weight for better user experience, safer operation and being easier to carry. Ranging from convenient EDC tools, portable sturdy knives, to other special tactical and law enforcement needs, Tekut can satisfy you with the trustworthy solution and high-quality products.

When you own a Tekut knife, what you hold is rather a good partner than just a cold tool.

ZERO LK5276 / LK5277



Material (Blade / Handle)	Stainless Steel / G10
Hardness	HRC 56-58
Lock Style	Liner Lock
Length (Overall / Blade)	7.06" (180 mm) / 3.84" (100 mm)
Weight	63 g / 2.22 oz

- 3.84-inch blade made from high-performance steel for good edge retention
- G10 handle for a lightweight and solid feel in your hand
- Patented retractable clip for concealed and convenient carry

TOUGH LK5280



Material (Blade / Handle)	Stainless Steel / G10
Hardness	HRC 57-59
Lock Style	Liner Lock
Length (Overall / Blade)	7.86" (200 mm) / 4.32" (110 mm)
Weight	135 g / 5.62 oz

- Heavy-duty folding knife designed for hard use
- Typical reverse tanto blade made from high-performance stainless steel, high quality, sharp and durable
- G10 handle with 90 mm thickness, providing a super hardness and good hand feel
- Patented retractable clip design, allowing users to put it deeply inside the pocket for concealed carry

TIBURON LK5278



Material (Blade / Handle)	Stainless Steel / G10
Coating	Sand Blasting
Hardness	HRC 57-59
Lock Style	Liner Lock
Length (Overall / Blade)	8.06" (200 mm) / 4.68" (121 mm)
Weight	155 g / 5.47 oz

- Drop point with plain-edge blade made from high-performance stainless steel, providing a good anti-corrosion performance, high quality and durable
- G10 handle with texture for a comfortable and secure grip
- Patented retractable clip for concealed and convenient carry

SMALL ARES LK5283



Material (Blade / Handle)	Stainless Steel / PA+GF
Hardness	HRC 57-59
Lock Style	Liner Lock
Length (Overall / Blade)	6.7" (170 mm) / 4.02" (102 mm)
Weight	93.2 g / 3.29 oz

- Tanto Point design for strong puncture and cutting ability
- Safe liner lock, easy and to unlock and stretch
- The arbol bulge helps to stretch the blade quickly, efficiently protecting your hands
- Serrated blades for more effective cutting
- Three-stop adjustable clip, handy and portable



Custom Merchandising Solution

Standard Display



Flashlight
Point-Of-Sale Display



Lamp with Magnetic Tailcap
Counter Stand



GLO-TOOB®
Point-Of-Sale Display



T/P Series Counter Stand



myTorch Counter Stand



Interactive Display

Customized Display



Promotional Display



Headlight
Promotional Display



Permanent Display