

NEXTORCH



Tel: +86-20-8904 7029 (7070)
Fax: +86-20-8904 7039



Email: info@nextorch.com



Suite 1203, North Tower, No.1068 XinGangDong Road,
Haizhu District, Guangzhou, Guangdong, China 510335



Learn More
Please visit: www.nextorch.com;
Or contact our salespersons.

www.nextorch.com



PRODUCT CATALOG

CONTENTS

NEXTORCH

SAINT TORCH SERIES	02-04
W SERIES	05-10
T & P SERIES	11-18
HUNTING SET	19-24
E SERIES	25-26
C SERIES	27-28
S SERIES	29-32
U SERIES	33-36
H SERIES	37-42
GLO-TOOB	43-44
ACCESSORIES	45-47
NEX	48-54
MULTI-TOOL	55-57
TACTICAL PEN	58

NEXTORCH
The Professional's Edge



NEXTORCH, a worldwide influential brand for portable light and military & police equipment.

Based on our powerful optical, electric, acoustic, video-graphics and mechanic platforms, NEXTORCH focuses on the development & manufacture of portable light and police & military equipment. We are committed to providing the finest equipment for professionals from public safety, law enforcement, outdoor activities, maintenance work and so on.

With more than 150 patents and numerous awards, NEXTORCH has gained lots of recognition and built up a good reputation.

Nowadays, NEXTORCH products have been sold to over 100 countries around the world.

MEMBER OF

PLATO

AWARDED BY



red dot award
winner



ICONS



USB Type-C compatible
The device could be recharged with new & easy-to-plug-in USB Type-C cable.



Power Bank Capable
The battery pack can be used as a power bank to charge your devices.



STT (Smart Torch Technology)
You could connect the torch to a PC, and use NEXTUNER to configure the brightness, flicker frequency, mode, etc.



USB Micro-B compatible
The device could be charged with a classic USB Micro-B cable.



Power Status Indication
The torch's power status could be checked with LED indicator(s).



S.O.S.
The torch could send the international standard distress signal.



OSS (ONE-STEP STROBE)
The torch has a pressure fallback switch. Press it fully, strobe mode will be activated (OSS); press it lightly, will turn on the torch.



Ceramic Window Breaking Tip(s)
The product has super hard ceramic window breaking tip(s) to help you break glass easily.



Flexible Battery Solutions
The product has various battery solutions.



DUO SWITCH
Tap for Momentary On, double tap for Tactical Strobe. Click for Constant On, then tap to cycle through modes.



Tactical Strobe Available
The torch can strobe at 10-12 Hz, to warn or dazzle your target and gain tactical advantage for you.



360° Focus Adjustable
The torch has a 360° rotatable focus ring for you to adjust its focus.



Multi-Light Source Technology
The torch allows you to rotate its head or dial switch to change its light source.



Aiming Laser
Laser (visible / invisible) for aiming.



RSL Technology Inside
The (bike) light is equipped with our patented Rectangular Spot Lens (RSL), which can emit 160 degree wide beam with a rectangular light spot.

SAINT TORCH SERIES

Saint Torch series is our flagship searchlight series. It's designed for rescue, exploration, patrol and maintenance. With its ultra brightness and reliable HF&E (Human Factors & Ergonomics) design, Saint Torch series is your pro's choice.



SAINT TORCH 31

20000 Lumen Ultra-Bright Search Torch



* HM30 Saint Torch Handle



* Waterproof Container



* Shoulder Strap



* Charger



* Carry Bag



20000 LUMENS

FEATURES

- * High performance LED, max 20,000 lumen output, 740 m beam distance
- * Smart output downgrade feature with light sensor that can detect obstacles 5-100 cm up front
- * Powered by 6 x 4800 mAh rechargeable battery pack, which can be used as a waterproof power bank
- * Comes with HM30 multi-purpose handle mount, for more carry options
- * Accessories includes a shoulder strap, a waterproof case and a sturdy nylon bag for convenient storage and carry



The 6 x 4800 mAh battery pack can also be used as a power bank



Small case for convenient storage - water & dust proofing

LED	LED
Mode	20000 lm / 6000 lm / 1700 lm / 90 lm / strobe / S.O.S.
Runtime	2 h / 15 min / 3 h 30 min / 8 h 30 min / 81 h / - / -
Beam distance	740 m / 2428'
Waterproof	IPX7 (1 m)
Impact resistance	1 m / 3.28'
Battery	6 x 4800 mAh rechargeable Li-ion battery pack (included)
Dimensions	285 mm x 106 mm x 50 mm
Weight	1500 g / 52.9 oz (with battery)



* Waterproof Container



* Shoulder Strap



* Charger



* Carry Bag

SAINT TORCH 30 V2.0

8000 Lumen Ultra-Bright Direct-Charging Search Torch



8000 LUMENS

FEATURES

- * Controlled by body switch to easily realize mode switching
- * Powered by 4 x 2600 mAh rechargeable battery pack, also can be used as power bank
- * USB Type-C quick charging design, full charged for only 3 hours
- * 4 LED battery indicators for clearly knowing the battery level
- * Accessories including: a shoulder strap, a waterproof case and a sturdy nylon bag for convenient storage and carry

Optional Accessories



LED	LED
Mode	8000 lm / 2400 lm / 720 lm / 90 lm / strobe / S.O.S.
Runtime	2 h / 15 min / 3 h / 7 h 30 min / 60 h / - / -
Beam distance	530 m / 290 m / 160 m / 56 m / - / -
Waterproof	IPX7 (1 m)
Impact resistance	1 m / 3.28'
Battery	4 x 2600 mAh (14.4 V) Rechargeable Li-ion Battery Pack (included)
Dimensions	200 mm x 84 mm x 50 mm
Weight	743 g / 26.2 oz (with battery)



* Waterproof Container



* Shoulder Strap



* Charger



* Carry Bag

SAINT TORCH 11

3500 Lumen Ultra-long-throw Rechargeable Search Torch



3500 LUMENS

FEATURES

- * Applying an optimized orange-peel reflector for a uniform light spot and long-distance illumination
- * Powered by 4 x 2600 mAh rechargeable battery pack, also can be used as power bank
- * USB Type-C quick charging design, full charged for only 3 hours
- * 4 LED battery indicator for clearly knowing the battery level
- * Accessories including: a shoulder strap, a waterproof case and a sturdy nylon bag for convenient storage and carry

Optional Accessories



LED	LED
Mode	3500 lm / 1850 lm / 500 lm / 65 lm / strobe / S.O.S.
Runtime	3 h / 3 h 30 min / 16 h / 110 h / - / -
Beam distance	600 m / 470 m / 250 m / 105 m / - / -
Waterproof	IPX7 (1 m)
Impact resistance	1 m / 3.28'
Battery	4 x 2600 mAh (14.4 V) Rechargeable Li-ion Battery Pack (included)
Dimensions	212 mm x 50 mm x 83 mm
Weight	790 g / 27.87 oz (with battery)

W SERIES

Modern-day combat situations require cognitive readiness as well as the ability to make dynamic decisions against hostile adversaries in short time. Gun light is a vitally important tool for your decision making. NEXTORCH T&P series flashlights offer reliable & practical solutions for low-light & no-light situations. They are your 24/7 partners that you can count on.

WL60

Green Laser Dual-Light Weapon Light



700
LUMENS

FEATURES

- * 5 mW Green laser for aiming with max light output of 700 lm for lighting
- * Independent switch design for green laser and white light
- * Compatible with all standard Picatinny rails. Quick to install & remove. No additional tools needed
- * Tactical remote switch with independent buttons for momentary on, constant on and strobe modes
- * Compatible with 1 × 18650 and 2 × CR123A batteries



Tactical Remote Switch



White Light & Green Laser



Easy to Mount on Weapon Rails

Mode	High (White)	Low (White)	Green Laser
Beam Distance	700 lm	100 lm	<5 mW
Runtime	1 h 30 min	12 h	40 h
Beam Distance	320 m	122 m	—
Impact Resistance	2 m / 6.56'		

Waterproof	IPX7 (1 m)
Battery	1 × 18650 or 2 × CR123A Batteries
Weight	219 g / 7.73 oz (without battery)
Dimensions	116 mm × 72 mm × 33 mm

WL50 IR

Universal-rail-mounted Dual-light Weapon Light



860
LUMENS

FEATURES

- * High-medium-low three-level brightness setting, max output up to 860 lumens
- * Patented Dual-light structure, rotating the head to switch between the white light and infrared light
- * Tactical remote switch with Constant On and Momentary On/Off button
- * Compatible with one 18650 rechargeable Li-ion battery and 2 × CR123A batteries
- * Made of aerospace-grade aluminum alloy, Type III hard anodized, IPX7 waterproof, stable and reliable
- * Quickly assembly and disassembly on all standard picatinny rails, without extra tools needed



Rotate to Switch Light Source



White light and IR Light Source



Easy to Mount on Weapon Rails

LED	LED				
	Battery	White Light		IR Light	
		High	Medium		Low
Mode	2 × CR123A	860 lm	330 lm	140 lm	400 mW
	1 × 18650	750 lm	360 lm	150 lm	
	2 × CR123A	1h 30 min / 2 h 30 min / 5 h 30 min	4h	4h	
Runtime	1 × 18650	3 h 15 min / 5 h 15 min / 9 h 45 min	5 h 15 min		

Beam Distance	2 × CR123A	290 m / 951'
	1 × 18650	260 m / 853'
Waterproof	IPX7 (1 m)	
Impact Resistance	1 m / 3.28'	
Shock Resistance	500 G	
Battery	2 × CR123A (included) / 1 × 18650	
Dimension	159 mm × 40 mm × 42 mm	
Weight	195 g / 8.28 oz (without battery)	

WL30

3-in-1 Multi-light Handgun Light

400
LUMENS**FEATURES**

- * Integrated with visible white light (400 lumens), green laser (< 5 mw, 530 nm) and IR laser (< 5 mw, 850 nm)
- * Ambidextrous flip-side white light triggers for quick response and easy operation
- * Windage and elevation adjustment screw on the laser for accurate aiming
- * The quick-detach rail clamp can securely attach to the universal picatinny rails

Flip-side white light triggers and side laser switches



Three Light Sources



Light Source	White Light	Green Laser	IR Laser
Mode	400 lm	< 5 mW	< 5 mW
Runtime	1 h 30 min	10 h	24 h
Beam distance	110 m	—	—
Impact resistance	1 m	—	—
Water Resistant	IPX4		
Battery	1 x CR123A battery (included)		
Dimensions	80 mm x 45 mm x 42 mm		
Weight	115 g / 4.05 oz (without battery)		

WL23R/G

1300 Lumens Ultra-Bright Weapon Light with Laser Sight

1300
LUMENS**FEATURES**

- * Attaches securely to MIL-STD-1913 and Glock-style rails
- * Ambidextrous rear white-light trigger and side laser switch
- * Features Laser calibration function for accurate sight

Ambidextrous Rear White-Light Trigger and Side Laser Switch



Attaches Securely to MIL-STD-1913 and Glock-style Rails



Light Source	WL23R		WL23G	
	White Light	Red Laser	White Light	Green Laser
Mode	1300 lm	< 5 mW	1300 lm	< 5 mW
Runtime	3 h 15 min	60 h	3 h 15 min	60 h
Beam distance	180 m	—	180 m	—
Impact resistance	1 m			
Waterproof	IPX4			
Battery	2 x CR123A / 2 x 16340			
Dimensions	82 mm x 36 mm x 49 mm			
Weight	108 g / 3.80 oz (without battery)			

WL22R/G

Sub-Compact Rechargeable Weapon Light with Laser Sight

650
LUMENS**FEATURES**

- * 650 lm max output, 102 m beam distance
- * Compatible with MIL-STD-1913 and Glock rails
- * Built-in 250 mAh rechargeable battery
- * IPX4 waterproof, 1 m impact resistant

Built-in Rechargeable Li-Ion Battery



Separated Light and Laser Switch Easy Activate Modes



Light Source	WL22R		WL22G		
	White Light	Red Laser	White Light	Green Laser	White Light
Mode	650 lm	< 5 mW	650 lm	< 5 mW	650 lm
Runtime	1 h	6 h 30 min	—	1 h	4 h 15 min
Beam distance	102 m	—	102 m	—	—
Impact resistance	1 m				
Waterproof	IPX4				
Battery	Built-in 250 mAh Rechargeable Battery				
Dimensions	55 mm x 30 mm x 38 mm				
Weight	74 g / 2.61 oz (with battery)				

WL21R/G /IR

2-in-1 Aiming Laser (Red / Green) Weapon Light

650
LUMENS**FEATURES**

- * 650 lm white light + aiming laser (Red / Green Depending on its mode)
- * Patents-pending independent switches for white light (ambidextrous rotary switch) & aiming laser (2 x press buttons at each sides). Turn the white light switch clockwise for constant on mode; turn it counter-clockwise for momentary on mode
- * Patent-pending quick-install rail design. Can be installed single-handedly. Compatible with Picatinny rails and GLOCK rails
- * Laser calibration feature for more accurate aiming
- * Compatible with 16340 and CR123A batteries

Ambidextrous rotary switch & 2 x press buttons at each sides for laser



Quick install rail. Can be installed single-handedly



Model	WL21R		WL21G		WL21R	
	White Light	Red Laser	White Light	Green Laser	IR Light	IR Laser
Mode	650 lm	< 5 mW	650 lm	< 5 mW	350 mW	< 5 mW
Runtime	1 h 30 min	15 h	1 h 30 min	15 h	4 h	30 h
Beam distance	130 m	—	130 m	—	—	—
Impact resistance	1 m / 3.28'					
Battery	1 x 16340 (included) / 1 x CR123A battery					
Dimensions	76 mm x 33 mm x 45 mm					
Weight	108 g / 3.80 oz (without battery)					



WL11

Rail-mounted High-output Weapon Light

650
LUMENS



Ambidextrous rotary switch for white light



Quick install rail. Can be installed single-handedly



Perfect Distance



Rechargeable Battery

LED	LED
Mode	650 lm / Momentary-on
Runtime	1 h 30 min / -
Beam distance	130 m / 130 m
Impact resistance	1 m / 3.28'
Battery	1 × 16340 (included) / 1 × CR123A battery
Dimensions	76 mm × 33 mm × 33 mm
Weight	76 g / 2.68 oz (without battery)

FEATURES

- Patent-pending ambidextrous rotary switch. Turn it clockwise for constant on mode; turn it counterclockwise for momentary on mode
- Patent-pending quick-install rail design. Can be installed single-handedly. Compatible with Picatinny rails and GLOCK rails
- Compatible with 16340 and CR123A batteries

WL13

1300 Lumens Ultra-Bright Weapon Light

1300
LUMENS



Ambidextrous Rotary Switch for Easy Momentary On and Constant On



Accepts Optional Remote Switches for Precision Control



FEATURES

- 1300 lumens ultra-high-output
- Ambidextrous rotary switch for easy momentary on and constant on
- Attaches securely to MIL-STD-1913 and Glock-style rails
- Powered by 2 × CR123A

	Momentary on	Constant on
Mode	1300 lm	1300 lm
Runtime	-	3 h 15 min
Beam distance	180 m	180 m
Impact resistance	1 m	
Water Resistant	IPX7	
Battery	2 × CR123A / 2 × 16340	
Dimensions	82 mm × 36 mm × 33 mm	
Weight	89 g / 3.13 oz (without battery)	



WL14

Sub-Compact Rechargeable Weapon Light

500
LUMENS



FEATURES

- Sub-compact size with 500 lumens output
- Built-in 250 mAh rechargeable battery
- Compatible with MIL-STD-1913 and Glock rails


Attaches Securely to MIL-STD-1913 and Glock-style Rails



Type-C Rechargeable



	High	Low
Light Output	500 lm	52 lm
Runtime	1 h 15 min	2 h 30 min
Beam distance	115 m	33 m
Impact resistance	1 m	
Water Resistant	IPX7	
Battery	Built-in 250 mAh Battery	
Dimensions	62 mm × 30 mm × 36 mm	
Weight	48 g / 1.69 oz (without battery)	



The people who risk themselves to protect and safeguard others should also be protected. NEXTORCH Tactical & Police Series are specially designed for military and law-enforcement personnel to fulfill their duty and mission. NEXTORCH T&P series flashlights offer reliable & practical solutions for low-light & no-light situations. They are your 24/7 partners that you can count on.



2100
LUMENS

TA30 MAX

Ultra-bright One-step Strobe 21700 Tactical Flashlight



Patented One-step Strobe Switch



Stainless steel bezel with Nano-ceramic Beads



Optional Accessories

FR-2 Tactical Flashlight Ring

VS Tactical Quick-draw Polymer Holster



Type-C Direct-charge 21700 Li-ion Battery with charging indicator

- Max output up to 2100 lumens
- Patented one-step-strobe technology: tap for momentary on and heavy press for tactical strobe
- Rotational magnetic switch around the tail cap for easy one-handed mode switch
- Specially hardened Nano-ceramic breach bezel, effectively breaks glass in emergency
- Able to be tail-stand to meet various lighting needs
- Powered by one 21700 battery (5000 mAh)

FEATURES

LED	LED
Mode	70 lm / 380 lm / 2100 lm / momentary on / strobe
Runtime	23 h / 6 h / 2 h 30 min / - / -
Beam distance	45 m / 100 m / 250 m / - / -
Submersible	IPX8 (2 m)
Impact resistance	2 m / 6.56'
Battery	1 x 21700 Li-ion battery (5000 mAh)
Dimensions	153 mm x 28 mm x 28 mm
Weight	148 g / 5.26 oz (without battery)



1300
LUMENS

TA30 V2.0

High Output One-step Strobe Tactical Flashlight



Patented One-step Strobe Switch



Nano-ceramic Strike Bezel



USB Rechargeable 18650 Battery

FR-1 Tactical Flashlight Ring

FEATURES

- Patented one-step-strobe technology: tap for momentary on and heavy press for tactical strobe
- Rotational magnetic switch around the tail cap for easy one-handed mode switch
- Compatible with 1 x 18650 Li-ion battery and 2 x CR123A batteries
- Stainless-steel bezel with specially hardened Nano-ceramic balls, functioning as the most efficient glass breaker
- Specially-designed accessory, FR-1 tactical flashlight ring (not included), provides more versatile usage

LED	LED
Mode	20 lm / 200 lm / 1300 lm / momentary on / strobe
Runtime	40 h / 6 h / 2 h 30 min / - / -
Beam distance	240 m / 787.4'
Submersible	IPX8 (2 m)
Impact resistance	2 m / 6.56'
Battery	1 x 18650 / 2 x CR123A
Dimensions	137 mm x 23 mm x 30 mm
Weight	99 g / 3.49oz (without battery)

TA15 V2.0

High-output Tactical Flashlight with Multi-battery Compatibility



Compact Size for Handy Use

Optional USB Rechargeable 14500 Battery



Multi-source Battery Compatibility Technology



Asia Outdoor Industry Award Silver Award

Nano-ceramic Strike Bezel

FEATURES

- Max output up to 700 lumens
- Vari-source design, compatible with AA, CR123A, 14500 and 16340 battery
- Dual-function tactical tailcap with momentary-on or tactical strobe
- Rotational magnetic switch for one-handed operation
- Nano-Ceramic strike bezel, powerful glass breaker
- Compact size with a sturdy clip for secure carry

LED	LED
Mode	700 lm / 205 lm / 35 lm / momentary on / strobe
Runtime	30 min / 1 h 30 min / 2 h 15 min / - / -
Beam distance	195 m / 100 m / 35 m / - / -
Submersible	IPX8 (2 m)
Impact resistance	2 m / 6.56'
Battery	1 x 14500 / 16340 / CR123A / AA Battery
Dimensions	127 mm x 22 mm x 30 mm
Weight	95 g / 3.35 oz (without battery)

T20L

2000 m White Laser Flashlight



20 W White Laser Light Source

Optional Accessories



RMBSS Universal Mount
TS41-L Remote Switch

900
LUMENS

FEATURES

- * 2000 meters long-range beam distance
- * Focused lighting for more effective locating, searching & aiming
- * Dazzling laser strobe, suitable for riot and defense
- * Can interfere with camera equipment to protect privacy
- * Powered by 1 x 21700 high capacity rechargeable Li-ion battery

Light source	White-Light Emitter
Mode	900 lm / 232 lm / 55 lm / Momentary on / Strobe / S.O.S.
Runtime	2 h / 3 h / 6 h / - / - / -
Beam distance	2000 m / 1050 m / 530 m / - / - / -
Waterproof	IPX2 (1 m)
Impact resistance	1 m
Battery	1 x 21700
Dimensions	182 mm x 27.5 mm x 58 mm
Weight	290 g / 10.23 oz (without battery)

T10L

1000-meter Long-shot 21700 White-light Flashlight



Magnetic Dial Switch & OSS Tail Switch
5000 mAh High-Capacity Battery

Optional Accessories



V51 Tactical Quick-Draw Flashlight Holder
5000 mAh Type-C 21700 Li-ion Rechargeable Battery

500
LUMENS

FEATURES

- * Long-shot laser for more effective locating, searching & aiming
- * 1,100 m max beam distance with focused lighting
- * 5,000 mAh high-capacity Li-ion battery
- * One-step strobe independent tail switch, to ensure the easy operation and quick response
- * With a strike bezel embedded with three super-hard nano-ceramic beads for efficiently breaking windows in emergency
- * Compatible with optional accessories for more flexible applications, such as FR-2 tactical ring, V5 tactical quick-draw holster, etc

Light source	White-Light Emitter
Mode	500 lm / 140 lm / 55 lm / Momentary On / Strobe
Runtime	3 h 30 min / 5 h / 8 h 30 min / - / -
Beam distance	1100 m / 590 m / 350 m / - / - / -
Waterproof	IPX2 (1 m)
Impact resistance	1 m / 3.28'
Battery	1 x 21700 Battery
Dimensions	162 mm x 27.5 mm x 38.4 mm
Weight	190 g / 6.7 oz (without battery)



P10

Multi-light Source Tactical Right Angle flashlight



1400
LUMENS



Two Independent Switches



Right Angle Design



Multiple Light Sources



Compact and Lightweight

FEATURES

- * Max output up to 1400 lumens
- * Three light sources: white, red & blue, and 8 lighting modes
- * Tactical switches can access to momentary on or one-step strobe
- * Right-angle lighting, compact size

LED	White / Red / Blue Light LEDs
Mode	200 lm / 55 h / 1400 lm / momentary on / strobe
Runtime	6 h / 55 h / 3 h 30 min / - / -
Beam distance	70 m / 26 m / 200 m / - / -
Submersible	IPX8 (2 m)
Impact resistance	2 m
Battery	1 x 18650
Dimensions	117.2 mm x 24 mm x 32.1 mm
Weight	91 g / 3.21 oz (without battery)



1200
LUMENS

P82

1100 Meters Long-Range Rechargeable Flashlight



Double side push switch



LED power indicator

FEATURES

- * 1100 meters long-range beam distance
- * Specially hardened nano-ceramic breach bezel effectively breaks glass
- * One-step strobe and mode selection dual side switch for one-hand operation
- * Type-C rechargeable design, economical and convenient

LED	White Light LED
Mode	425 lm / 33 lm / 1200 lm / strobe / momentary on
Runtime	4 h 30 min / 85 h / 3 h 30 min / -
Beam distance	645 m / 181 m / 1100 m / -
Waterproof	IPX7 (1 m)
Impact resistance	1 m
Battery	1 x 21700
Dimensions	188.3 mm x 28.5 mm x 60.8 mm
Weight	276 g / 9.74 oz (without Battery)



1300
LUMENS

P80

One-step Strobe Rechargeable Duty Flashlight



Type-C Direct Charging

Optional Accessories



Traffic Wand

V5 Tactical Quick-Draw Polymer Holster

FEATURES

- * Super-hard ceramic strike tips help you break windows fast
- * 2 x side switches switch for one-step strobe and mode switching
- * Presets 350-lumen medium mode as the first light pattern, more suitable for daily use
- * Type-C direct charge design
- * Optional accessories: V10 / V6 / V5 / V61 / V51 flashlight holder, nylon flashlight holder, traffic wand, etc.

LED	LED
Mode	350 lm / 25 lm / 1300 lm / strobe
Runtime	4 h 30 min / 60 h / 2 h / -
Beam distance	140 m / 35 m / 280 m / -
Waterproof	IPX7 (1 m)
Impact resistance	2 m / 6.56'
Battery	1 x 18650
Dimensions	150 mm x 28.5 mm x 35 mm
Weight	177 g / 6.24 oz (without battery)



2600
LUMENS

P81

One-step Strobe 21700 Rechargeable Duty Flashlight



Type-C Direct Charging



Traffic Wand

V51 Quick-Draw Flashlight Holder

FEATURES

- * Super-hard ceramic strike tips help you break windows fast
- * 2 x side switches for handy mode switch and one-step strobe
- * Hidden Type-C charging port
- * 4 LED Battery indicators
- * Optional accessories: V10 / V6 / V5 / V61 / V51 flashlight holder, nylon flashlight holder, traffic wand, etc.
- * 4800 mAh high-capacity 21700 battery

LED	LED
Mode	570 lm / 40 lm / 2600 lm / strobe / momentary on
Runtime	4 h 30 min / 38 h / 2 h / -
Beam distance	140 m / 35 m / 310 m / -
Waterproof	IPX7 (1 m)
Impact resistance	2 m / 6.56'
Battery	1 x 21700
Dimensions	161 mm x 28.5 mm x 35 mm
Weight	174 g / 6.13 oz (without Battery)



1300
LUMENS

P8

High Output Cylindrical Flashlight



Minimal in Style



Removable Lanyard

FEATURES

- * Compact size, powerful and cost-performance
- * Max output up to 1300 lm, and a max runtime of 60 h
- * 2 x side switches for One-Step strobe and modes switching
- * Type-C direct design

LED	LED
Mode	350 lm / 25 lm / 1300 lm / strobe
Runtime	4 h 30 min / 60 h / 2 h / -
Beam distance	140 m / 35 m / 280 m / -
Waterproof	IPX7 (1 m)
Impact resistance	2 m / 6.56'
Battery	1 x 18650
Dimensions	150 mm x 28.5 mm x 35 mm
Weight	177 g / 6.24 oz (without battery)



P56

6-LED Forensic Light Sources Kit



FEATURES

- * 6 wavelength light sources (white, blue, red, green, IR and UV)
- * Provides uniform light spot for forensic photography
- * Innovative 360° rotate switch to select and change 6 wavelengths
- * 1 x 18650 rechargeable battery, USB direct charging design
- * Compact size with a transport case for store and carry

Mode	WHITE	UV	BLUE
Wavelength	—	365 nm	450 nm
Output	300 lm / 11 lm	76 mW / 7 mW	19 lm / 3 lm
Beam distance	110 m / 21 m	—	16 m / 6 m
Runtime	3 h 45 min / 36 h	5 h / 40 h	7 h 30 min / 35 h

Mode	GREEN	RED	IR
Wavelength	525 nm	630 nm	850 nm
Output	40 lm / 8 lm	35 lm / 8 lm	150 mW / 32 mW
Beam distance	41 m / 17 m	40 m / 17 m	—
Runtime	8 h 30 min / 39 h	4 h 30 min / 22 h	7 h 45 min / 19 h

Impact resistance	1 m
Submersible	IPX8 (2m)
Battery	1 x 18650 or 2 x CR123A batteries
Weight	190 g / 6.7 oz (without battery)
Dimensions	166 mm x 27.2 mm x 36.6 mm
Material	Aluminum Alloy

300
LUMENS

PA5

360° Focusing Adjustable USB Rechargeable Flashlight



FEATURES

- * Patented Fresnel Lens Focusing Technology, delivering a smooth transition from broad flood beam to focused beam just by one-handed twist of the 360° swivel head
- * Neutral white LED, delivering a soft light beam without dazzling eyes
- * Innovative well-hidden USB direct charging design providing better durability
- * One multi-function DUO Switch for easy momentary on and multi-mode toggle
- * Compatible with one 18650 Li-ion battery or two CR123A batteries
- * Flat tail cap, standing up available for more applications

Patented USB Direct Charging,
spin up the tail cap to enterNEXTORCH
Patented Fresnel Lens660
LUMENS

LED	LED
Mode	660 lm / 30 lm / momentary on / strobe / S.O.S.
Runtime	4 h / 32 h / — / — / —
Beam distance	220 m / 721 ft
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	2 x CR123A / 1 x 18650 (included)
Dimensions	146 mm x 26 mm x 34 mm
Weight	147 g / 5.19 oz (without battery)

P5G / P5R / P5B

One-step Strobe Rechargeable Duty Flashlight

reddot award
winner

Dual-Light Technology

FEATURES

- * Proprietary Dual-Light technology, 360° rotational shift for different light colors
- * Innovative well-hidden USB direct charging design providing better durability
- * One multi-function DUO Switch for easy momentary on and multi-mode selection
- * Micro USB direct charge
- * Compatible with one 18650 Li-ion battery or two CR123A batteries
- * Dual anti-shock structure, shock resistance up to 1 meter

	P5G / P5R / P5B
LED	White / Green / Red / Blue LEDs
Mode	800 lm / 45 lm / strobe / S.O.S. / 200 lm (green) / 131 lm (red) / 80 lm (blue)
Runtime	3 h 45 min / 27 h / — / — / 5 h (green) / 5 h 45 min (red)
Beam distance	246 m / 807.1' (white)
Waterproof	IPX4
Impact resistance	1 m / 3.28'
Battery	1 x 18650 (included) / 2 x CR123A
Dimensions	168 mm x 26 mm x 40 mm
Weight	185 g / 6.53 oz (without battery)

ND20

8000 lm flashlight distractor

8000
LUMENS

FEATURES

- * Time-delay ultra-bright (8000 lm) strobe with warning sounds
- * Built-in rechargeable battery for high-power strobe
- * Type-C charging port
- * Cylindrical LED array design to eliminate blind spots
- * Anti-rolling bulges for better throw accuracy



Anti-rolling Tab

Speaker



USB Charging Port

Charging Indicator

Strobe Mode

Mode	Strobe
Light Output	8000 lm
Sound	100 dB (at 1 m)
Cumulative time	≥ 10 min
Water resistant	IPX4
Impact Resistance	2 m / 6.56'
Dimensions	146 x 72 x 72 mm
Weight	386 g / 13.6 oz (with battery)



HUNTING SET



760
LUMENS

T53 SET

3-in-1 Multi-light Hunting Flashlight



ACCESSORIES INCLUDED

RMBS5 scope mount
T341-L remote switch
UCA USB charge cable
1 x 2600 mAh 18650 Li-ion battery



One reflector to realize the white, green and red light



Rotating the side dial to switch light sources



USB direct charging system



FEATURES

- * Proprietary multi-light technology, one reflector to realize the white, green and red light, delivering a full and round light spot
- * 360° rotate the side dial to switch light sources, easy to operate momentary, constant on and mode switching
- * USB direct charge design for long-playing outdoor use
- * Able to fit with a scope mount and a quick-insert remote control switch for more convenient hunting

LED	White	Green	Red
	LED	GREEN LED	RED LED
Mode	strobe / 760 lm / 45 km / momentary on / S.O.S.	strobe / 129 lm / 30 km / momentary on / S.O.S.	strobe / 109 lm / 23 km / momentary on / S.O.S.
Runtime	- / 4 h 30 min / 31 h / - / -	- / 7 h / 34 h / - / -	- / 4 h 45 min / 25 h / - / -
Beam distance	220 m / 722'	160 m / 525'	122 m / 400'
Waterproof		IPX7 (1 m)	
Impact resistance		1 m / 3.28'	
Battery		1 x 18650 / 2 x CR123A	
Dimensions		147 mm x 25.4 mm x 37 mm	
Weight		155 g / 5.46 oz (without battery)	



T7 MAX SET

1200 Meters Long-Range Rechargeable Hunting Flashlight Set



ACCESSORIES INCLUDED

RM855 magnetic mount
TS41-L remote pressure switch
UC4 USB charge cable
1 x 4800 mAh 21700 Li-ion battery

- * 1100 meters long-range
- * Multi-function tactical tail switch
- * 2-in-1 charging port, easily access to remote switch
- * Powered by one 21700 high capacity li-ion battery
- * IPX7 waterproof, 1m impact resistance

LED	White Light LED
Mode	1200 lm / 421 lm / 150 lm / 21 lm / momentary on / strobe / S.O.S.
Runtime	3 h / 4 h 30 min / 14 h / 80 h / - / - / -
Beam distance	1100 m / 750 m / 390 m / 1142 m / - / - / -
Submersible	IPX7 (1 m)
Impact resistance	1 m
Battery	1 x 21700 (4800 mAh) Lithium battery
Dimensions	172.4 mm (length) x 27.5 mm (body dia.) x 60.8 mm (head dia.)
Weight	225 g / 7.94 oz (without battery)



1200
LUMENS

T5 SET

760 lumen 400 meter Hunting Flashlight Set



ACCESSORIES INCLUDED

RM85 scope mount
TS31-L remote switch
2 x CR123A batteries

FEATURES

- * More outstanding beam distance among similar flashlights to help you discover the prey or risks rapidly
- * Patented multi-function DUO Switch, single switch for easy momentary activation and 6-mode toggle
- * IPX8, 2 m submersible and impact resistant, durable and reliable
- * Adapt to RM85 / RM87 scope mount / TS31-L remote switch / FT32 filter, etc.

LED	LED
Mode	760 lm / 220 lm / 45 lm / momentary on / S.O.S. / strobe
Runtime	3 h / 6 h / 27 h / - / - / -
Beam distance	400 m / 205 m / 95 m / - / - / -
Submersible	IPX8 (2m)
Impact resistance	2 m / 6.56
Battery	2 x CR123A (included) / 1 x 18650 Li-ion
Dimensions	143 mm (length) x 25.4 mm (body dia.) x 34 mm (head dia.)
Weight	119 g / 4.2 oz (without battery)



760
LUMENS

T7 SET V2.0

1300 lumen 510 meter Long-range Hunting Flashlight Set



ACCESSORIES INCLUDED

RM855 scope mount
TS41-L remote switch
UC4 USB charge cable
1 x 2600 mAh 18650 Li-ion battery

FEATURES

- * More outstanding beam distance among similar flashlights to help you discover the prey or risks rapidly
- * 2-in-1 single-port socket for easy access: the remote switch plug shares the same waterproof port with USB charging port
- * Patented multi-function DUO Switch, single switch for easy momentary activation and 7-mode switch
- * IPX8, 2 m submersible, 1 m impact resistant, durable and reliable

LED	LED
Mode	1300 lm / 520 lm / 140 lm / 40 lm / momentary on / S.O.S. / strobe
Runtime	2 h 30 min / 3 h 45 min / 10 h / 27 h / - / - / -
Beam distance	420 m / 260 m / 135 m / 70 m / - / - / -
Submersible	IPX8 (2 m)
Impact resistance	1 m
Battery	1 x 18650 rechargeable Li-ion (included) / 2 x CR123A
Dimensions	154 mm (length) x 25.4 mm (body dia.) x 43.8 mm (head dia.)
Weight	142 g / 5 oz (without battery)



1300
LUMENS



T5G SET V2.0

Dual-light Rechargeable Hunting Flashlight Set



ACCESSORIES INCLUDED

RM855 scope mount
T541-L remote pressure switch
1 x 2600 mAh 18650 Li-ion battery

* T5G is not compatible with the RM87 universal mount due to the magnet effect on the switch.

- FEATURES**
- * Dual light source design: White & Green, max output up to 1200 and 170 lumens
 - * Patented dual-light structure, 360° rotate to switch into different light sources easily
 - * Micro USB direct charge, to satisfy long-time hunting needs
 - * Single multi-function DUO Switch for easy momentary activation, constant light and mode switching

LED	LED	GREEN LED
Mode	1200 lm / 35 lm / momentary on / S.O.S. / strobe	170 lm / 27 lm / momentary on / S.O.S. (80 lm) / strobe
Runtime	3 h 15 min / 35 h / - / - / -	5 h 30 min / 37 h / - / - / -
Beam distance	265 m / 46 m / - / - / -	230 m / 63 m / - / - / -
Waterproof	IPX2 (1 m)	
Impact resistance	1 m / 3.2'	
Battery	1 x 18650 (included) / 2 x CR123A	
Dimensions	145 mm x 25.4 mm x 40 mm	
Weight	165 g / 5.28 oz (without battery)	



2-in-1 Charging Port for Easy Access



360° Rotation to Change Light Color Freely

TA41 SET

2600 Lumens Ultra-High-Output Tactical Flashlight Set



2600
LUMENS



ACCESSORIES INCLUDED

RM855 magnetic mount
T541-L remote pressure switch
UC4 USB charge cable
1 x 4800 mAh 21700 Li-ion battery

FEATURES

- * Max output up to 2600 lumens
- * Powered by one 21700 high-capacity rechargeable battery
- * Specially hardened nano-ceramic bezel effectively breaks glass
- * Multi-function tactical tail switch
- * IPX8, 2 m submersible, 2 m impact resistance

LED	LED
Mode	2600 lm / 700 lm / 200 lm / momentary on / strobe / S.O.S.
Runtime	2 h 30 min / 3 h 45 min / 12 h / 71 h / - / - / -
Beam distance	272 m / 140 m / 75 m / 29 m / - / - / -
Submersible	IPX8 (2m)
Impact resistance	2 m
Battery	1 x 21700 (4800 mAh) Lithium battery
Dimensions	148 mm (length) x 38 mm (head dia.) x 27 mm (body dia.)
Weight	143 g / 5.004 oz (without battery)

TA40 HUNTING SET

1040 Lumen Flashlight Set with Magnetic Mount



1040
LUMENS



ACCESSORIES INCLUDED

RM87 magnetic mount
T541-L remote pressure switch
UC4 USB charge cable
1 x 2600 mAh 18650 Li-ion battery

FEATURES

- * Max output up to 1040 lumens
- * 7 modes for the most common tactical flashlight applications
- * Powered by two CR123A lithium batteries or one high-capacity 18650 Li-ion battery, including a tail cap direct charge system
- * DUO SWITCH with "Click and tap" function for easy momentary activation or mode switching

LED	LED
Mode	1040 lm / 530 lm / 250 lm / 80 lm / strobe / S.O.S.
Runtime	1 h 30 min / 2 h 15 min / 3 h 30 min / 10 h / - / -
Beam distance	265 m / 935.04'
Submersible	IPX8 (2 m)
Impact resistance	3 m / 9.84'
Battery	2 x CR123A (included) / 1 x 18650
Dimensions	147 mm x 25.4 mm x 34 mm
Weight	124 g / 4.37 oz (without battery)

E SERIES

Compact pocket size, incredible performance, easy-to-use interface, and hard-anodized aluminum body, all make NEXTORCH E series the ultimate EDC lighting solution for personal and professional use.



2500
LUMENS

E52

High-output Rechargeable EDC Pocket Flashlight



4800 mAh 21700 Li-ion battery




2 m Impact Resistant

FEATURES

- * Max output up to 2500 lumens
- Type-C charge design
- Powered by one 21700 high-capacity rechargeable battery
- 5 modes for various scenarios
- * Various accessories available, expand more uses

LED	LED
Mode	2500 lm / 500 lm / 15 lm / momentary on / strobe / S.O.S
Runtime	2 h 15 min / 8 h / 60 h / - / - / -
Beam distance	185 m / 85 m / 14 m / - / - / -
Submersible	IPX8 (2 m)
Impact resistance	2 m
Battery	1 × 21700 battery (included)
Dimensions	145 mm × 27 mm × 30 mm
Weight	117 g / 4.12 oz (without battery)



E51 V2.0

High-output Rechargeable EDC Pocket Flashlight



1400
LUMENS



Fit in Your Palm



Hidden Type-C quick charging design

FEATURES

- * Max output up to 1400 lumens
- * 5 Modes: momentary on, high, medium, low, and hidden-strobe
- Small, straight, compact and portable
- Hidden Type-C quick-charging design for time-saving energy storage, economical and convenient
- Tail switch is easy for one-handed operation
- * Including a detachable stainless steel clip and a lanyard for easy carry

LED	LED
Mode	1400 lm / 260 lm / 20 lm / momentary on / strobe
Runtime	2 h 30 min / 5 h 45 min / 56 h / - / -
Beam distance	201 m / 86 m / 25 m / - / -
Submersible	IPX8 (2 m)
Impact resistance	1 m / 3.2ft
Battery	1 × 18650 battery (included)
Dimensions	133 mm × 25 mm × 27.5 mm
Weight	84 g / 2.96 oz (without battery)

C SERIES

We may face lots of situations in darkness, say sudden car breakdown at night, maintenance work, outdoor camping, tripping blackout. Our easy-to-operate & reliable C series can lighten the darkness in your daily life.

C2 UV

Compact Ultraviolet Flashlight

FEATURES

- Find invisible stains with 405 nm UV light, like food stains and pet urine stains on rugs, carpets etc.
- Authenticate currencies and official documents like drivers licenses or identify unwanted whitening agent in cosmetics
- Weighted only 72 g / 4.23 oz (without battery) with a lanyard, compact & easy to carry
- Rated IPX4 with a durable aluminum body



Detect Invisible Stains

Detect Counterfeits

IPX7 Waterproof

LED	UV LED
Wavelength	405 nm
Power Output	500 mW
Impact Resistance	1 m / 3.28'
Waterproof	IPX7 (1 m)
Battery	2 x AA batteries
Dimensions	151 mm x 19.2 mm x 26.4 mm
Weight	72 g / 4.23 oz

High-performance Easy-to-operate Compact Flashlight

- One tail-cap switch for multi-mode toggle
- Made of aerospace-grade aluminum and processed by Type III hard anodizing, durable and comfortable for use
- Equipped with a lanyard for easy everyday carry



140
LUMENS



C1

250
LUMENS



C2

380
LUMENS



C3

700
LUMENS



C4

	C1	C2	C3	C4
LED	LED	LED	LED	LED
Mode	140 lm / 20 km	250 lm / 70 km	380 lm / 200 km / 40 km	700 lm / 300 km / 50 km
Runtime	1 h / 13 h	1 h / 40 h	1 h 30 min / 3 h / 30 h	2 h / 4 h / 35 h
Beam distance	86 m / 30 m	120 m / 60 m	190 m / 130 m / 50 m	340 m / 200 m / 85 m
Waterproof	IPX7 (1 m)	IPX7 (1 m)	IPX7 (1 m)	IPX7 (1 m)
Impact resistance	1 m / 3.28'	1 m / 3.28'	1 m / 3.28'	1 m / 3.28'
Battery	1 x AA (included)	2 x AA (included)	3 x AAA (included)	1 x 18650 (included)
Dimensions	102 mm x 19.2 mm x 26.4 mm	151 mm x 19.2 mm x 26.4 mm	127 mm x 27.5 mm x 36 mm	135 mm x 26 mm x 36 mm
Weight	50 g / 1.76 oz (without battery)	72 g / 2.47 oz (without battery)	110 g / 3.88 oz (without battery)	120 g / 4.23 oz (without battery)

S SERIES

Exquisitely small, NEXTORCH S series is your perfect EDC (Every Day Carry) flashlight choice. It can meet your practical lighting needs in a wide range of scenarios from your everyday life.



K11

Ultra Bright Mini Keychain Light

- FEATURES**
- * Max output up to 100 lumens
 - * Powered by 1x AAA battery, max run time up to nearly 6 hours
 - * Twist the head easily for mode switch by one-handed operation
 - * Anti-roll, compact and stylish design make it a perfect EDC tool or an ideal gift.



100
LUMENS



K21/K21R

Multi-purpose Rotatable Magnetic EDC Flashlight

- FEATURES**
- * Twist the head easily for mode switch by one-handed operation
 - * Magnetic tail cap for easy attach to ironwork, to free your hands
 - * Equipped with a stainless steelclip, able to be used as a cap lamp
 - * Only 35 grams, compact and portable enough for daily carry



K21
160
LUMENS

K21R
300
LUMENS



	K11	K21	K21R
LED	LED	LED	LED
Mode	160 lm / 22 lm	160 lm / 55 lm / 7 lm	300 lm / 53 lm / 8 lm
Runtime	1h / 3h 30 min	1h / 7h 45 min / 14h	3h 15 min / 12 h / 18 h
Beam distance	40 m / 21 m	70 m / 40 m / 17 m	100 m / 42 m / 17 m
Waterproof	IPX7 (1 m)	IPX7 (1 m)	IPX7 (1 m)
Impact resistance	1 m / 3.28'	1 m / 3.28'	1 m / 3.28'
Battery	1 × AAA (included)	1 × AA (included)	One rechargeable 14500 battery (included) / 1 × AA
Dimensions	65.6 mm × 13.4 mm × 14.7 mm	79 mm × 18 mm × 19 mm	79 mm × 18 mm × 19 mm
Weight	15.4 g / 0.54 oz (without battery)	35 g / 1.23 oz (without battery)	35 g / 1.23 oz (without battery)



MEDICAL PENLIGHT

Dr.K3 SERIES



K3 SERIES

K3T High-output Tactical Penlight


- Max output up to 215 lumens
- Tactical & Duty modes, versatile for various tasks
- Compact pen size with a sturdy clip, easy to carry
- Square knurling body design for better grip

K3R / K3RT Rechargeable Pocket-sized / Safety Penlight

- Memory Mode: 2 seconds after turning off, turn on again to enter the previous -used mode
- Charging via the hidden Type-C direct charging port
- Pen-like compact size, convenient for everyday carry
- Equipped with a stainless-steel clip for easily hanging on pockets, backpacks, toolkit, etc.
- Chrome-plated anti-skid press switch
- The strike bezel of K3RT is embedded with high-hardness ceramic beads for quick window breaking and close defense

K3 Pocket-sized EDC Penlight

- Memory Mode: 5 seconds after turning off, turn on again to enter the previous -used mode
- Pen-like compact size, convenient for everyday carry and timely help
- Equipped with a stainless-steel clip for easily hanging on pockets, backpacks, toolkit, etc.
- Chrome-plated anti-skid press switch



	K3T	K3R	K3RT	K3
LED	LED	LED	LED	LED
Mode	8 lm / 90 lm / 215 lm / momentary on / strobe	70 lm / 350 lm / 9 lm	330 lm / 65 lm / 9 lm / strobe	200 lm / 80 lm / 5 lm / strobe
Runtime	50 h / 4 h / 30 min / - / -	2 h / 45 min / 11 h	45 min / 2 h / 11 h / -	30 min / 2 h 45 min / 23 h / -
Beam distance	70 m / 229.7'	30 m / 71 m / 12 m	70 m / 30 m / 12 m / -	57 m / 187'
Waterproof	IPX8 (2 m)	IPX7 (1 m)	IPX4	IPX4
Impact resistance	1 m / 3.28'	1 m / 3.28'	1 m / 3.28'	1 m / 3.28'
Battery	2 × AAA (included)	Built-in 320 mAh li-ion battery	Built-in 320 mAh li-ion battery	2 × AAA (included)
Dimensions	138 mm × 14 mm × 16 mm	123 mm × 12.9 mm × 14.3 mm	125 mm × 12.9 mm × 14.3 mm	150 mm × 12.4 mm × 13.8 mm
Weight	32 g / 1.13 oz (without battery)	36 g / 1.27 oz (with battery)	37 g / 1.31 oz (with battery)	25 g / 0.88 oz (without battery)



Dr.K3UV

Wood's Lamp UV Penlight

- 365 nm UV light with Fine Woods glass for accurate detection
- Detect cat ringworm, skin abnormality FWAs (Fluorescent Whitening Agents), counterfeiters and more
- Small & useful
- Uses 2 × AAA batteries for power
- Clicky anti-slip tail button



Dr.K3U/Dr.K3S

Portable Medical Flashlight

- Chrome-plated anti-skid tail switch, to ensure the normal use even when wearing gloves
- Pen-size appearance with a stainless clip, stylish, light-weight and portable
- High color rendering index, RA > 90, with true tissue color rendition
- Blue light hazard class RG0 (Risk Exempted)
- Uniform light spot design for better observation




Cat Ringworm Detection



Skin Abnormality Detection



Blue Light Hazard Rated Exempted, RG0



Uniform light spot, no shadow areas in medical inspection

	Dr.K3 UV	Dr.K3L	Dr.K3S
LED	365 nm UV LED	Dual Light (Yellow & White)	LED (Yellow / Neutral White)
Output	600 mW	RG0 (Yellow)	LED (Yellow / Neutral White)
Color Rendering Index (RA)	≥ 95	3000K (Yellow)	≥ 95
Blue-light Hazard Rate	RG0 (Yellow)	5500K (White)	RG0
Color Temperature (CCT)	3000K (Yellow)	3000 K (Yellow)	RG0
Modes	2 lm / 10 lm	5000 K (Neutral White)	3000 K (Yellow)
Runtime	42 h / 15 h	10 lm / 75 lm	55 h
Beam distance	7 m / 15 m	11 h 30 min	55 h
Waterproof	—	7 m / 15 m / 40 m	—
Impact resistance	2 × AAA batteries	—	—
Battery	2 × AAA batteries	1 m / 3.28'	—
Weight	28 g (without batteries)	2 × AAA (included)	1 × AAA (included)
Dimensions	148 × 14.3 × 13.3 mm	149.8 mm × 14.3 mm × 13.3 mm	105 mm × 14.3 mm
Weight	27.8 g / 0.98 oz (without battery)	27.8 g / 0.98 oz (without battery)	19.4 g / 0.68 oz (without battery)

U SERIES

U series aims to provide professional & common folks hands-free lighting solutions with innovative features. Policemen can use it to check IDs, and document etc. Rich features of U series can assist you at night with ease.

UT30

Smart Sensing Multi-function Light

320 LUMENS



Multi-mount Clip



Headlamp Strip



Bike Mount



Helmet Mount



Free Button Gesture sensing Control



Type-C direct charge design



White and red dual light sources

FEATURES

- Dual light sources: white and red
- Spot and flood dual lighting angles
- Gesture sensor control
- Compact and lightweight
- Built-in 640 mAh rechargeable battery with type-c charging port
- Matched with multiple optional accessories, for flexible use as a headlamp, cap light, bicycle light or helmet light

LED	White / Red LEDs
Mode	220 lm / 140 lm / 320 lm / 4 lm
Runtime	7 h / 7 h 30 min / 3 h 45 min / 21 h / -
Beam distance	53 m / 15 m / 55 m / -
Submersible	IPX4
Impact resistance	1 m
Battery	Built-in 640 mAh Rechargeable Battery
Dimensions	61 mm × 47 mm × 19 mm
Weight	41 g / 1.44 oz (without battery)

UT10

Multi-function Rechargeable
Innovative COB LED Light



Asia Outdoor
Industry Award



170 LUMENS



USB Direct Charge Design



Multi-purpose Clip



Headlamp Strip



Bike Mount



Tactical Kit

FEATURES

- Dual light source emitting a wide and soft flood light, comfortable and no glaring
- Single button for 4 lighting mode switch, easy to control
- Matched with multiple optional accessories, for flexible use as a headlamp, cap light, bicycle light or helmet light
- Extremely lightweight design, only 37.8 grams for convenient carry

	LED	COB
Mode	White: 170 lm / 20 lm	Red: 5 lm / flash
Runtime	2 h / 11 h	18 h / -
Water Resistant	IPX4	
Impact resistance	1 m / 3.28'	
Battery	Built-in 640 mAh Rechargeable Lion Battery	
Dimensions	60 mm × 46 mm × 17 mm	
Weight	37.8 g / 1.33 oz (with battery)	

UL10

Multi-purpose Clip Light

S.O.S.

70 LUMENS



FEATURES

- 3 high performance LEDs, max output 70 lumens
- Multi-purpose clip mount, mounts onto caps, pocket edges, any straps and MOLLE webbing gears, etc.
- 180 degree adjustable, easy flip-and-hold lighting
- Ultra-lightweight, overall weight 49.5 grams only (battery included)
- Able to exchange the clip with ECO STAR, UT10 or other NEXTORCH clip lights

LED	White Light LEDs
Mode	70 lm / 7 lm / S.O.S.
Runtime	4 h 30 min / 44 h / -
Beam distance	18 m / 59.1'
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	2 × AAA (included)
Dimensions	32 mm × 48 mm × 54 mm
Weight	49.5 g / 1.75 oz (with batteries)

UL360

Multi-function Flashing Clip Light for Police

70 LUMENS



Magnetic Bottom Plate

Rotary Tail Switch



IP68 AWARD

FEATURES

- Neutral white light LED, emitting the gentle beam without hurting eyes in long use
- Tiny and compact, thumb-sized only, easy to operate
- 360° degree rotatable lamp body design, more practical all-round lighting
- Comes with a magnetic bottom plate, elastic string and S biner for multi-purpose quick mounting

LED	Neutral white light LED
Mode	70 lm / 10 lm
Runtime	3 h 15 min / 30 h
Beam distance	5 m / 16.4'
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	1 × AA (included)
Dimensions	78 mm × 34 mm × 21 mm
Weight	40 g / 1.41 oz (without battery)

UT31

Type-C Rechargeable Warning Light

220
LUMENS**FEATURES**

- * Three light sources: white, red and blue
- * Spot and flood dual lighting angles
- * Gesture sensor control
- * Compact and lightweight
- * Built-in 640 mAh rechargeable battery with type-c charging port
- * Matched with multiple optional accessories, for flexible use as a headlamp, cap light, bicycle light or helmet light

LED	White / Red / Blue LEDs			
Mode	High (White)	Low (White)	Red	Red/Blue Flash
Runtime	220 min	28 min	4 min	4 min
Beam distance	53 m	19 m	-	-
Water Resistant	IPX4			
Impact resistance	1 m			
Battery	Built-in 640 mAh Rechargeable Battery			
Dimensions	61 mm x 53 mm x 30 mm			
Weight	50 g / 1.76 oz (without battery)			



LED Infrared Induction



Type-C Rechargeable



UT11

USB Rechargeable Warning Light

170
LUMENS**FEATURES**

- * White light illumination, red & blue signal flashing design, can be switched with one button
- * COB floodlight technology to ease your eye fatigue
- * USB Micro-B charging port, long lasting built-in li-ion battery
- * Removable clip, can be used on hat, MOLLE webbing, webbing on backpack, shoulder strap etc.
- * 180° rotatable light head
- * Lightweight & compact, only 46.8 g including battery, easy to carry

LED	COB		
Mode	Red-Blue Flash: -	High (White)	Low (White)
Runtime	81 h	2 h	11 h
Water Resistant	IPX4		
Impact resistance	1 m / 3.28'		
Battery	Built-in 640mAh Rechargeable Li-ion Battery		
Dimensions	60 mm x 46 mm x 17 mm		
Weight	46.8 g / 1.65 oz (with battery)		



Shoulder Light



Hat Light

UT22

Multi-Function Warning Light

11
LUMENS

Helmet Clamp



Webbing Clip



Vero

3 Accessories



360° Rotatable Base



Security Warning Light

**FEATURES**

- * Can be mounted on helmet, MOLLE webbing and more with provided accessories
- * 2 m impact-resistant, IPX4 water resistant
- * Long-lasting 640 mAh built-in li-ion battery with Type-C charging port
- * Gravity & touch sensor allow you to operate it easily & intuitively even with gloves on. You can double tap the light to turn it on or off
- * 22 blue-red LEDs gives you a 360° all-rounded lighting, white light illuminator, and over 1,000 m view distances in a clear night

LED	White / Red / Blue LEDs		
Mode	Red/Blue Flash (horizontal)	Red/Blue Flash (vertical)	White Light
Runtime	20 h	22 h	11 min
Beam distance	13 m / 6 m / -		
Water Resistant	IPX4		
Impact resistance	2 m / 6.56'		
Battery	Built-in 640 mAh li-ion battery		
Dimensions	72.3 mm x 50 mm x 40 mm		
Weight	92.3 g / 3.25 oz (with battery)		

UL12

Multi-function Flashing Clip Light for Police

17
LUMENS**FEATURES**

- * 3 modes for various needs: constant-on white, constant-on red, flashing (Red & Blue)
- * Detachable clip for mounting on MOLLE, shoulder strap, backpack, cap, etc.
- * Max 62 hours runtime in red-blue flash mode for long runtime duty needs
- * 180° rotatable design to realize multi-angle lighting

LED	White / Red / Blue LEDs	
Mode	17 lm (white) / 3 lm (red) / Red/Blue Flash	
Runtime	7h 30 min / 18 h / 62 h	
Beam distance	13 m / 6 m / -	
Water Resistant	IPX4	
Impact resistance	1 m / 3.28'	
Battery	2 x AAA batteries (included)	
Dimensions	32 mm x 48 mm x 54 mm	
Weight	49 g / 1.73 oz (with batteries)	



Compact and Portable



Hat Light



H SERIES

NEXTORCH headlamps can provide a smooth and strong illumination without dazzling eyes, for lighting up the dark while freeing your hands. They are highly appreciated by professionals for their versatile functions, high performances, comfortable ergonomic and light-weight design.

iStar

Multi-function Intelligent Headlamp with Dual-switch



FEATURES

- * "Flicker" switch + button switch design.
- * The infinite dimming function allows to alter the brightness levels via adjusting angel of the flip-top cover.
- * The reading lamp with light of uniform, soft and no blue light hazard.
- * It is minimalist and lightweight, looks more youthful and energetic.



420
LUMENS



Alter the brightness intelligently via adjusting angel of the cover

"Flicker" switch design comes with on/off

Soft and bright light bring comfortable experience

Light source	White LED / Red LED
Mode	420 lm / 20 lm / 80 lm / 15 lm / 5 lm
Runtime	2 h 30 min / 15 h / 2 h / 10 h / 12 h
Beam distance	80 m
Water Resistant	IPX4
Impact resistance	1 m
Battery	Built-in 1100 mAh battery
Dimensions	67.5 mm x 38.8 mm x 31.3 mm
Weight	70 g

oStar

Multi-function High Performance Headlamp



FEATURES

- * Compatible with various helmets, designed with a brim card position and no need clips to fix.
- * Equipped with standard headlight belt to be used as headlight.
- * Can be adsorbed on the iron by its built-in magnet.
- * Allow to adjust angle up and down by 0°-120°.



500
LUMENS



The lamp can be separated from body

Compatible with various helmets

Compatible with tactical helmets with NVG mount

Light source	LED
Mode	500 lm / 185 lm / 25 lm / 185 lm
Runtime	6 h 30 min / 14 h / 60 h / -
Beam distance	131 m
Water Resistant	IPX4
Impact resistance	2 m
Battery	18650 Battery
Dimensions	78 mm x 65 mm x 46 mm
Weight	87 g / 3.06 oz

Max Star

High-output Magnet-controlled Headlamp



FEATURES

- 360° rotational magnetic dial switch for easy and quick mode switch
- Integrating the magnetic dial switch with the lamp head to ensure the lightweight of the headlight
- Three lighting modes to meet various outdoor needs
- Built-in 18650 battery provides 40-hour longest runtime for safe use
- Type-C quick-charge port enables charging by power bank



1200
LUMENS



360° Rotational
Magnetic Dial Switch

180° Adjustable
Multi-angle Lighting

Type-C Direct Charging
with an Indicator

LED	LED
Mode	1200 lm / 160 lm / 20 lm
Runtime	4 h 30 min / 8 h / 20 h
Beam distance	200 m / 72 m / 25 m
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	Built-in 2600 mAh 18650 battery
Dimensions	73 mm × 33 mm × 60 mm
Weight	147 g / 5.19 oz (with battery)

myStar R/ myStar RAA

360° Focus-adjustable Headlamp with Battery Compatibility

760
LUMENS

600
LUMENS



FEATURES

- 360° rotary focus adjustment ring provides a smooth transition from flood light to long-range beam
- Compatible li-ion rechargeable battery or 3 x AA alkaline batteries
- IPX4 water resistant design, able to cope with rainy weather
- Partial pressure headband design for comfort in use over long periods

Compatible with Two Batteries



360° Rotatable
Focusing Design

Detachable Battery
Compartment for Compatible
3 x AA Batteries

Comfortable "Y"-shaped
Strap & Adjustable
Multi-angle Lighting



Model	myStar R	myStar RAA
LED	LED	LED
Battery	3000 mAh Li polymer Battery	3 x AA Batteries
Mode	760 lm / 260 lm / 20 lm / S.O.S.	600 m / 240 m / 25 lm / S.O.S.
Runtime	4 h 45 min / 8 h 15 min / 81 h / -	4 h 30 min / 7 h / 55 h / -
Beam distance	220 m / 124 m / 42 m / -	180 m / 118 m / 45 m / -
Water Resistant	IPX4	
Impact resistance	1 m / 3.28'	
Dimensions	Light body: 74 mm × 40 mm × 44 mm Battery pack: 76 mm × 28.5 mm × 82 mm	
Weight	120 g / 4.23 oz (without battery)	

myStar

V2.0

760
LUMENS

360° Focus-adjustable Rechargeable Headlamp



360° Battery Focusing Technology

Red Safety Flash, Visible from Back and Sides

Y-Shaped Strap Ensures Maximum Comfortable Fit

reddot award
winner

LED	LED
Mode	760 lm / 245 lm / 28 lm / S.O.S.
Runtime	4 h 45 min / 8 h 15 min / 81 h / -
Beam distance	220 m / 124 m / 42 m / -
Water Resistant	IPX4
Impact Resistance	1 m / 3.28'
Battery	Built-in 3000 mAh Li-polymer battery light body: 74 mm x 40 mm x 44 mm battery pack: 76 mm x 28.5 mm x 62 mm
Dimensions	
Weight	173 g / 6.17 oz (with battery)

- Patented Fresnel Lens Focusing Technology, delivering a smooth transition from flood light to focused light by simply one-handed twisting the 360° swivel head
- Built-in 3000 mAh lithium polymer battery as power supply, to ensure lighter weight, longer runtime and safer use
- Partial pressure headband and ergonomic battery container for long-time comfortable wear
- A slow flash red light set on the battery container to enhance the visibility on the back and sides for safety
- Available for Micro USB direct charge by computer, power bank, car charger, etc.

FEATURES

C STAR

Multi-function Innovative Neck Light

170
LUMENS

Headlight mode

Necklight mode

180° rotational light



LED	COB
Mode	High (White) Low (White) Red Strobe (Red)
Light Output	170 lm 20 lm -- --
Runtime	2 h 11 h -- --
Beam Distance	19 m 7 m -- --
Impact Resistance	1 m / 3.28'
Water resistant	IPX4
Dimensions	60 mm x 46 mm x 17 mm
Weight	64 g / 2.25 oz

- Innovative neckband design. Hands-free lighting experience
- COB floodlight technology. Wide & soft floodlight. Perfect for reading
- 180° rotatable light head, with 10 locking positions
- Long lasting built-in Li-ion battery with USB Micro-B charging port
- Removable design. Can be used as headlamp, hat light, bike light, helmet light with optional accessories

FEATURES

TREK STAR

Ultra Bright Multi-mode LED Headlamp

220
LUMENS

Red LED for Preserving Night Vision



Detachable Lamp

3 Colors Available



LED	1 × White LED, 2 × Red LEDs
Mode	220 lm / 125 lm / 9 lm / Red (2 lm) / S.O.S.
Runtime	2 h 30 min / 9 h / 98 h / 92 h / -
Beam distance	73 m / 239.5'
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	3 × AAA (included)
Dimensions	55 mm × 38 mm × 32 mm
Weight	83 g / 2.92 oz (with batteries)

- White LED providing max output while red LEDs for gentler light to reduce eye strain
- Single anti-skid side switch for 4 mode toggle and hidden one-touch S.O.S., easy to operate
- 100° adjustable angles for multi-view lighting
- Light-weight design with sweat-resistant headband for comfortable wear

FEATURES

ECO STAR

Lightweight Headlamp and Clip Light Combo

48
LUMENS

Detachable clip included

3 Colors Available



LED	2 × White LEDs, 1 × Red LED
Mode	48 lm / 6 lm / Red (5 lm) / S.O.S.
Runtime	8 h / 49 h / 111 h / -
Beam distance	16 m / 52.4'
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	2 × AAA (included)
Dimensions	54 mm x 42 mm x 21 mm
Weight	71 g / 2.50 oz (with batteries)

- White LEDs providing max output while a red LED for gentler light to reduce eye strain
- 180° adjustable angles for multi-view lighting
- With a detachable clip able to mount onto the cap, pack strap, belts, MOLLE, etc.
- Light-weight design with sweat-resistant headband for comfortable wear

FEATURES

GLO-TOOB®

GLO-TOOB was conceived in 1996 by Dave Kessel and Lewton Levy after a night SCUBA dive in South Africa. Using the existing product of that time, they were unhappy with its reliability and it was also proving itself to be an environmental hazard. Dave Kessel decided to make a signal lamp specifically for SCUBA market. He found NEXTORCH and worked together to turn ideas into products. After a few years of improvement, in 2002, the finalized GLO-TOOB had been patented and released to the market.

GLO-TOOB is an essential piece of safety equipment that you should not miss. Available in various colors, GLO-TOOB allows you to be seen at a distance or provides you with ample light in a confined area.

All Rights Reserved
Copyright 2014



GT-AAA Aurora Signal Light

- Red / Green / Blue multiple light sources, up to 7 modes
- 360° viewing angle, all-rounded signal alert provided
- Exquisite fashion appearance, thumb size
- IPX8 waterproof, available for deep diving
- Fits with Glo-Toob Tactical Kit, able to be mounted onto Ops-Core, webbing and velcro loop surface


LED	Red / Green / Blue LEDs
Mode	Constant on / Flash
Runtime	Red / Green / Blue / Red / Green / Blue / Red/Blue 14 h / 17 h / 17 h / 32 h / 35 h / 35 h / 48 h
Depth Rating	2 m
Battery	1 x AAA
Dimensions	77.4 mm x 19 mm
Weight	29 g / 1.02 oz (without battery)



GTK

- Designed to work with Ops-Core ARC Rails
- The webbing base plate fits 1" webbing of any MOLLE / PALS
- Velcro attaching option provided
- Quickly and safely attaches to and detaches from helmets and webbing in seconds

Dimensions	68.4 mm x 50.3 mm x 27.9 mm
Ring Size	18.8 mm - 19.8 mm
Colors Available	Black / Olive
Weight	27 g / 0.95 oz
Material	PA + GF



GT-AAA




GT-AAA PRO



GT-AAA IR

	GT-AAA	GT-AAA PRO	GT-AAA IR
Number of Modes	3 Modes	3 Modes	3 Modes
Battery Type	1 x AAA	1 x AAA	1 x AAA
Colors Available			
Runtime	4-15 h	5.5-27 h	5.5-27 h
Depth Rating	60 m (200 ft)	200 m (656 ft)	200 m (656 ft)
Dimensions	75 mm x 19 mm	76 mm x 19 mm	77 mm x 19 mm
Weight	34 g / 1.2 oz (with battery)	29.5 g / 1.04 oz (without battery)	26.5 g / 0.93 oz (without battery)



ACCESSORIES

Batteries & Chargers



5000 mAh 21700 Type-C Rechargeable Battery
5000 mAh 21700 Type-C rechargeable battery is a high-capacity Li-ion battery. Thanks to its Type-C charging port, you can recharge by connecting it to your computer, power bank in-car charger etc. It can be recharged for over 300 times.



3400 mAh 18650 USB Rechargeable Li-ion Battery
3.6 V 3400 mAh USB rechargeable Li-ion battery with integrated battery overcharge / discharge protection circuits and 3 set of overheat protection, safe and durable; embedded with a charging indicator; 500-time recycle charging



2600 mAh 18650 Rechargeable Li-ion Battery
3.7 V 2600 mAh rechargeable Li-ion battery with over-charger / over-capacity Li-ion protection circuit; compatible for 18650 flashlights



750 mAh 14500 USB Rechargeable Li-ion Battery
3.6 V 750 mAh USB rechargeable Li-ion battery with a direct charging port, also compatible with 14500 charger; 500-time recycle charging



DC10 UNIVERSAL BATTERY CHARGER
+ Battery not included
Compatible with 5 V USB power supply; stretchable battery compartment design, compatible with various cells like 10440 / 14500 / 16340 / 18650 battery; zero volt activation, to activate the unusable battery of low tension caused by over-discharge or long-time placement; efficient three-graduation charging design to effectively extend the battery life and avoid overcharge



18650 CHARGER KIT
2600 mAh 18650 rechargeable Li-ion battery with in-car & direct charger; for TS, TA30, TA5, PA5, P5 Dual Light, TA40, TA40 SET



V51 Quick-Draw Flashlight Holder

V51 Quick-Draw Flashlight Holder allows you to quickly draw your flashlight and carry it in a hands-free way. It's 360° rotatable and compatible with flashlights with a body diameter of 25 - 32 mm, belts less than 55 mm in width and MOLLE systems.



V61 Compatible Flashlight Holder

V61 Quick-Draw Flashlight Holder allows you to quickly draw your flashlight and carry it in a hands-free way. It's 360° rotatable and compatible with flashlights with a head or tail diameter of 27 - 30 mm, belts less than 55 mm in width and MOLLE systems. Its bottom open design allows you to light up at both ends.



V31 Quick-Draw Flashlight Holder

Designed by NEXTORCH customer Rossi, V31 Quick-Draw Flashlight Holder is specially made for TA30 / TA01 tactical flashlight + FR-1 tactical flashlight ring. It make your flashlight easier to carry & use.



V6 Compatible Holster

360° rotatable and double-open design for using flashlights inside normally and freeing hands; changing the number of rubber bands to adjust the tightness of quick-pull; fits TA30, TA01, TA15, E6 and other flashlights of a 27 - 30 mm head diameter



V5 Tactical Polymer Holster

Adaptive polymer holster, 360-degree rotatable; quick draw available; features a lever side lock mechanism; fits belts less than 2" width; for T7, T5, TS3, T5G, TA5, PA5, P5 Dual Light, TA40, T6A or other flashlights of 25 mm - 32 mm (1" - 1.25") diameter



V1 Durable Nylon Holster

For TA30, TA15, TA5, PA5, PS, DUAL LIGHT, TA40, T6A, myTorch S 18650, myTorch S XL

For Flashlights & Others



HM30 Multi-purpose Handle Mount
Specially designed for Saint Torch series for more uses; able to be used as a hand lamp with a HM30, combining with a tripod to make the flashlight a camp lamp or stationary light; with a standard rail hole on the handle, torches can be mounted on guns as a weapon light



V30 Multi-function Carry Bag
With 7-Type Velcro inside, able to be divided into 3 spaces; apply high-quality Nylon as main fabric; wearproof, durable, water-fast; set up with MOLLE webbings for placing tactical equipments; adjustable & demou-estableshoulder straps providing multiple carry ways



BA30 Fast Charging Waterproof Li-ion Battery Pack and Power Bank Combo
Used as both a 10400 mAh 18650 Li-ion battery pack for Saint Torch11 / 30 V2.0 and a three-proofing high-volume power bank; Type-C quick charge, fully charged for 3 hours; IPX7, 1 meter waterproof, impact resistant and dust-proof, multiple microcircuit protection for secure usage; 500-time recycle charging



TS41-L Tactical Remote Switch
Quickly access to momentary-on and constant-on modes; waterproof construction; for T7, T5G, TS3, TA4, TA40 flashlight



FT32 3 Color Filter
Filter kit with holder; replaceable lens; 3 color lens with high transmittance (red / green / blue); for TA40, TA3, T6A, TS, PA5, P60



V10 Nylon Flashlight Holder
Material: 1000D COPOLYRA Nylon
Compatible Belt Size: Within 80 mm
Compatible Flashlight Models: P90 / P60 / TA5 / TA40 / T7 Dimensions: 188 x 50 x 43 mm
Weight: 43.8 g



V40 Multi-Tool & Flashlight Leather Holster
Made of premium genuine leather; V40 is a holster for both a multi-tool and a flashlight. It has 2 ways to wear, and fits with belt up to 55 mm wide.



FR-1 Tactical Flashlight Ring
An essential supplement to tactical flashlights; more secure with it when operating with guns; able to offer quick draw function, deep carrying and oriented lighting, and even work as a punching tool when necessary; fits flashlights with a tail-call switch of 23.2 mm - 25.5 mm diameter, designed for TA30, TA01, E6



FR-2 Tactical Flashlight Ring
FR-2 Tactical Flashlight Ring is allows you to carry and use your flashlight in new ways. It is compatible with flashlights with a diameter ranging from 25 to 27 mm, such as NEXTORCH TA30 Max and TAS. Made of steel and nylon, FR-2 weights only 10 g.



TRAFFIC WAND
Filter kit with holder; replaceable lens; 3 color lens with high transmittance (red / green / blue); for TA40, TA3, T6A, T5, PA5, P80, P81



SL20 Light-weight Waterproof Bicycle Signal Light
Two flashing modes: fast and slow flash of red and blue light; bright and eye-catching enough as an effective warning; powered by a replaceable button battery; easily installing the signal light on bike with the HOOK&LOOP included

ACCESSORIES

Flashlights Mounts



HM1
Helmet Flashlight Mount

360° rotatable, easy mounting, fits flashlight body size: 18 mm-35 mm (0.71"-1.38"); for TS, T7, TS3, T5G, TA01, TA30, TA15, TA5, PA5, TA40, T6A, P5 Dual Light



HM2
Light-weight Multi-angle Mount

360° rotatable easy mounting, fits flashlight body size: 22 mm-30 mm (0.87" - 1.15"); for TS, C3, C4, T6A, myTorch S 3AAA, myTorch S 18650



HM3
Helmet Clips for Headlamp

HM3 Helmet Clips for Headlamp can help you wear your headlamp firmly on your helmet. Made of quality nylon, it's durable and lightweight.



RM25S
Tactical Picatinny Gun Mount

Fits flashlight body size: 22 mm-26.5 mm (0.87"-1.04")

for TS, T7, TS3, T5G, TA10, TA30, TA15, TA5, TA40, PA5, P5 Dual Light



RM85
Quick Tighten / Release Scope Mount

Fits flashlight body size: 20 mm-28 mm (0.79"-1.1"); fits scope body size: 25.6 mm-30 mm (1.01"-1.18"); for TA01, TS, T7, TS3, T5G, TA15, TA30, TA5, TA40, T6A, PA5, P5 Dual Light



RM85S
Universal Tactical Mount

Fits flashlight body size: 23 mm-28 mm (0.91"-1.10"); for TS, T7, TS3, T5G, TA01, TA30, TA40, TA5, PA5, P60, P5 Dual Light



RM87
Magnetic Universal Mount

Fits flashlight body size: 23 mm-26.5 mm (0.91"-1.04"); for TS, T7, TA01, TA40, TA5, P60




BM1
Bike Flashlight Mount

Fits flashlight body size: 23 mm-28 mm (0.9"-1.1"); fits steel pipe size: 22 mm-25.6 mm (0.87"-1.0"); for TS, T7, TA01, TA30, TA15, TA5, PA5, TA40

NEX

LIGHT-WEIGHT
MECHANICAL BATON



NEX dedicates to provide the world with the reliable high-performance and high-quality mechanical batons. NEX Lock is the basis of all innovation in NEX mechanical batons. It innovatively integrates the locking structure into one component to strengthen the core performance of mechanical batons. Processed by precision CNC, every NEX mechanical baton is equally outstanding for good stability and consistency.


Smooth Extension
& RetractionSolid
Locking2 meter
Impact Resistance

QUICKER

Extendable Mechanical Duty Baton Series

FEATURES

- High-tech locking mechanism NEX LOCK, stable enough to assure reliable and secure actions while striking, jabbing and blocking
- Easily released with a very simple push on the tail-cap button
- Superior materials, exceptional workmanship and flawless functions to provide a sturdier hold in the hand
- Able to break windows in emergency by optional hardened Nano-ceramic tip



NEX 17" (Al) NEX 21" (Al/Steel) NEX 21" (Thane) NEX 23" (Al/Steel) NEX 26" (Steel) NEX 28" (Steel) NEX 39" (Steel)

Specifications	N17C Quic (Al)	N21C Quic (Al / Trainer / Steel)	N23C Quic (Al / Steel)	N26C Quic (Steel)	N28C Quic (Steel)	N39C Quic (Al)
Extension	17" (413 ± 2 mm)	21" (509 ± 2 mm)	23" (584 ± 2 mm)	26" (660 ± 2 mm)	28" (712 ± 2 mm)	39" (1003 ± 3 mm)
Retraction	7.56" (192 ± 1.5 mm)	8.82" (224 ± 1.5 mm)	9.80" (250 ± 1.5 mm)	10.82" (275 ± 1.5 mm)	11.5" (292 ± 1.5 mm)	12.63" (321 ± 1.5 mm)
Weight	± 9.52 oz (270 g)	± 11.11 oz (315 g) ± 11.11 oz (315 g) ± 13.76 oz (392 g)	± 12.35 oz (350 g) ± 21.16 oz (600 g)	± 23.63 oz (670 g)	± 25.39 oz (720 g)	± 25.57 oz (725 ± 15 g)
Body	Alloy Steel + Aerospace Aluminum / Alloy Steel (Steel Version)					
Material	Alloy Steel + Aerospace Aluminum / Alloy Steel (Steel Version)					
Handle	TPE Rubber					
Finish	Black Electroless Nickel					
Handle Diameter	± 28 ± 1 mm		39" ± 26 ± 5 mm			
Impact Resistance	2 m					
Anti-strike Ability	≥ 3000 Times					
Scalability	≥ 3000 Times					
Tensile Strength	1000 N					
Bending Strength	5000 N					
Corrosion Resistance	Level 9					
Locking Structure	NEX Lock					

N19L Quic

Flashlight Duty Baton

410
LUMENS

FEATURES

- Combination of NEXTORCH flashlight & NEX Lock baton
- Rotational Tail Switch for easy mode switch
- Max output up to 410 lm
- Super hard ceramic strike tip



LED	LED
Mode	40 lm / 410 lm / strobe
Runtime	9 h / 1 h 30 min / -
Beam distance	35 m / 116 m
Submersible	IPX8 (2 m)
Battery	1 x Rechargeable 14500 Battery (Provided)
Weight	350 g / 12.34 oz (without battery)
Finish	Black
Body Material	Alloy Steel & Aerospace Aluminum Alloy

Retraction	270 ± 1.5 mm
Extension	490 ± 2 mm
Handle Diameter	28 ± 1 mm
Impact Resistance	2 m
Anti-Strike Ability	≥ 3000 Times
Scalability	≥ 3000 Times
Corrosion Resistance	Level 9
Tensile Strength	1000 N
Bending Strength	3000 N
Locking Structure	NEX Lock

ACCESSORIES

HG1 NEW

Detachable Baton Crossguard



FEATURES

- Freely Detachable, easy to install without additional tools
- 360° Rotatable, protection from all angles, split mode & cross mode available
- Made of Aerospace Aluminum Alloy, hard-wearing, rustproof, and anti-corrosion
- 2-m drop & effective dust resistance, reliable even under extreme conditions

Material	Aerospace Aluminum Alloy
Surface Treatment	Type III Hard Anodizing
Weight	65 g / 2.29 oz
Dimensions	108 mm × 108 mm × 37 mm
Compatible Batons	NEX Quicker Series Batons, or batons with a diameter ranging from 26-27 mm





WALKER

Extendable Portable Baton Series

FEATURES

- Innovative NEX Lock locking structure for quick and stable extension
- Press the tail button to unlock and retract the baton rapidly
- Equipped with a window-breaking tip for emergency and a portable clip for hands-free operation and concealed carry



MORE PORTABLE



SPECIFICATIONS

	NEX 12" (Air)	NEX 16" (Air/Steel)	NEX 20" (Air)
Finish	BLACK		
Retraction	6.22" (158 ± 1.5 mm)	7.52" (191 ± 1.5 mm)	8.82" (224 ± 1.5 mm)
Extension	12" (302 ± 2 mm)	16" (401 ± 2 mm)	20" (500 ± 2 mm)
Weight	± 6.35 oz (180 g)	± 7.41 oz (210 g) ± 13.22 oz (376 g)	± 8.82 oz (250 g)
Handle Diameter	22 mm ± 1 mm		
Body Material	Alloy Steel + Aerospace Aluminum / Alloy Steel (Steel Version)		
Impact Resistance	2 m / 6.56'		
Anti-Strike Ability	≥ 3000 Times		
Scalability	≥ 3000 Times		
Corrosion Resistance	Level 9		
Tensile Strength	1000 N		
Bending Strength	3000 N		
Locking Structure	NEX Lock		

N18L Wal / N15L Wal

Self-defense Portable Baton with flashlight

410
LUMENS

100
LUMENS



FEATURES

- Combination of NEXTORCH flashlight & NEX Lock baton
- Rotational Tail Switch for easy mode switch
- Max output up to 100 (15') / 410 (18') lm
- Super-hard ceramic strike tip



	N18L Wal	N15L Wal
LED	LED	LED
Mode	410 lm / 40 lm / strobe	100 lm / strobe
Runtime	91h 13h 20 min / —	1h 15 min / —
Beam distance	116 m / 380.5ft	60 m / 196.85'
Submersible	IPX8 (2 m)	IPX8 (2 m)
Battery	1 × Rechargeable 14500 Battery (Provided)	1 × AA Battery (Provided)
Weight	260 g / 9.17 oz (without battery)	202 g / 7.12 oz (Without Battery)
Finish	Black	Black
Body Material	Alloy Steel & Aerospace Aluminum	Aerospace Aluminum Alloy
Retraction	265 ± 1.5 mm	235 ± 2 mm
Extension	480 ± 2 mm	378 ± 2 mm
Handle Diameter	26.7 ± 1 mm	26.7 ± 1 mm
Impact Resistance	2 m / 6.56'	2 m / 6.56'
Anti-Strike Ability	≥ 3000 Times	≥ 3000 Times
Scalability	≥ 3000 Times	≥ 3000 Times
Corrosion Resistance	Level 9	Level 9
Tensile Strength	1000 N	1000 N
Bending Strength	3000 N	3000 N
Locking Structure	NEX Lock	NEX Lock



N14 Wal

Concealable 2 Sections Baton



FEATURES

- From Walker concealable baton family
- Super-hard ceramic strike tip
- NEX Lock design inside, smooth to open and close
- 2 m impact resistance
- Removable clip with 10 clipping positions

Expanded Length	14' / 356 ± 2 mm
Retracted Length	8.66' / 220 ± 1.5 mm
Handle Diameter	16 ± 0.5 mm
Weight	± 5.53 oz / 157 ± 10 g
Material	Steel + Aluminum Alloy
Impact Resistance	2 m



ACCESSORIES

V70

Dual-purpose Holster

- Compatible with Batons & Flashlights
- Supporting 360 degree rotation and 16 angles of fixation
- Available for both quick & non-rapid extraction of batons

Compatible Batons	NEX Quicker Series Batons
Applicable Flashlight Head / Tail Dia.	25 - 32 mm
Fitting Belt Size	≤ 50 mm
Dimension	65.4 mm x 50 mm x 134.6 mm



V71

Nylon Baton Holder

- Made of high-quality 1000D nylon fabric, for high wear resistance and tear resistance
- Designed for the close carry of baton by applying MOLLE mount, able to be mounted on the tactical waistcoat, backpack, waist belt or other equipments with MOLLE webbings, convenient and practical

Compatible Batons	NEX Quicker Series Batons
Dimension	157 mm x 50 mm x 45 mm
Weight	50 g / 1.76 oz



V72

Quick-draw Holder

- designed for duty to close carry and draw faster
- supporting 360° degree rotation and 16 angles fixation
- compatible with various size of batons, supplying adjustable clamp to attach holder on belt more stably

Compatible Batons	NEX Quicker Series Batons
Dimension	137 mm x 56.5 mm x 65 mm
Weight	96 g / 3.38 oz



V73

Baton & Flashlight Holster

- Works with NEX Quicker Series batons with HG1 crossguard
- 360° rotatable with 16 locking positions
- Compatible with flashlights or batons with a diameter of 25 - 32 mm, belts less than 55 mm in width and MOLLE system.

Compatible Batons	NEX Quicker Series Batons
Compatible Flashlights	25 - 32 mm (Head Dia.)
Compatible Belt Width	≤ 55 mm
Dimensions	156 mm x 54 mm x 65 mm



V67

Multi-Functional Leather Baton Holster

- Made of genuine leather, lightweight and durable
- For NEX Quicker series batons
- Compatible with belt up to 50 mm wide
- Ideal for plainclothes carry

Material	Genuine Leather
weight	63 g / 2.22 oz
dimensions	180 × 110 × 35 mm
belt width	Width ≤ 50 mm; Thickness ≤ 6 mm
Compatible Batons	NEX Quicker Series Batons



V68

Portable Baton Genuine-Leather Holster

- Made of genuine leather, lightweight and durable
- For NEX Walker series batons
- Compatible with belt up to 50 mm wide
- Ideal for plainclothes carry

Material	Genuine Leather
weight	55 g / 1.94 oz
dimensions	155 × 84 × 29 mm
belt width	≤ 1.77" mm
Compatible Batons	NEX Walker Series Batons



V69

Portable Baton Nylon Holster

- Made of nylon material
- Design for NEX Walker batons (16" / 18" / 20")
- Able to be mounted on the tactical waistcoat, backpack, waist belt or other equipments with MOLLE webbings, convenient and stable



TB1

Detachable TONFA Side Handle

- TB1 is an expandable accessories for baton, can turn baton into TONFA, diversifying the way of attacks and defenses. Installed And Disassembled Quickly Without Any Tools

Material	Aluminum alloy (Connection part) + POM (handle body)
Finish	Type II Hard Anodizing
Dimensions	155 (length) x 36 (Width) x 44 (Height) mm
Compatible Batons	NEX Quicker Series Batons



Baton Window-breaking Tip



Baton Grip Ring



HC10

Chain Handcuffs



Unique interlocking design for quick and stable operation



Double-sided unlocking function for more convenient use

FEATURES

- * Made of aerospace grade aluminum and steel, strong and lightweight
- * Double Lock Feature, ensure both subject and officer safety
- * Flat contact surface and smooth action prevents injury during application

Weight	255 g / 8.99 oz (without keys)
Material	Aluminum and steel Double Lock Feature
Inside Perimeter	55 mm to 82 mm
Keys Supplied	2
Impact Resistance	3 m
Corrosion resistance	Level 10

HC11

Hinged Handcuffs

FEATURES

- * Double-hinged design for utmost movement restriction
- * Made of aerospace grade aluminum and steel, strong and lightweight
- * Double Lock Feature, ensure both subject and officer safety
- * Flat contact surface and smooth action prevents injury during application



Double chain design



Optional accessories Nylon handcuff holder

Weight	284 g / 10.01 oz (without keys)
Material	Aluminum and steel Double Lock Feature
Inside Perimeter	55 mm to 82 mm
Keys Supplied	2
Length	227 ± 2 mm

V11

Handcuff Holder



Double fixation for avoiding accidental loss even sprinting



Belt clip design and convenient to attach & remove

FEATURES

- * Designed for metal handcuff to close carry
- * Fixed button+velcro design can lock handcuff firmly and keep stable even when sprinting
- * Made of high-quality 1000D Dupont Nylon fabric, it is lightweight and durable

Material	1000D Dupont Nylon
Compatible Belt Size	≤ 55 mm
Dimension	137 mm x 109 mm x 50 mm
Weight	85 g



MT 10

16-in-1 Multi-pliers



16



Multi Functions

- ① Needleless Pliers
- ② Regular Pliers
- ③ Premium Replaceable Wire Cutters
- ④ Premium Replaceable Hard-wire Cutters
- ⑤ Thick-wire Cutters
- ⑥ Saw
- ⑦ Knife
- ⑧ Phillips Screwdriver
- ⑨ Line Cutter
- ⑩ Can Opener
- ⑪ Wire Stripper
- ⑫ Bottle Opener
- ⑬ Flat Screwdriver
- ⑭ Glass Breaker
- ⑮ Scissors
- ⑯ Ruler



Sheath Included

Main Features:

- A pair of big scissors with 30 mm long cutting blade, more practical
- A high-hardness Nano-ceramic bead as efficient tempered-glass breaker
- Combining total 5 regular pliers, to satisfy various daily needs
- A saw with two-sided cross sawtooth for double cutting force
- A unique hook-design line cutter and box opener for opening boxes safely without damaging products inside

Body Material	30C13
Pliers Head Material	30C13
Blade Material	50C15Mov
Pliers Head Cutting Edge Tool Material	K30 (YGR) hard alloy
Surface Finish	Saw / Scissors: sanding Others: sand blasting
Dimension	Close: 110 mm × 40 mm × 21.5 mm
Weight	245 g ± 5 g



Bottle Opener Glass Breaker Scissors Knife Saw Pliers

NP10 TI

Titanium-Alloy Multi-function Tactical Pen



Main Features:

- Fun to play tail spinner to help you release stress
- Super hard ceramic strike tip, with a hardness only second to diamonds, perfect handy self-defense tool
- Fun & classic bolt switch
- Exquisite Clip for easy carry
- Smooth writing



Material	Titanium
Strike Tip	Super-Hard Ceramic Strike Tip
Finish	Sand Blasting
Length	126 mm
Diameter	11 mm
Weight	26 g (With Cartridge)

NP20

Safety Pen with Tungsten-steel Pen Tip



Hollow-out Carven Design of Dragon Bone



Tactical defense

Emergency defense

Emergency escape

Body Material	6061-T6 Aerospace Grade Aluminum
Body Finish	Mil-Spec Type III Hard Anodized
Strike Tip Material	Tungsten-steel

Cartridge	SCHMIDT Megaline P 950 M (G2 Specs)
Length	148 mm / 5.8"
Weight	30 g / 1.06 oz (Refill Included)