

Unilever Asia Private Limited 20 Pasir Panjang Road #06-22 Mapletree Business City Singapore 117439

T: (65) 6643 3000 F: (65) 6570 1090

Page: 1/14

# SAFETY DATA SHEET

### **Lux Hand Wash**

# **Section 1. Identification**

Product name: Lux Hand WashProduct description: Liquid Hand WashInternal product code: F\_68266613

### Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** 

Consumer uses

Supplier's details : Unilever Asia Private Limited

20 Pasir Panjang Road #06-22 Mapletree Business City Singapore 117439

T: (65) 6643 3000 F: (65) 6570 1090

**Emergency telephone number (with:** 

hours of operation)

Phone #: 800-761-3683 Monday thru Friday (8:30 AM – 5:00 PM

EST)

Emergency #: 800-745-9269 (24 hours) Poison Control #: 800-949-7866 (24 hours)

CHEMTREC #: 800-424-9300(24 hours, Transportation

Emergencies)

#### **Consumer Information:**

For information regarding the use of this product by a consumer, please refer directly to the product label. This industrial MSDS is provided for workplace employees, per US OSHA regulations. It contains recommendations for handling of this product in an occupational, or workplace, setting.

Any first aid or warnings that are applicable to consumer use are stated directly on the product label, in accordance with all applicable government regulations.

LUX 5L TR HW Page: 2/16

# Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Classification of the substance or

mixture

EYE IRRITATION - Category 2A

### **GHS label elements**

Hazard pictograms

❖

Signal word : Warning

**Hazard statements** : Causes serious eye irritation.

## **Precautionary statements**

General : Read label before use. If medical advice is needed, have product

container or label at hand.

**Prevention** : Not applicable.

**Response** : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical attention.

**Storage** : Not applicable.

**Disposal**: Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Supplemental label elements : None known.

**Hazards not otherwise classified** : None known.

# Section 3. Composition/information on ingredients

**Substance/mixture** : Mixture

#### CAS number/other identifiers

Ingredient name	%	CAS number
Cocamidopropyl Betaine	0 - 1.9	61789-40-0

LUX 5L TR HW Page: 3/16

Sodium Laureth Sulfate	0 - 8	1335-72-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

#### **Description of necessary first aid measures**

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable

for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur. Wash

clothing before reuse. Clean shoes thoroughly before reuse.

**Ingestion** : Wash out mouth with water. Remove dentures if any. Remove

victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight

clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects, acute and delayed

### Potential acute health effects

**Eye contact** : Causes serious eye irritation.

**Inhalation** : No known significant effects or critical hazards.

LUX 5L TR HW Page:4/16

Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

### **Over-exposure signs/symptoms**

**Eye contact** : Adverse symptoms may include the following:

pain or irritation watering redness

Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician :: Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

**Specific treatments** No specific treatment.

**Protection of first-aiders**: No action shall be taken involving any personal risk or without

suitable training. It may be dangerous to the person providing aid to

give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

# **Section 5. Fire-fighting measures**

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media

: None known.

NFPA 30B Classification

: Not available.

Specific hazards arising from the

chemical

Hazardous thermal decomposition products

In a fire or if heated, a pressure increase will occur and the container may burst.

Use an extinguishing agent suitable for the surrounding fire.

: No specific data.

Special protective actions for

firefighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving

any personal risk or without suitable training.

Special protective equipment for

fire-fighters

: Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

LUX 5L TR HW Page: 5/16

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel :

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** 

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if waterinsoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

:

#### 'recautions for safe handling

**Protective measures** 

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

LUX 5L TR HW Page:6/16

# Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

# Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and wellventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

### **Control parameters**

### Occupational exposure limits

**Appropriate engineering controls** 

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Environmental exposure controls** 

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### **Individual protection measures**

#### **Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

LUX 5L TR HW Page:7/16

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

#### Skin protection

Hand protection

chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. For prolonged or repeated handling, use Latex gloves.

**Body protection** 

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state : liquid

Color: Not available.Odor: perfumedOdor threshold: Not available.

**PH** : 4.6 [Conc. (% w/w): 1,000 g/l]

Melting point: Not applicableBoiling point: Not available.Flash point: Non-flammable.Evaporation rate: Not available.Flammability (solid, gas): Not available.

Lower and upper explosive: Lower: Not available. Upper:

(flammable) limitsNot available.Vapor density: Not available.

LUX 5L TR HW Page:8/16

Relative density : Not available.
Solubility : Not available.
Solubility in water : Not available.
Partition coefficient: noctanol/water : Not available.

**Auto-ignition temperature** : Not available. **Decomposition temperature** : Not available.

Viscosity : Dynamic: 3,500 mPa.s

Kinematic: Not available.

# Section 10. Stability and reactivity

**Reactivity** : No specific test data related to reactivity available for this product or its

ingredients.

**Chemical stability** : The product is stable.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not

occur

Conditions to avoid : No specific data.

Incompatible materials : No specific data.

**Hazardous decomposition** : Under normal conditions of storage and use, hazardous

**products** decomposition products should not be produced.

# Section 11. Toxicological information

### **Information on toxicological effects**

#### **Acute toxicity**

**Conclusion/Summary** : Very low toxicity to humans or animals.

#### **Irritation/Corrosion**

**Conclusion/Summary** 

**Skin** : Non-irritant to skin.

**Eyes** : Causes serious eye irritation.

**Respiratory** : Non-irritating to the respiratory system.

### **Sensitization**

Conclusion/Summary

Skin: Not available.Respiratory: Not available.

## **Mutagenicity**

LUX 5L TR HW Page:9/16

Conclusion/Summary : Not applicable.

**Carcinogenicity** 

**Conclusion/Summary** : Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

**Reproductive toxicity** 

**Conclusion/Summary** : Not applicable.

**Teratogenicity** 

**Conclusion/Summary** : Not applicable.

### **Specific target organ toxicity (single exposure)**

Not available.

### **Specific target organ toxicity (repeated exposure)**

Not available.

## **Aspiration hazard**

Not available.

**Information on the likely routes** : Not available.

of exposure

### Potential acute health effects

**Eye contact** : Causes serious eye irritation.

**Inhalation:** No known significant effects or critical hazards. **Skin contact:** No known significant effects or critical hazards. **Ingestion:** No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:

pain or irritation watering redness

Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

LUX 5L TR HW Page: 10/16

### **Short term exposure**

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary

Very low toxicity to humans or animals.

GeneralNo known significant effects or critical hazards.CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.Developmental effectsNo known significant effects or critical hazards.Fertility effectsNo known significant effects or critical hazards.

### Numerical measures of toxicity

### **Acute toxicity estimates**

Route	ATE value	
Oral	>5000 milligram per kilogram	

# Section 12. Ecological information

### **Toxicity**

**Conclusion/Summary** : No known significant effects or critical hazards.

Persistence and degradability

**Conclusion/Summary** : No known significant effects or critical hazards.

Mobility in soil

**Soil/water partition coefficient** : Not available.

(KOC)

Other adverse effects : No known significant effects or critical hazards.

LUX 5L TR HW Page: 11/16

# Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**RCRA classification** : No known significant effects or critical hazards.

United States - RCRA Acute hazardous waste "P" List: Not listed

<u>United States - RCRA Toxic hazardous waste "U" List:</u> Not listed

# Section 14. Transport information

FOR SHIPMENT IN CONSUMER PACKAGING	GROUND	WATER	<u>AIR</u>
PROPER SHIPPING NAME:	Not regulated	Not regulated	Not regulated
HAZARD CLASS:	Not regulated	Not regulated	Not regulated
UN/ID #:	None	None	None
PACKING GROUP:	None	None	None
REQUIRED MARKINGS and/or LABELS:	None	None	None
MARKINGS and/or LABEL TYPES:	None	None	None
ADDITIONAL INFORMATION:	Not regulated	Not regulated	Not regulated

LUX 5L TR HW Page: 12/16

**Special precautions for user:** Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.'

Transport in bulk according to Annex II of MARPOL and the IBC Code

Not available.

# Section 15. Regulatory information

U.S. Federal regulations

United States - TSCA 12(b) - Chemical export notification: None of the components are listed.

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)

United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed

**United States - TSCA 5(a)2 - Proposed significant new use rules:** Not listed

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined

United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed

**United States - TSCA 8(c) - Significant adverse reaction (SAR):** Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 -

**Priority pollutants:** Not listed

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed

listed

United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical:

Not listed

*LUX 5L TR HW* Page: 13/16

Not listed

Clean Air Act Section 602 Class I : Not listed

**Substances** 

Clean Air Act Section 602 Class : Not listed

II Substances

**DEA List I Chemicals (Precursor**: Not listed

**Chemicals**)

**DEA List II Chemicals (Essential :** Not listed

Chemicals)

SARA 302/304 : Not applicable.

SARA 304 RQ : Not applicable.

**SARA 311/312** 

Classification : Immediate (acute) health hazard

## **Composition/information on ingredients**

Name	%	Classification
Cocamidopropyl Betaine	0 - 1.9	АН
Sodium Laureth Sulfate	0 - 8	АН

## **SARA 313**

None of the components are listed.

State regulations

Massachusetts: None of the components are listed. New York:

None of the components are listed. **New Jersey**: None of the components are listed. **Pennsylvania**: None of the components are

listed.

## US California 22CCR Appendix X Substances

Not listed.

California Prop. 65 : Not available.

**United States inventory (TSCA**: Exempted

**8b**)

Version: 1.0 Date of issue/Date of revision: 04.09.2020 Date

 $of \ previous \ issue: 00.00.0000$ 

LUX 5L TR HW Page: 14/16

Canada inventory : Not determined.

#### **International regulations**

International lists : Australia inventory (AICS): Not determined.

Malaysia Inventory (EHS Register): Not determined.

Japan inventory: Not determined.

China inventory (IECSC): Not determined.

Korea inventory: Not determined.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): Not determined.

Taiwan Chemical Substances Inventory (TCSI): Not determined.

**Chemical Weapons Convention** 

**List Schedule I Chemicals** 

Chemical Weapons Convention List Schedule II Chemicals

Chemical Weapons Convention

List Schedule III Chemicals

Not listed

Not listed

Not listed

# Section 16. Other information

This product is packaged for retail sale and intended for consumer use. The U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200) does not apply to "consumer products" as defined by the U.S. Consumer Product Safety Act and Federal Hazardous Substances Act, including consumer products used in the workplace under typical duration and frequency of exposure as experienced by consumers when used for the indended purpose. This Safety Data Sheet (SDS) is provided as a courtesy to assist with proper use and safe handling. Applicable consumer product use and safety information is provided on the product label and is included for easy reference in Section 16 of this SDS. This SDS is designed to cover both U.S. and Canada. Differences between U.S. and Canadian requirements are noted where applicable.

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### History

**Date of printing** : 04.09.2020 **Date of issue/Date of revision** : 04.09.2020

LUX 5L TR HW Page:15/16

**Date of previous issue** : 00.00.0000

Version : 1.0

Prepared by : Global Product Compliance

Unilever Regulatory Affairs

40 Merritt Blvd Trumbull, CT 06611

**USA** 

Key to abbreviations

ATE = Acute Toxicity Estimate

ACGIH = American Conference of Governmental & Industrial Hygienists

AH = Acute Hazard

BCF = Bioconcentration Factor

CAA = Clean Air Act

CARB = California Air Resources Board CCR = California Code of Regulations

CERCLA = Comprehensive Environmental Response, Compensation &

Liability Act

CFR = Code of Federal Regulations

CH = Chronic Hazard

CWA = Clean Water Act

DEA = Drug Enforcement Administration DOT = Department of Transportation

EC = European Commission

EPCRA = Emergency Planning and Community Right-To-Know Act

EST = Eastern Standard Time F

= Fire

HAPS = Hazardous Air Pollutants

HCS = Hazard Communication Standard

HMIS = Hazardous Materials Information System

HVOC = High Volatile Organic Compound

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IARC = International Agency for the Research of Cancer

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

ICAO = International Civil Aviation Organization

IMDG = International Maritime Dangerous Goods

IMO = International Maritime Organization

ITC = Interagency Testing Committee (TSCA)

KOC = Organic Carbon/Water Partition Constant

LogPow = logarithm of the octanol/water partition coefficient

LVOC = Low Volatile Organic Compound

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

MPPCF = Million Particles Per Cubic Foot

N/A = Not Applicable

NFPA = National Fire Protection Association

NOEC = No Observable Effect Concentration

NTP = National Toxicology Program

LUX 5L TR HW Page:16/16

OSHA = Occupation Safety & Health Administration

PEL = Permissible Exposure Limit

RCRA = Resource Conservation & Recovery Act

RQ = Reportable Quantity

RTK = Right-To-Know

SARA = Superfund Amendments & Reauthorization Act

STEL = Short-Term Exposure Limit

TBD = To Be Determined

TCC = Tagliabue Closed Cup

TCLP = Toxicity Characteristic Leaching Procedure

TDG = Transport of Dangerous Goods

TLV = Threshold Limit Value

TSCA = Toxic Substances Control Act

TWA = Time Weighted Average

UN = United Nations

References

: Evaluation method used for mixture classification: Calculation method.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.